

Pride Surveys Questionnaire for Grades 7 thru 12 Report

2017-18 Highland County

Highland, OH

February 06, 2018

sponsored by *PreventionFIRST!*



PRIDE SURVEYS
2140 Newmarket Pkwy. #116
Marietta, GA 30067
☎ 800.279.6361
☎ 770.726.9327
www.pridesurveys.com

Contents

1	Introduction	18
1.1	How To Use Your Data	19
2	Summary	21
2.1	Core Measures	21
2.2	Annual Use	22
2.3	Where Students Use	22
2.4	When Students Use	22
2.5	Risk Factors	23
2.6	Protective Factors	23
3	Graphics	24
3.1	Frequency of Use	25
3.1.1	Annual Use	25
3.1.2	Past 30-Day Use	33
3.2	Perception of Harm	35
3.3	Perception of Parental Disapproval	55
3.4	Perception of Friends Disapproval	65
3.5	Average Age of Onset of Use	75
3.6	Student Information	98
3.7	Availability	110
3.8	Where Do You Use	117
3.9	When Do You Use	140
3.10	Annual Drug Use by Gender	163
3.11	Risk and Protective Factors – Cross Tabulations	189
3.11.1	Attend Church or Synagogue	190
3.11.2	Take Part in Community Activities	191
3.11.3	Make Good Grades	192

3.11.4	Take Part in Sports Teams	193
3.11.5	Take Part in School Activities	194
3.11.6	Get Into Trouble at School	195
3.11.7	Teachers Talk About Dangers of Drugs	196
3.11.8	Parents Talk About Dangers of Drugs	197
3.11.9	Parents Set Clear Rules	198
3.11.10	Parents Punish for Breaking Rules	199
3.12	Safety and Health – Cross Tabulations	200
3.13	Carrying a Gun to School	201
3.14	Involvement in Gangs	202
3.15	Threatening/Harmful Behaviors	203
3.16	Trouble with Police	204
3.17	Personal Safety	205
3.18	Gambling	206
4	Percentage Tables	209
4.1	Personal & Family Information	210
4.2	Student Information	213
4.3	Within The Past Year How Often Have You...	226
4.4	What Effect Do You Most Often Get When You Use	241
4.5	During the Past 30 Days?	243
4.6	Do You Feel The Following Are Harmful To Your Health?	245
4.7	How Much Do You Think People Risk Harming Themselves Physically Or In Other Ways If They	252
4.8	How Easy Is It To Get	256
4.9	Feel About Binge Drinking	258
4.10	How Wrong Do Your Friends Feel It Would Be For You To	259
4.11	How Wrong Do Your Parents Feel It Would Be For You To	262
4.12	From Whom Do You Get	265
4.13	At What Age Did You First	268
4.14	Where Do You Usually Use...	279
4.15	When Do You Usually Use...	290
4.16	Gambling	298
4.17	While At School Have You	306
4.18	In My School, I Feel Safe...	310
4.19	Frequency of Use	313
5	Drug-Free Communities Support Program Core Measures	320

List of Tables

1.1	Number of Students Surveyed	19
2.1	Core Measures for All Students	21
2.2	Percentage of Students Who Report Using Drugs	22
2.3	Where Do Students Report Using	22
2.4	When Do Students Report Using	22
2.5	Percentage Of Students At Risk	23
2.6	Percentage Of Students Protected	23
3.1	Attend Church or Synagogue	190
3.2	Take Part in Community Activities	191
3.3	Make Good Grades	192
3.4	Take Part in Sports Teams	193
3.5	Take Part in School Activities	194
3.6	Get Into Trouble at School	195
3.7	Teachers Talk About Dangers of Drugs	196
3.8	Parents Talk About Dangers of Drugs	197
3.9	Parents Set Clear Rules	198
3.10	Parents Punish for Breaking Rules	199
4.1	Ethnic Origin	210
4.2	Are you Hispanic or Latino/Latina	210
4.3	Sex	210
4.4	Do you live with...	211
4.5	Do you have a job?	211
4.6	Does your father have a job?	211
4.7	Does your mother have a job?	212
4.8	What is the educational level of your father?	212
4.9	What is the educational level of your mother?	212

4.10	Do you make good grades?	213
4.11	Do you get into trouble at school?	213
4.12	Do you take part in school sports teams?	213
4.13	Do you take part in school activities such as band, clubs, etc.?	214
4.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?	214
4.15	Do you attend church, synagogue, etc.?	214
4.16	Do your parents talk with you about the dangers of tobacco, alcohol and drug use?	215
4.17	Do your teachers talk with you about the dangers of tobacco, alcohol and drug use?	215
4.18	Does your school set clear rules on using alcohol and drugs during school and school functions?	215
4.19	Does your school punish you when you break the rules about using alcohol and drugs?	216
4.20	Do your parents set clear rules for you about using alcohol and drugs?	216
4.21	Do your parents punish you when you break the rules about using alcohol and drugs?	216
4.22	Have you been in trouble with the police?	217
4.23	Do you take part in gang activities?	217
4.24	Have you ever thought about committing suicide?	217
4.25	Do your friends use tobacco (cigarettes, etc.)?	218
4.26	Do your friends use alcohol (beer, liquor, etc.)?	218
4.27	Do your friends use marijuana (weed, chronic, dank, kush, etc.)?	218
4.28	In the past 3 months, have you been at a party where alcohol was available?	219
4.29	In the past 3 months, have you been at a party where marijuana or other illicit drugs were available?	219
4.30	In the past 3 months, have you been at a party where prescription drugs, not prescribed to you, were available?	220
4.31	In general, how often do you experience stress in your daily life?	220
4.32	Does your school ask any students to take a drug test?	220
4.33	Have you bought or sold drugs AT school?	220
4.34	Have you bought or sold drugs when NOT at school?	221
4.35	Have you carried a gun for protection or as a weapon when AT school in the past year?	221
4.36	Have you carried a gun for protection or as a weapon when NOT at school in the past year?	221
4.37	I did not go to school 1 or more days because I felt unsafe at school?	221
4.38	I did not go to school 1 or more days because I felt unsafe on my way to or from school?	222
4.39	Are you aware of a drug prevention coalition in your neighborhood?	222
4.40	Are you involved in an extracurricular activity where the primary purpose of the group is to organize activities around the prevention of drug and alcohol use in your community??	222
4.41	During the past 7 days, how many times did you exercise, play a sport, or participate in a physical activity for at least 20 minutes that made you sweat and breathe hard?	222
4.42	During the past 7 days, how many times did you eat at least one piece of fruit?	223
4.43	During the past 7 days, how many times did you eat at least one vegetable?	223
4.44	On an average school night, how many hours of sleep do you get?	223

4.45 Within the past year, as a result of drinking, I did something I later regretted? 224

4.46 On an average school day, how often do you play video or computer games or use a device for something that is not school work? (Count time spent on things such as Xbox, Wii, tablets and smartphones) 224

4.47 In the past 3 months, how often have you seen or heard anti-drug messages? (TV, Radio, Internet, Social Media Sites, Billboards, Movie Theaters) 224

4.48 How many days have you been absent from school this year? 225

4.49 Within the past year how often have you smoked cigarettes? 226

4.50 Within the past year how often have you used smokeless tobacco (chew, etc.)? 226

4.51 Within the past year how often have you smoked cigars? 227

4.52 Within the past year how often have you used an electronic vapor product (e-cigars, e-cigarettes, e-pipes, vape pipes, vaping pens, e-hookas, hookah pens, etc.)? 227

4.53 Within the past year how often have you drank beer? 228

4.54 Within the past year how often have you drank coolers, hard lemonade, etc.? 228

4.55 Within the past year how often have you drank liquor (whiskey, vodka, rum, etc.)? 229

4.56 Within the past year how often have you had 5 or more glasses of beer, coolers, or shots of liquor within a few hours? 229

4.57 Within the past year how often have you smoked marijuana (weed, chronic, dank, kish, etc.)? 230

4.58 Within the past year how often have you used synthetic marijuana (K2, spice)? 230

4.59 Within the past year how often have you used chemical products to get high (bath salts)? 231

4.60 Within the past year how often have you used pain medication not prescribed to you (Oxycontin, Vicodin, Percocet, etc.)? 231

4.61 Within the past year how often have you used stimulant medication not prescribed to you (Adderall, Ritalin, Concerta, etc.)? 232

4.62 Within the past year how often have you used sleeping medication not prescribed to you (Ambien, Restoril, etc.)? 232

4.63 Within the past year how often have you used sedative/anxiety medication not prescribed to you (Xanax, Valium, Ativan, etc.)? 233

4.64 Within the past year how often have you used over-the-counter drugs to get high? 233

4.65 Within the past year how often have you used heroin? 234

4.66 Within the past year how often have you used cocaine (crack, etc.)? 234

4.67 Within the past year how often have you used inhalants (glue, gas, etc.)? 235

4.68 Within the past year how often have you used hallucinogens (PCP, LSD, etc.)? 235

4.69 Within the past year how often have you used steroids? 236

4.70 Within the past year how often have you used ecstasy (MDMA)? 236

4.71 Within the past year how often have you used meth (crystal, ice, crank, etc.)? 237

4.72 Within the past year how often have you ridden in a car with a driver who was drunk? 237

4.73 Within the past year how often have you ridden in a car with a driver who was high? 238

4.74 Within the past year how often have you driven a car while drunk? 238

4.75 Within the past year how often have you driven a car while high? 239

4.76 Within the past year how often have you used any tobacco? 239

4.77 Within the past year how often have you used any alcohol? 240

4.78 Within the past year how often have you used any illicit drug? 240

4.79 What effect do you most often get when you drink beer? 241

4.80 What effect do you most often get when you drink coolers, hard lemonade, etc.? 241

4.81 What effect do you most often get when you drink liquor? 241

4.82 What effect do you most often get when you smoke marijuana? 242

4.83 What effect do you most often get when you use an electronic vapor product? 242

4.84 What effect do you most often get when you use prescription drugs not prescribed to you? 242

4.85 What effect do you most often get when you use other illicit drugs? 243

4.86 During the past 30 days did you drink one or more drinks of an alcoholic beverage? 243

4.87 During the past 30 days did you smoke part or all of a cigarette? 243

4.88 During the past 30 days have you used marijuana or hashish? 243

4.89 During the past 30 days have you used prescription drugs not prescribed to you? 244

4.90 During the past 30 days have you used other illicit drugs? 244

4.91 During the past 30 days have you used an electronic vapor product? 244

4.92 Do you feel smoking cigarettes is harmful to your health? 245

4.93 Do you feel using smokeless tobacco is harmful to your health? 245

4.94 Do you feel smoking cigars is harmful to your health? 245

4.95 Do you feel using an electronic vapor product is harmful to your health? 246

4.96 Do you feel drinking beer is harmful to your health? 246

4.97 Do you feel drinking coolers, hard lemonade, etc. is harmful to your health? 246

4.98 Do you feel drinking liquor is harmful to your health? 247

4.99 Do you feel smoking marijuana is harmful to your health? 247

4.100 Do you feel using synthetic marijuana is harmful to your health? 247

4.101 Do you feel using chemical products (bath salts) to get high is harmful to your health? 248

4.102 Do you feel using prescription drugs not prescribed to you is harmful to your health? 248

4.103 Do you feel using over-the-counter drugs to get high is harmful to your health? 248

4.104 Do you feel using heroin is harmful to your health? 249

4.105 Do you feel using cocaine is harmful to your health? 249

4.106 Do you feel using inhalants is harmful to your health? 249

4.107 Do you feel using hallucinogens is harmful to your health? 250

4.108 Do you feel using steroids is harmful to your health? 250

4.109 Do you feel using ecstasy is harmful to your health? 250

4.110 Do you feel using meth is harmful to your health? 251

4.111 How much do you think people risk harming themselves physically or in other ways if they use any alcohol? 252

4.112 How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage once or twice a week? 252

4.113 How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage nearly every day? 252

4.114 How much do you think people risk harming themselves physically or in other ways if they use any tobacco? 253

4.115 How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day? 253

4.116 How much do you think people risk harming themselves physically or in other ways if they use electronic vapor products? 253

4.117 How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week? 254

4.118 How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them? 254

4.119 How much do you think people risk harming themselves physically or in other ways if they use illicit drugs? 254

4.120 How much do you think people risk harming themselves physically or in other ways if they drive while drunk? 255

4.121 How much do you think people risk harming themselves physically or in other ways if they drive while high? 255

4.122 How easy is it to get cigarettes, smokeless tobacco, cigars, etc.? 256

4.123 How easy is it to get electronic vapor products? 256

4.124 How easy is it to get beer, wine, liquor and other alcohol products? 256

4.125 How easy is it to get marijuana? 257

4.126 How easy is it to get prescription drugs not prescribed to you? 257

4.127 How easy is it to get other illicit drugs? 257

4.128 How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? 258

4.129 How wrong would your friends feel it would be for you to use any alcohol? 259

4.130 How wrong would your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day? 259

4.131 How wrong would your friends feel it would be for you to use any tobacco? 259

4.132 How wrong would your friends feel it would be for you to smoke tobacco? 260

4.133 How wrong would your friends feel it would be for you to use electronic vapor products? 260

4.134 How wrong would your friends feel it would be for you to smoke marijuana? 260

4.135 How wrong would your friends feel it would be for you to use prescription drugs that are not prescribed to you? 261

4.136 How wrong would your friends feel it would be for you to use other illicit drugs? 261

4.137 How wrong would your friends feel it would be for you to gamble anything of value? 261

4.138 How wrong would your parents feel it would be for you to use any alcohol? 262

4.139 How wrong would your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day? 262

4.140 How wrong would your parents feel it would be for you to use any tobacco? 262

4.141 How wrong would your parents feel it would be for you to smoke tobacco? 263

4.142 How wrong would your parents feel it would be for you to use electronic vapor products? 263

4.143 How wrong would your parents feel it would be for you to smoke marijuana? 263

4.144 How wrong would your parents feel it would be for you to use prescription drugs that are not prescribed to you? 264

4.145 How wrong would your parents feel it would be for you to use other illicit drugs? 264

4.146 How wrong would your parents feel it would be for you to gamble anything of value? 264

4.147 From whom do you get alcohol? 265

4.148 From whom do you get tobacco? 265

4.149 From whom do you get electronic vapor products? 266

4.150 From whom do you get marijuana? 266

4.151 From whom do you get prescription drugs not prescribed to you? 267

4.152 From whom do you get illicit drugs? 267

4.153 At what age did you first smoke cigarettes? 268

4.154 At what age did you first use smokeless tobacco? 268

4.155 At what age did you first smoke cigars? 269

4.156 At what age did you first use electronic vapor products? 269

4.157 At what age did you first drink beer? 270

4.158 At what age did you first drink coolers, hard lemonade, etc.? 270

4.159 At what age did you first drink liquor? 271

4.160 At what age did you first smoke marijuana? 271

4.161 At what age did you first use synthetic marijuana? 272

4.162 At what age did you first use chemical products (bath salts) to get high? 272

4.163 At what age did you first use prescription drugs not prescribed to you? 273

4.164 At what age did you first use over-the-counter drugs to get high? 273

4.165 At what age did you first use heroin? 274

4.166 At what age did you first use cocaine? 274

4.167 At what age did you first use inhalants? 275

4.168 At what age did you first use hallucinogens? 275

4.169 At what age did you first use steroids? 276

4.170 At what age did you first use ecstasy? 276

4.171 At what age did you first use meth? 277

4.172 At what age did you first use any tobacco? 277

4.173 At what age did you first use any alcohol? 278

4.174 At what age did you first use any illicit drug? 278

4.175 Where do you usually smoke cigarettes? 279

4.176 Where do you usually use smokeless tobacco? 279

4.177 Where do you usually smoke cigars? 280

4.178 Where do you usually use electronic vapor products? 280

4.179 Where do you usually drink beer? 281

4.180 Where do you usually drink coolers, hard lemonade, etc.? 281

4.181 Where do you usually drink liquor? 282

4.182 Where do you usually smoke marijuana? 282

4.183 Where do you usually use synthetic marijuana? 283

4.184 Where do you usually use chemical products (bath salts) to get high? 283

4.185 Where do you usually use prescription drugs not prescribed to you? 284

4.186 Where do you usually use over-the-counter drugs to get high? 284

4.187 Where do you usually use heroin? 285

4.188 Where do you usually use cocaine? 285

4.189	Where do you usually use inhalants?	286
4.190	Where do you usually use hallucinogens?	286
4.191	Where do you usually use steroids?	287
4.192	Where do you usually use ecstasy?	287
4.193	Where do you usually use meth?	288
4.194	Where do you usually use any tobacco?	288
4.195	Where do you usually use any alcohol?	289
4.196	Where do you usually use any illicit drug?	289
4.197	When do you usually smoke cigarettes?	290
4.198	When do you usually use smokeless tobacco?	290
4.199	When do you usually smoke cigars?	290
4.200	When do you usually use electronic vapor products?	291
4.201	When do you usually drink beer?	291
4.202	When do you usually drink coolers, hard lemonade, etc.?	291
4.203	When do you usually drink liquor?	292
4.204	When do you usually smoke marijuana?	292
4.205	When do you usually use synthetic marijuana?	292
4.206	When do you usually use chemical products (bath salts) to get high?	293
4.207	When do you usually use prescription drugs not prescribed to you?	293
4.208	When do you usually use over-the-counter drugs to get high?	293
4.209	When do you usually use heroin?	294
4.210	When do you usually use cocaine?	294
4.211	When do you usually use inhalants?	294
4.212	When do you usually use hallucinogens?	295
4.213	When do you usually use steroids?	295
4.214	When do you usually use ecstasy?	295
4.215	When do you usually use meth?	296
4.216	When do you usually use any tobacco?	296
4.217	When do you usually use any alcohol?	297
4.218	When do you usually use any illicit drug?	297
4.219	Within the past year how often have you played "scratch offs"?	298
4.220	Within the past year how often have you played lottery tickets (Powerball or Megabucks)?	298
4.221	Within the past year how often have you played pull tabs or "paper" games other than lotteries?	299
4.222	Within the past year how often have you played dice or coin flips?	299
4.223	Within the past year how often have you played cards (poker, etc.)?	300
4.224	Within the past year how often have you bet on a sport?	300
4.225	Within the past year how often have you bet on a horse/dog race?	301

4.226	Within the past year how often have you bet on games of personal skill (bowling, video games, dares, etc.)?	301
4.227	Within the past year how often have you played bingo for money?	302
4.228	Within the past year how often have you bet money over the internet?	302
4.229	Within the past year how often have you bet money in other ways?	303
4.230	Where do you usually gamble?	303
4.231	Have you ever felt bad about the amount you bet or about what happens when you bet money?	304
4.232	Have you ever felt that you would like to stop betting money but didn't think you could?	304
4.233	Have you ever lied to anyone about betting or gambling?	304
4.234	Have you ever bet or gambled more than you wanted?	305
4.235	While at school have you carried a handgun in the past year?	306
4.236	While at school have you carried a knife, club or other weapon in the past year?	306
4.237	While at school have you threatened a student with a handgun, knife or club in the past year?	306
4.238	While at school have you threatened to hurt a student by hitting, slapping or kicking in the past year?	307
4.239	While at school have you hurt a student by using a handgun, knife or club in the past year?	307
4.240	While at school have you hurt a student by hitting, slapping or kicking in the past year?	307
4.241	While at school have you been threatened with a handgun, knife or club by a student in the past year?	308
4.242	While at school have you had a student threaten to hit, slap or kick you in the past year?	308
4.243	While at school have you been afraid a student may hurt you in the past year?	308
4.244	While at school have you been hurt by a student using a handgun, knife or club in the past year?	309
4.245	While at school have you been hurt by a student who hit, slapped or kicked you in the past year?	309
4.246	In my school, I feel safe in the classroom.	310
4.247	In my school, I feel safe in the cafeteria (lunchroom).	310
4.248	In my school, I feel safe in the halls.	310
4.249	In my school, I feel safe in the bathroom.	311
4.250	In my school, I feel safe in the gym.	311
4.251	In my school, I feel safe on the school bus.	311
4.252	In my school, I feel safe at school events (ballgames, etc.).	312
4.253	In my school, I feel safe in the parking lot.	312
4.254	Frequency of use of cigarettes?	313
4.255	Frequency of use of smokeless tobacco?	313
4.256	Frequency of use of cigars?	313
4.257	Frequency of use of electronic vapor products?	313
4.258	Frequency of use of beer?	314
4.259	Frequency of use of coolers, hard lemonade, etc.?	314
4.260	Frequency of use of liquor?	314
4.261	Frequency of use of marijuana?	314
4.262	Frequency of use of synthetic marijuana?	315

4.263	Frequency of use of chemical products (bath salts)?	315
4.264	Frequency of use of pain medication not prescribed to you?	315
4.265	Frequency of use of stimulant medication not prescribed to you?	315
4.266	Frequency of use of sleeping medication not prescribed to you?	316
4.267	Frequency of use of sedative/anxiety medication not prescribed to you?	316
4.268	Frequency of use of over-the-counter drugs to get high?	316
4.269	Frequency of use of heroin?	316
4.270	Frequency of use of cocaine?	317
4.271	Frequency of use of inhalants?	317
4.272	Frequency of use of hallucinogens?	317
4.273	Frequency of use of steroids?	317
4.274	Frequency of use of ecstasy?	318
4.275	Frequency of use of meth?	318
4.276	Frequency of use of any tobacco?	318
4.277	Frequency of use of any alcohol?	318
4.278	Frequency of use of any illicit drug?	319
5.1	Core Measure for 30 Day Use by Grade	321
5.2	Core Measure for 30 Day Use by Sex	321
5.3	Core Measure of Perception of Risk by Grade	322
5.4	Core Measure of Perception of Risk by Sex	322
5.5	Core Measure of Parental Disapproval by Grade	323
5.6	Core Measure of Parental Disapproval by Sex	323
5.7	Core Measure of Friends Disapproval by Grade	324
5.8	Core Measure of Friends Disapproval by Sex	324
5.9	Core Measure of Age of Onset by Grade	325
5.10	Core Measure of Age of Onset by Sex	325
5.11	Students Perception of Availability by Grade	326
5.12	Students Perception of Availability by Sex	326

List of Figures

3.1	Annual Use of Any Tobacco, Any Alcohol and Any Illicit Drug	26
3.2	Annual Use of Cigarettes, Smokeless Tobacco, Cigars and Vapor Products	27
3.3	Annual Use of Beer, Coolers, Liquor and Binge Drinking	28
3.4	Annual Use of Marijuana, Synthetic Marijuana and Bath Salts	29
3.5	Annual Use of Pain Medication, Stimulants,	30
3.6	Annual Use of Heroin, Cocaine, Inhalants and Hallucinogens	31
3.7	Annual Use of Steroids, Ecstasy and Meth	32
3.8	30-Day Use of Cigarettes, Alcohol, Marijuana and Prescription Drugs	34
3.9	Perception of Harm – Cigarettes	36
3.10	Perception of Harm – Smokeless Tobacco	37
3.11	Perception of Harm – Cigars	38
3.12	Perception of Harm – Electronic Vapor Products	39
3.13	Perception of Harm – Beer	40
3.14	Perception of Harm – Coolers, Hard Lemonade, etc.	41
3.15	Perception of Harm – Liquor	42
3.16	Perception of Harm – Marijuana	43
3.17	Perception of Harm – Synthetic Marijuana	44
3.18	Perception of Harm – Bath Salts	45
3.19	Perception of Harm – Prescription Drugs	46
3.20	Perception of Harm – Over-the-Counter	47
3.21	Perception of Harm – Heroin	48
3.22	Perception of Harm – Cocaine	49
3.23	Perception of Harm – Inhalants	50
3.24	Perception of Harm – Hallucinogens	51
3.25	Perception of Harm – Steroids	52
3.26	Perception of Harm – Ecstasy	53
3.27	Perception of Harm – Meth	54
3.28	Perception of Parental Disapproval – Use Alcohol	56

3.29	Perception of Parental Disapproval – Binge Alcohol	57
3.30	Perception of Parental Disapproval – Use Any Tobacco	58
3.31	Perception of Parental Disapproval – Smoke Tobacco	59
3.32	Perception of Parental Disapproval – Use electronic vapor products	60
3.33	Perception of Parental Disapproval – Smoke Marijuana	61
3.34	Perception of Parental Disapproval – Use Prescription Drugs	62
3.35	Perception of Parental Disapproval – Use Other Illicit Drugs	63
3.36	Perception of Parental Disapproval – Gamble anything of value	64
3.37	Perception of Friends Disapproval – Use Alcohol	66
3.38	Perception of Friends Disapproval – Binge Alcohol	67
3.39	Perception of Friends Disapproval – Use Any Tobacco	68
3.40	Perception of Friends Disapproval – Smoke Tobacco	69
3.41	Perception of Friends Disapproval – Use electronic vapor products	70
3.42	Perception of Friends Disapproval – Smoke Marijuana	71
3.43	Perception of Friends Disapproval – Use Prescription Drugs	72
3.44	Perception of Friends Disapproval – Use Other Illicit Drugs	73
3.45	Perception of Friends Disapproval – Gamble anything of value	74
3.46	Average Age of Onset of Use of Any Tobacco	76
3.47	Average Age of Onset of Use of Any Alcohol	77
3.48	Average Age of Onset of Use of Any Illicit Drug	78
3.49	Average Age of Onset of Use of Cigarettes	79
3.50	Average Age of Onset of Use of Smokeless Tobacco	80
3.51	Average Age of Onset of Use of Cigars	81
3.52	Average Age of Onset of Use of Electronic Vapor Products	82
3.53	Average Age of Onset of Use of Beer	83
3.54	Average Age of Onset of Use of Coolers, Hard Lemonade, etc.	84
3.55	Average Age of Onset of Use of Liquor	85
3.56	Average Age of Onset of Use of Marijuana	86
3.57	Average Age of Onset of Use of Synthetic Marijuana	87
3.58	Average Age of Onset of Use of Bath Salts	88
3.59	Average Age of Onset of Use of Prescription Drugs	89
3.60	Average Age of Onset of Use of Over-the-Counter	90
3.61	Average Age of Onset of Use of Heroin	91
3.62	Average Age of Onset of Use of Cocaine	92
3.63	Average Age of Onset of Use of Inhalants	93
3.64	Average Age of Onset of Use of Hallucinogens	94
3.65	Average Age of Onset of Use of Steroids	95

3.66	Average Age of Onset of Use of Ecstasy	96
3.67	Average Age of Onset of Use of Meth	97
3.68	Attend Church or Synagogue	99
3.69	Take Part in Community Activities	100
3.70	Make Good Grades	101
3.71	Take Part in Sports Teams	102
3.72	Take Part in School Activities	103
3.73	Get in Trouble at School	104
3.74	Teachers Talk About the Dangers of Drugs	105
3.75	Parents Talk About the Dangers of Drugs	106
3.76	Parents Set Clear Rules	107
3.77	Parents Punish for Breaking Rules	108
3.78	How Often Do You Experience Stress In Your Life	109
3.79	Availability – Any Tobacco	111
3.80	Availability – Electronic Vapor Products	112
3.81	Availability – Any Alcohol	113
3.82	Availability – Marijuana	114
3.83	Availability – Prescription Drugs	115
3.84	Availability – Other Illicit Drugs	116
3.85	Where Do You Use Any Tobacco	118
3.86	Where Do You Use Any Alcohol	119
3.87	Where Do You Use Any Illicit Drug	120
3.88	Where Do You Use Cigarettes	121
3.89	Where Do You Use Smokeless Tobacco	122
3.90	Where Do You Use Cigars	123
3.91	Where Do You Use Electronic Vapor Products	124
3.92	Where Do You Use Beer	125
3.93	Where Do You Use Coolers, Hard Lemonade, etc.	126
3.94	Where Do You Use Liquor	127
3.95	Where Do You Use Marijuana	128
3.96	Where Do You Use Synthetic Marijuana	129
3.97	Where Do You Use Bath Salts	130
3.98	Where Do You Use Prescription Drugs	131
3.99	Where Do You Use Over-the-Counter	132
3.100	Where Do You Use Heroin	133
3.101	Where Do You Use Cocaine	134
3.102	Where Do You Use Inhalants	135

3.103	Where Do You Use Hallucinogens	136
3.104	Where Do You Use Steroids	137
3.105	Where Do You Use Ecstasy	138
3.106	Where Do You Use Meth	139
3.107	When Do You Use Any Tobacco	141
3.108	When Do You Use Any Alcohol	142
3.109	When Do You Use Any Illicit Drug	143
3.110	When Do You Use Cigarettes	144
3.111	When Do You Use Smokeless Tobacco	145
3.112	When Do You Use Cigars	146
3.113	When Do You Use Electronic Vapor Products	147
3.114	When Do You Use Beer	148
3.115	When Do You Use Coolers, Hard Lemonade, etc.	149
3.116	When Do You Use Liquor	150
3.117	When Do You Use Marijuana	151
3.118	When Do You Use Synthetic Marijuana	152
3.119	When Do You Use Bath Salts	153
3.120	When Do You Use Prescription Drugs	154
3.121	When Do You Use Over-the-Counter	155
3.122	When Do You Use Heroin	156
3.123	When Do You Use Cocaine	157
3.124	When Do You Use Inhalants	158
3.125	When Do You Use Hallucinogens	159
3.126	When Do You Use Steroids	160
3.127	When Do You Use Ecstasy	161
3.128	When Do You Use Meth	162
3.129	Annual Use of Any Tobacco by Gender	164
3.130	Annual Use of Cigarettes by Gender	165
3.131	Annual Use of Smokeless Tobacco by Gender	166
3.132	Annual Use of Cigars by Gender	167
3.133	Annual Use of Electronic Vapor Products by Gender	168
3.134	Annual Use of Any Alcohol by Gender	169
3.135	Annual Use of Beer by Gender	170
3.136	Annual Use of Coolers, Hard Lemonade, etc. by Gender	171
3.137	Annual Use of Liquor by Gender	172
3.138	Annual Use of Any Illicit Drug by Gender	173
3.139	Annual Use of Marijuana by Gender	174

3.140	Annual Use of Synthetic Marijuana by Gender	175
3.141	Annual Use of Bath Salts by Gender	176
3.142	Annual Use of Pain Meds. by Gender	177
3.143	Annual Use of Stimulants by Gender	178
3.144	Annual Use of Sleeping Meds. by Gender	179
3.145	Annual Use of Sedatives by Gender	180
3.146	Annual Use of Over-the-Counter by Gender	181
3.147	Annual Use of Heroin by Gender	182
3.148	Annual Use of Cocaine by Gender	183
3.149	Annual Use of Inhalants by Gender	184
3.150	Annual Use of Hallucinogens by Gender	185
3.151	Annual Use of Steroids by Gender	186
3.152	Annual Use of Ecstasy by Gender	187
3.153	Annual Use of Meth by Gender	188
3.154	Attend Church or Synagogue	190
3.155	Take Part in Community Activities	191
3.156	Make Good Grades	192
3.157	Take Part in Sports Teams	193
3.158	Take Part in School Activities	194
3.159	Get Into Trouble at School	195
3.160	Teachers Talk About Dangers of Drugs	196
3.161	Parents Talk About Dangers of Drugs	197
3.162	Parents Set Clear Rules	198
3.163	Parents Punish for Breaking Rules	199
3.164	Drug Use of Students Who Reported Carrying a Gun to School	201
3.165	Drug Use of Students Who Reported Involvement in Gangs	202
3.166	Drug Use of Students Who Reported Threatening/Harmful Behaviors	203
3.167	Drug Use of Students Who Reported Trouble with Police	204
3.168	Where Do You Usually Gamble	207
3.169	Where Do You Usually Gamble (continued)	208

Chapter 1

Introduction

This report contains data collected in your school(s) using the **Prevention-FIRST!** Survey developed in conjunction with **Pride Surveys**. Your reports are organized as follows:

1. A Summary that provides you with the fundamental findings in an abbreviated and easy to read fashion.
2. Color Graphs that provide more expansive results from the survey in pictorial fashion.
3. A List of Tables which contains the complete findings of the survey. This section itemizes student responses by each grade level and each item scale (for example: never, seldom, sometimes, often and a lot).
4. A Narrative Report which includes both text and graphic images. This section also includes a sample news release.

Additionally, the report contains a special section entitled *Drug Free Communities Support Program*. This section was developed to provide the data needed to satisfy core measures required by the Drug Free Communities Support Program, administered by the Substance Abuse and Mental Health Services Administration. **NOTE:** Federal requirements have changed in regard to what questions should be used for reporting purposes. In particular, Past 30 Day Use is now calculated using a different question than has been used in the past. All references to past 30 day use will be based on the new questions.

It should also be noted that perception of harm and perception of risk measures similar constructs. Both of these sets of questions have been included in this survey to make it possible to compare to past data.

This year, Pride Surveys in consultation with PreventionFIRST! has made changes to the dubious and discrepancy checks (honesty checks) for the Cincinnati PreventionFIRST! survey. You will notice some significant changes in student data from previous years and should note that longitudinal data will not be reflective of actual changes in use over time. This change was made to improve the quality of the data and is a more accurate reflection of actual use since more dishonest surveys have been excluded from the data set than in previous years.

This year's data can be considered a new "baseline" moving forward and will improve the accuracy of the results overall for all participants and stakeholders. If you would like more information about what the checks are and how the dishonest threshold is calculated please email info@pridesurveys.com.

1.1 How To Use Your Data

- Meet the accountability requirements of federal and state agencies that your programs be evidence-based.
- Establish a needs assessment to design and secure funding for new programs.
- Conduct periodic performance evaluations for continuing programs.
- Encourage community-wide support for your programs.
- Determine why negative student behaviors occur by examining risk and protective factors.

If you have questions about this report or if you wish to have information on other **Pride Surveys** services and products, please contact:

Pride Surveys

2140 Newmarket Pkwy SE

Suite 116

Marietta, GA 30067

1-800-279-6361

1-770-726-9327

info@pridesurveys.com

Web Site: www.pridesurveys.com

Table 1.1: Number of Students Surveyed

Grade	Grade Total	Male	Female
7	394	179	212
8	279	132	145
9	266	145	119
10	320	165	150
11	174	94	78
12	152	73	78
7-8	673	311	357
9-12	912	477	425
Total	1585	788	782

We recommend that you share the findings of your survey with staff/faculty, administration, boards of education, elected officials, parents, community organizations and the news media.

While the findings are likely to show that certain problems exist within your student population, the overriding message will be that you are taking a fact-based approach to understand and solve these problems.

The following information is for ***Pride Surveys*** internal use only.

- Data Files: cc170004, 22, 23, 5031, 5033, 5034, 5053
- Filter:

Chapter 2

Summary

Many federal agencies have identified certain data that are most important in measuring drug use and perceptions among youth. These data are often referred to as the *Core Measures* and consist of:

- **Reported 30-day Use** - the percentage of students who have reported use in the last 30 days,
- **Perception of Risk** - the percentage of students who reported that a drug was *harmful* or *very harmful*,
- **Perception of Parental Disapproval of Use** - the percentage of students who reported that their parents would feel it was *Wrong* or *Very Wrong* to use,
- **Perception of Friends' Disapproval of Use** - the percentage of students who reported that their friends would feel it was *Wrong* or *Very Wrong* to use,

For the drug categories of cigarettes/tobacco, alcohol, marijuana, and prescription drugs. The chapter entitled *Drug Free Communities Support Program Core Measures* will delve into these measures in detail. This section will briefly summarize these data.

2.1 Core Measures

Table 2.1: Core Measures for All Students

Measure	Cig/Tob	Alcohol	Marijuana	Presc. Drugs
Past 30 Day Use	10.7	15.4	7.6	2.0
Perceived Risk	83.3	70.1	64.9	84.7
Parental Disapproval	91.4	85.5	90.3	95.1
Friends Disapproval	70.9	60.0	70.8	87.2

2.2 Annual Use

This is the percentage of students who reported any use in the past year.

Table 2.2: Percentage of Students Who Report Using Drugs

DRUG	ANNUAL
Any Tobacco	18.0
Cigarettes	13.4
Smokeless Tobacco	10.8
Cigars	9.0
Electronic Vapor Products	17.4
Any Alcohol	30.8
Beer	23.9
Coolers, Hard Lemonade, etc.	21.9
Liquor	21.5
Any Illicit Drug	18.0
Marijuana	12.8
Synthetic Marijuana	2.9
Bath Salts	0.9
Pain Meds.	3.6
Stimulants	1.7
Sleeping Meds.	4.4
Sedatives	2.4
Over-the-Counter	2.3
Heroin	0.5
Cocaine	1.1
Inhalants	1.4
Hallucinogens	1.3
Steroids	1.2
Ecstasy	0.9
Meth	0.6
Prescription Drugs	7.2

2.3 Where Students Use

Table 2.3: Where Do Students Report Using

DRUG	AT HOME	AT SCHOOL	IN A CAR	FRIENDS' HOUSE	PARTIES	OTHER
Tobacco	7.9	2.0	5.9	8.5	5.2	5.6
Alcohol	13.8	0.6	1.6	11.8	10.2	6.6
Marijuana	4.1	0.7	3.4	6.8	4.9	4.0
Presc Drugs	2.1	0.4	0.3	0.7	0.4	0.3
Vapor	6.7	0.8	3.9	6.7	3.5	3.5

2.4 When Students Use

Table 2.4: When Do Students Report Using

DRUG	BEFORE SCHOOL	DURING SCHOOL	AFTER SCHOOL	WEEK NIGHT	WEEK END
Tobacco	4.5	1.6	8.0	5.9	11.2
Alcohol	0.6	0.3	3.5	2.7	19.8
Marijuana	1.5	0.4	3.0	2.9	8.0
Presc Drugs	0.4	0.1	0.9	0.6	0.9
Vapor	1.6	0.7	4.6	2.9	8.6

2.5 Risk Factors

Table 2.5: Percentage Of Students At Risk

FACTOR	PCT AT RISK
Guns NOT at School	0.9
Guns AT School	3.0
Gang Activity	2.2
Trouble With Police	15.9
Threaten A Student With a Gun, Knife or Club	1.4
Threaten To Hurt A Student By Hitting, Slapping or Kicking	20.4
Hurt A Student With A Gun, Knife or Club	0.7
Hurt A Student By Hitting, Slapping or Kicking	16.6
Been Threatened With a Gun, Knife or Club	7.6
Had A Student Threaten To Hit, Slap or Kick	28.4
Been Afraid A Student May Hurt You	16.8
Been Hurt By A Student With A Gun, Knife or Club	1.6
Been Hurt By A Student By Hitting, Slapping or Kicking	16.2

2.6 Protective Factors

Table 2.6: Percentage Of Students Protected

FACTOR	PCT PROTECTED
Make Good Grades	79.0
Attend Church or Synagogue	32.3
Take Part in Community Activities	15.9
Take Part in School Activities	35.9
Teachers Talk About the Dangers of Drugs	39.0
Parents Talk About the Dangers of Drugs	43.8

Chapter 3

Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Location* and *Time* of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.


Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

3.1 Frequency of Use

3.1.1 Annual Use


The following charts show how students responded to questions about use in the past year. The specific text of the question began with the header, "Within the past year how often have you..." and continued with various behaviors including substance use and abuse as well as factors relating to vehicle safety.

Annual Use of Any Tobacco, Any Alcohol and Any Illicit Drug




Source: Pride Surveys

Annual Use of Cigarettes, Smokeless Tobacco, Cigars and Vapor Products




Source: Pride Surveys

Annual Use of Beer, Coolers, Liquor and Binge Drinking




Source: Pride Surveys

Annual Use of Marijuana, Synthetic Marijuana and Bath Salts




Source: Pride Surveys

Annual Use of Pain Medication, Stimulants, Sleeping Medication, Sedatives, and Over the Counter




Source: Pride Surveys

Annual Use of Heroin, Cocaine, Inhalants and Hallucinogens



Source: Pride Surveys

Annual Use of Steroids, Ecstasy and Meth




Source: Pride Surveys

3.1.2 Past 30-Day Use

We calculate 30-day use from various questions including a subset of "Within the past year..." as well as DFC specific questions about use in the past 30 days.

30-Day Use of Cigarettes, Alcohol, Marijuana and Prescription Drugs



Source: Pride Surveys


3.2 Perception of Harm

An adolescent's perception of the risks associated with substance use is an important determinant of whether he or she engages in substance use. For example, youths who perceive high risk of harm are less likely to use drugs than youths who perceive low risk of harm. *

Students are asked about their perception of harm of any use of various drugs with the possible responses being No Harm, Some Harm, Harmful or Very Harmful. Past analysis of national statistics indicates that as students' perception of harm increases, use of substances decreases. It is also typical for the perception of harm (Harmful or Very Harmful) to decrease as a child gets older. Your students' responses are detailed in the following pages.


*Source: <http://archive.samhsa.gov/data/2k13/NSDUH099a/sr099a-risk-perception-trends.pdf>

Perception of Harm -- Cigarettes




Source: Pride Surveys

Perception of Harm -- Smokeless Tobacco




Source: Pride Surveys

Perception of Harm -- Cigars




Source: Pride Surveys

Perception of Harm -- Electronic Vapor Products




Source: Pride Surveys

Perception of Harm -- Beer




Source: Pride Surveys

Perception of Harm -- Coolers, Hard Lemonade, etc.




Source: Pride Surveys

Perception of Harm -- Liquor




Source: Pride Surveys

Perception of Harm -- Marijuana




Source: Pride Surveys

Perception of Harm -- Synthetic Marijuana




Source: Pride Surveys

Perception of Harm -- Bath Salts




Source: Pride Surveys

Perception of Harm -- Prescription Drugs




Source: Pride Surveys

Perception of Harm -- Over-the-Counter




Source: Pride Surveys

Perception of Harm -- Heroin




Source: Pride Surveys

Perception of Harm -- Cocaine




Source: Pride Surveys

Perception of Harm -- Inhalants




Source: Pride Surveys

Perception of Harm -- Hallucinogens




Source: Pride Surveys

Perception of Harm -- Steroids




Source: Pride Surveys

Perception of Harm -- Ecstasy



Source: Pride Surveys

Perception of Harm -- Meth




Source: Pride Surveys

3.3 Perception of Parental Disapproval


Similar to the Perception of Harm, we can see an impact on adolescents if their parents strongly disapprove of drugs and drug use. You can see the cross tabs in your own data in section 3.11

Perception of Parental Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Parental Disapproval -- Binge Alcohol




Source: Pride Surveys

Perception of Parental Disapproval -- Use Any Tobacco




Source: Pride Surveys

Perception of Parental Disapproval -- Smoke Tobacco




Source: Pride Surveys

Perception of Parental Disapproval -- Use electronic vapor products




Source: Pride Surveys

Perception of Parental Disapproval -- Smoke Marijuana




Source: Pride Surveys

Perception of Parental Disapproval -- Use Prescription Drugs




Source: Pride Surveys

Perception of Parental Disapproval -- Use Other Illicit Drugs



Source: Pride Surveys

Perception of Parental Disapproval -- Gamble anything of value




Source: Pride Surveys

3.4 Perception of Friends Disapproval


Similar to other categories of disapproval friends have influence over one another's behaviors. You can see more about this in the cross tabs section 3.11. Typically, students perceive a decreasing amount of disapproval from their friends as they grow older. This is helpful in understanding peer pressure. The following pages detail your students' responses to their friends' disapproval.

Perception of Friends Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Friends Disapproval -- Binge Alcohol




Source: Pride Surveys

Perception of Friends Disapproval -- Use Any Tobacco




Source: Pride Surveys

Perception of Friends Disapproval -- Smoke Tobacco




Source: Pride Surveys

Perception of Friends Disapproval -- Use electronic vapor products




Source: Pride Surveys

Perception of Friends Disapproval -- Smoke Marijuana




Source: Pride Surveys

Perception of Friends Disapproval -- Use Prescription Drugs




Source: Pride Surveys

Perception of Friends Disapproval -- Use Other Illicit Drugs



Source: Pride Surveys

Perception of Friends Disapproval -- Gamble anything of value




Source: Pride Surveys

3.5 Average Age of Onset of Use


The question "At what age did you first use..." is used to measure this statistic. The possible responses to this question range from 10 or Under, to 17 or Older, and Never Used. The table shows the average age of first use for those students who answered the question with a response other than Never Used.

Average Age of Onset of Use of Any Tobacco




Source: Pride Surveys

Average Age of Onset of Use of Any Alcohol




Source: Pride Surveys

Average Age of Onset of Use of Any Illicit Drug




Source: Pride Surveys

Average Age of Onset of Use of Cigarettes




Source: Pride Surveys

Average Age of Onset of Use of Smokeless Tobacco




Source: Pride Surveys

Average Age of Onset of Use of Cigars




Source: Pride Surveys

Average Age of Onset of Use of Electronic Vapor Products




Source: Pride Surveys

Average Age of Onset of Use of Beer




Source: Pride Surveys

Average Age of Onset of Use of Coolers, Hard Lemonade, etc.




Source: Pride Surveys

Average Age of Onset of Use of Liquor




Source: Pride Surveys

Average Age of Onset of Use of Marijuana




Source: Pride Surveys

Average Age of Onset of Use of Synthetic Marijuana




Source: Pride Surveys

Average Age of Onset of Use of Bath Salts




Source: Pride Surveys

Average Age of Onset of Use of Prescription Drugs




Source: Pride Surveys

Average Age of Onset of Use of Over-the-Counter




Source: Pride Surveys

Average Age of Onset of Use of Heroin




Source: Pride Surveys

Average Age of Onset of Use of Cocaine




Source: Pride Surveys

Average Age of Onset of Use of Inhalants




Source: Pride Surveys

Average Age of Onset of Use of Hallucinogens




Source: Pride Surveys

Average Age of Onset of Use of Steroids




Source: Pride Surveys

Average Age of Onset of Use of Ecstasy



Source: Pride Surveys

Average Age of Onset of Use of Meth




Source: Pride Surveys

3.6 Student Information


The student information section asks a variety of information about the students that gives us further insight into their home and school lives.

Attend Church or Synagogue




Source: Pride Surveys

Take Part in Community Activities




Source: Pride Surveys

Make Good Grades




Source: Pride Surveys

Take Part in Sports Teams




Source: Pride Surveys

Take Part in School Activities




Source: Pride Surveys

Get in Trouble at School




Source: Pride Surveys

Teachers Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Set Clear Rules




Source: Pride Surveys

Parents Punish for Breaking Rules



Source: Pride Surveys

How Often Do You Experience Stress In Your Life




Source: Pride Surveys

3.7 Availability


This section is related to the question "How easy is it to get..." various substances.

Availability -- Any Tobacco




Source: Pride Surveys

Availability -- Electronic Vapor Products




Source: Pride Surveys

Availability -- Any Alcohol




Source: Pride Surveys

Availability -- Marijuana




Source: Pride Surveys

Availability -- Prescription Drugs



Source: Pride Surveys

Availability -- Other Illicit Drugs




Source: Pride Surveys

3.8 Where Do You Use


We ask the students "Where do you usually..." Possible responses include do not use (which we do not include in the chart), at home, at school, in a car, friend's house, parties, and other.

Where Do You Use Any Tobacco




Source: Pride Surveys

Where Do You Use Any Alcohol




Source: Pride Surveys

Where Do You Use Any Illicit Drug




Source: Pride Surveys

Where Do You Use Cigarettes




Source: Pride Surveys

Where Do You Use Smokeless Tobacco




Source: Pride Surveys

Where Do You Use Cigars




Source: Pride Surveys

Where Do You Use Electronic Vapor Products




Source: Pride Surveys

Where Do You Use Beer




Source: Pride Surveys

Where Do You Use Coolers, Hard Lemonade, etc.




Source: Pride Surveys

Where Do You Use Liquor




Source: Pride Surveys

Where Do You Use Marijuana




Source: Pride Surveys

Where Do You Use Synthetic Marijuana




Source: Pride Surveys

Where Do You Use Bath Salts




Source: Pride Surveys

Where Do You Use Prescription Drugs




Source: Pride Surveys

Where Do You Use Over-the-Counter




Source: Pride Surveys

Where Do You Use Heroin




Source: Pride Surveys

Where Do You Use Cocaine




Source: Pride Surveys

Where Do You Use Inhalants




Source: Pride Surveys

Where Do You Use Hallucinogens




Source: Pride Surveys

Where Do You Use Steroids




Source: Pride Surveys

Where Do You Use Ecstasy



Source: Pride Surveys

Where Do You Use Meth




Source: Pride Surveys

3.9 When Do You Use


We ask the students "When do you usually..." Possible responses include do not use (which we do not include in the chart), before, during, and after school, weeknights, and weekends. Past analysis of national statistics shows that *during school* is typically the *least* popular time of use.

When Do You Use Any Tobacco




Source: Pride Surveys

When Do You Use Any Alcohol




Source: Pride Surveys

When Do You Use Any Illicit Drug




Source: Pride Surveys

When Do You Use Cigarettes




Source: Pride Surveys

When Do You Use Smokeless Tobacco




Source: Pride Surveys

When Do You Use Cigars




Source: Pride Surveys

When Do You Use Electronic Vapor Products




Source: Pride Surveys

When Do You Use Beer




Source: Pride Surveys

When Do You Use Coolers, Hard Lemonade, etc.




Source: Pride Surveys

When Do You Use Liquor




Source: Pride Surveys

When Do You Use Marijuana




Source: Pride Surveys

When Do You Use Synthetic Marijuana




Source: Pride Surveys

When Do You Use Bath Salts




Source: Pride Surveys

When Do You Use Prescription Drugs




Source: Pride Surveys

When Do You Use Over-the-Counter




Source: Pride Surveys

When Do You Use Heroin




Source: Pride Surveys

When Do You Use Cocaine




Source: Pride Surveys

When Do You Use Inhalants




Source: Pride Surveys

When Do You Use Hallucinogens




Source: Pride Surveys

When Do You Use Steroids




Source: Pride Surveys

When Do You Use Ecstasy



Source: Pride Surveys

When Do You Use Meth




Source: Pride Surveys

3.10 Annual Drug Use by Gender


These charts break down the annual use that we have seen previously by male/female to examine the effect that gender has on certain categories of use.

Annual Use of Any Tobacco by Gender




Source: Pride Surveys

Annual Use of Cigarettes by Gender




Source: Pride Surveys

Annual Use of Smokeless Tobacco by Gender




Source: Pride Surveys

Annual Use of Cigars by Gender




Source: Pride Surveys

Annual Use of Electronic Vapor Products by Gender




Source: Pride Surveys

Annual Use of Any Alcohol by Gender




Source: Pride Surveys

Annual Use of Beer by Gender




Source: Pride Surveys

Annual Use of Coolers, Hard Lemonade, etc. by Gender




Source: Pride Surveys

Annual Use of Liquor by Gender




Source: Pride Surveys

Annual Use of Any Illicit Drug by Gender




Source: Pride Surveys

Annual Use of Marijuana by Gender




Source: Pride Surveys

Annual Use of Synthetic Marijuana by Gender




Source: Pride Surveys

Annual Use of Bath Salts by Gender




Source: Pride Surveys

Annual Use of Pain Meds. by Gender




Source: Pride Surveys

Annual Use of Stimulants by Gender




Source: Pride Surveys

Annual Use of Sleeping Meds. by Gender




Source: Pride Surveys

Annual Use of Sedatives by Gender




Source: Pride Surveys

Annual Use of Over-the-Counter by Gender




Source: Pride Surveys

Annual Use of Heroin by Gender




Source: Pride Surveys

Annual Use of Cocaine by Gender




Source: Pride Surveys

Annual Use of Inhalants by Gender




Source: Pride Surveys

Annual Use of Hallucinogens by Gender




Source: Pride Surveys

Annual Use of Steroids by Gender




Source: Pride Surveys

Annual Use of Ecstasy by Gender



Source: Pride Surveys

Annual Use of Meth by Gender



Source: Pride Surveys

3.11 Risk and Protective Factors – Cross Tabulations

This section looks at the following questions:

- Attend Church or Synagogue
- Take Part in Community Activities
- Make Good Grades
- Take Part in Sports Teams
- Take Part in School Activities
- Get Into Trouble at School
- Teachers Talk About Dangers of Drugs
- Parents Talk About Dangers of Drugs
- Parents Set Clear Rules
- Parents Punish for Breaking Rules

How students responded to each question is presented in table form. Students are then grouped based on how they responded to each question. The percent of illicit drug use for each subgroup is calculated and presented in graphic form. For example, if the bar for *Never* is at 40%, this means 40% of the students who marked *Never* reported using an illicit drug.


3.11.1 Attend Church or Synagogue

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.1: Attend Church or Synagogue

RESPONSE	PCT
Never	30.9
Seldom	14.7
Sometimes	22.0
Often	12.7
A Lot	19.6

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.2 Take Part in Community Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.2: Take Part in Community Activities

RESPONSE	PCT
Never	50.5
Seldom	18.4
Sometimes	15.2
Often	7.8
A Lot	8.1

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.3 Make Good Grades

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.3: Make Good Grades

RESPONSE	PCT
Never	0.3
Seldom	1.7
Sometimes	19.0
Often	38.6
A Lot	40.3

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.4 Take Part in Sports Teams

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.4: Take Part in Sports Teams

RESPONSE	PCT
Never	29.4
Seldom	9.2
Sometimes	14.3
Often	15.5
A Lot	31.6

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.5 Take Part in School Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.5: Take Part in School Activities

RESPONSE	PCT
Never	34.6
Seldom	13.1
Sometimes	16.4
Often	13.2
A Lot	22.7

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.6 Get Into Trouble at School

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.6: Get Into Trouble at School

RESPONSE	PCT
Never	46.5
Seldom	34.1
Sometimes	15.3
Often	2.6
A Lot	1.6

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.7 Teachers Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.7: Teachers Talk About Dangers of Drugs

RESPONSE	PCT
Never	7.4
Seldom	18.7
Sometimes	34.8
Often	23.2
A Lot	15.9

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.8 Parents Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.8: Parents Talk About Dangers of Drugs

RESPONSE	PCT
Never	11.4
Seldom	16.0
Sometimes	28.7
Often	22.9
A Lot	20.9

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.9 Parents Set Clear Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.9: Parents Set Clear Rules

RESPONSE	PCT
Never	5.9
Seldom	6.3
Sometimes	10.6
Often	20.1
A Lot	57.2

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.10 Parents Punish for Breaking Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.10: Parents Punish for Breaking Rules

RESPONSE	PCT
Never	18.2
Seldom	5.5
Sometimes	8.0
Often	13.9
A Lot	54.4

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys

3.12 Safety and Health – Cross Tabulations

The following graphs and tables summarize some of the *Student Information* questions regarding drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

$$\frac{\text{Number of those reporting carrying a gun to school and claiming to use liquor}}{\text{Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*}}$$

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs. No Guns if the cocaine ratio were 5.3, this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

3.13 Carrying a Gun to School

Total number of students surveyed = 1585

Total number who responded to this question = 1439

43 students reported carrying a gun to school. (3.0% of total responding)

Of the 43 students who reported carrying a gun to school,

25 report using liquor (59.5%),

14 report using marijuana (32.6%),


6 report using cocaine (14.0%),

2 report using Meth (4.7%).

NOTE: Results based on students who reported one or more instances of carrying a gun to school

Drug	Gun	No Gun	Ratio
Liquor	59.5%	20.4%	2.9
Marijuana	32.6%	12.2%	2.7
Cocaine	14.0%	0.7%	20.0
Meth	4.7%	0.5%	9.4
N of Students	43	1396	

Drug Use of Students Who Reported Carrying a Gun to School vs. Students Who Did Not



Source: Pride Surveys

3.14 Involvement in Gangs

Total number of students surveyed = 1585

Total number who responded to this question = 1526

101 students reported involvement in gangs. (6.6% of total responding)

Of the 101 students who reported involvement in gangs,

65 report using liquor (66.3%),

61 report using marijuana (61.0%),


14 report using cocaine (14.1%),

5 report using Meth (5.1%).

NOTE: Results based on students who reported any involvement with gangs

Drug	Gang	No Gang	Ratio
Liquor	66.3%	18.4%	3.6
Marijuana	61.0%	9.5%	6.4
Cocaine	14.1%	0.1%	141.0
Meth	5.1%	0.3%	17.0
N of Students	101	1425	

Drug Use of Students Who Reported Involvement in Gangs vs. Students Who Did Not



Source: Pride Surveys

3.15 Threatening/Harmful Behaviors

Total number of students surveyed = 1585

Total number who responded to this question = 1446

302 students reported threatening/harmful behaviors. (20.9% of total responding)

Of the 302 students who reported threatening/harmful behaviors,

132 report using liquor (44.1%),

83 report using marijuana (27.7%),


10 report using cocaine (3.4%),

4 report using Meth (1.3%).

NOTE: Results based on students who reported either threatening with a gun, knife or club or threatening to hit, slap or kick

Drug	Threat	No Threat	Ratio
Liquor	44.1%	15.5%	2.8
Marijuana	27.7%	8.9%	3.1
Cocaine	3.4%	0.5%	6.8
Meth	1.3%	0.4%	3.3
N of Students	302	1144	

Drug Use of Students Who Reported Threatening/Harmful Behaviors vs. Students Who Did Not



Source: Pride Surveys

3.16 Trouble with Police

Total number of students surveyed = 1585

Total number who responded to this question = 1523

242 students reported trouble with police. (15.9% of total responding)

Of the 242 students who reported trouble with police,

121 report using liquor (50.6%),

101 report using marijuana (41.9%),


14 report using cocaine (5.9%),

6 report using Meth (2.5%).

NOTE: Results based on students who reported any trouble with police

Drug	Police	No Police	Ratio
Liquor	50.6%	16.0%	3.2
Marijuana	41.9%	7.3%	5.7
Cocaine	5.9%	0.2%	29.5
Meth	2.5%	0.2%	12.5
N of Students	242	1281	

Drug Use of Students Who Reported Trouble with Police vs. Students Who Did Not



3.17 Personal Safety

Total number of students surveyed = 1585

239 students report being afraid another student will hurt them at school.
(16.8% of total responding)


Of these 239 students, 8 report carrying a gun to school (3.4%).

241 students report getting hurt at school. (16.7% of total responding)

Of these 241 students, 18 report carrying a gun to school (7.6%).


3.18 Gambling

Where Do You Usually Gamble



Source: Pride Surveys

Where Do You Usually Gamble (continued)



Source: Pride Surveys

Chapter 4

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, grades 7 through 8 combined, grades 9 through 12 combined, and all grades combined. The *N of Valid* column contains the number of students who responded to the question and the *N of Missing* column contains the number of students who did not respond to the question. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

4.1 Personal & Family Information

Table 4.1: Ethnic Origin

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
White	90.8	90.6	92.5	90.9	92.5	94.0	90.7	92.2	91.6
African American	3.3	3.6	1.1	3.4	1.7	1.3	3.5	2.1	2.7
Native American	1.8	0.4	1.1	0.6	0.6	0.0	1.2	0.7	0.9
Asian	0.3	0.4	0.0	0.3	1.7	0.0	0.3	0.4	0.4
Native Hawaiian/Pacific Islndr	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	2.3	1.8	2.6	3.1	1.1	4.0	2.1	2.8	2.5
Multi-Racial	1.5	3.3	2.6	1.6	2.3	0.7	2.3	1.9	2.0
N of Valid	390	276	265	319	174	151	666	909	1575
N of Miss	4	3	1	1	0	1	7	3	10

Table 4.2: Are you Hispanic or Latino/Latina

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	4.1	3.1	4.0	4.3	2.4	2.1	3.7	3.5	3.6
No	95.9	96.9	96.0	95.7	97.6	97.9	96.3	96.5	96.4
N of Valid	369	261	250	299	168	144	630	861	1491
N of Miss	25	18	16	21	6	8	43	51	94

Table 4.3: Sex

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Male	45.8	47.7	54.9	52.4	54.7	48.3	46.6	52.9	50.2
Female	54.2	52.3	45.1	47.6	45.3	51.7	53.4	47.1	49.8
N of Valid	391	277	264	315	172	151	668	902	1570
N of Miss	3	2	2	5	2	1	5	10	15

Table 4.4: Do you live with...

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Both Parents	44.9	52.3	53.2	47.6	54.7	50.3	48.0	51.1	49.7	
Mother Only	12.2	9.7	9.5	14.4	13.4	14.6	11.2	12.8	12.1	
Father Only	1.3	1.8	0.8	7.0	4.7	2.6	1.5	4.0	2.9	
Mother & Stepfather	10.5	11.2	11.8	15.0	13.4	15.9	10.8	13.9	12.6	
Father & Stepmother	3.1	2.9	3.8	3.8	2.9	3.3	3.0	3.6	3.3	
Extended Family	4.3	3.6	4.9	3.2	1.7	5.3	4.0	3.8	3.9	
Other	23.7	18.4	16.0	8.9	9.3	7.9	21.5	10.9	15.4	
N of Valid	392	277	263	313	172	151	669	899	1568	
N of Miss	2	2	3	7	2	1	4	13	17	

Table 4.5: Do you have a job?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes, Full-time	0.3	1.4	0.8	2.5	4.6	8.6	0.8	3.4	2.3	
Yes, Part-time	5.4	11.6	12.1	23.3	42.2	51.3	8.0	28.5	19.8	
No	94.3	87.0	87.2	74.1	53.2	40.1	91.3	68.1	77.9	
N of Valid	388	276	257	317	173	152	664	899	1563	
N of Miss	6	3	9	3	1	0	9	13	22	

Table 4.6: Does your father have a job?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes, Full-time	73.6	74.2	72.7	77.7	80.7	79.2	73.9	77.1	75.7	
Yes, Part-time	13.2	10.4	13.1	8.2	6.8	2.8	12.0	8.4	10.0	
No	13.2	15.4	14.3	14.0	12.4	18.1	14.1	14.5	14.3	
N of Valid	364	260	245	292	161	144	624	842	1466	
N of Miss	30	19	21	28	13	8	49	70	119	

Table 4.7: Does your mother have a job?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes, Full-time	62.8	57.0	61.0	66.2	67.3	70.7	60.4	65.7	63.4	
Yes, Part-time	18.2	19.2	17.7	12.9	13.9	10.0	18.6	14.0	16.0	
No	19.0	23.8	21.3	20.9	18.8	19.3	21.0	20.3	20.6	
N of Valid	374	265	254	302	165	150	639	871	1510	
N of Miss	20	14	12	18	9	2	34	41	75	

Table 4.8: What is the educational level of your father?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Some High School	13.2	12.4	14.1	11.5	15.5	17.8	12.9	14.1	13.6	
High School Graduate	38.4	48.2	44.4	50.5	46.6	45.2	42.5	47.1	45.2	
Some College	13.2	16.5	18.7	10.8	14.3	14.4	14.6	14.4	14.4	
College Graduate	35.2	22.9	22.8	27.1	23.6	22.6	30.0	24.4	26.7	
N of Valid	341	249	241	295	161	146	590	843	1433	
N of Miss	53	30	25	25	13	6	83	69	152	

Table 4.9: What is the educational level of your mother?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Some High School	5.6	12.7	8.6	9.7	9.6	12.8	8.6	9.9	9.3	
High School Graduate	29.0	35.5	30.3	28.1	29.9	36.5	31.7	30.5	31.0	
Some College	20.1	18.1	21.7	25.4	19.2	15.5	19.3	21.4	20.5	
College Graduate	45.4	33.6	39.3	36.8	41.3	35.1	40.5	38.1	39.1	
N of Valid	359	259	244	299	167	148	618	858	1476	
N of Miss	35	20	22	21	7	4	55	54	109	

4.2 Student Information

Table 4.10: Do you make good grades?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	0.5	0.4	0.4	0.0	0.6	0.0	0.5	0.2	0.3
Seldom	1.3	1.5	1.9	1.9	2.3	1.3	1.4	1.9	1.7
Sometimes	18.0	19.2	22.3	20.9	17.3	13.9	18.5	19.4	19.0
Often	38.1	40.6	40.8	36.1	39.3	37.1	39.1	38.2	38.6
A Lot	42.1	38.4	34.6	41.1	40.5	47.7	40.5	40.2	40.3
N of Valid	373	271	260	316	173	151	644	900	1544
N of Miss	21	8	6	4	1	1	29	12	41

Table 4.11: Do you get into trouble at school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	41.2	38.6	39.3	52.4	54.1	64.7	40.1	51.1	46.5
Seldom	34.3	34.5	38.1	35.6	29.1	28.7	34.3	33.9	34.1
Sometimes	19.6	22.5	17.5	8.4	11.6	6.7	20.8	11.3	15.3
Often	3.3	2.6	3.6	1.6	3.5	0.0	3.0	2.3	2.6
A Lot	1.7	1.9	1.6	1.9	1.7	0.0	1.7	1.5	1.6
N of Valid	362	267	252	309	172	150	629	883	1512
N of Miss	32	12	14	11	2	2	44	29	73

Table 4.12: Do you take part in school sports teams?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	29.2	30.7	28.5	27.9	29.8	31.5	29.8	29.1	29.4
Seldom	11.1	6.8	9.8	10.3	8.2	6.7	9.3	9.1	9.2
Sometimes	16.4	14.4	14.5	16.7	9.9	8.7	15.5	13.4	14.3
Often	12.2	14.0	15.6	17.6	15.8	21.5	13.0	17.3	15.5
A Lot	31.1	34.1	31.6	27.6	36.3	31.5	32.4	31.1	31.6
N of Valid	360	264	256	312	171	149	624	888	1512
N of Miss	34	15	10	8	3	3	49	24	73

Table 4.13: Do you take part in school activities such as band, clubs, etc.?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	34.2	40.3	35.0	33.1	32.7	29.3	36.8	33.0	34.6	
Seldom	13.2	10.4	12.3	15.4	13.5	14.0	12.1	13.9	13.1	
Sometimes	18.1	21.3	13.5	13.8	15.2	15.3	19.4	14.2	16.4	
Often	12.9	9.3	13.5	14.1	14.0	17.3	11.4	14.5	13.2	
A Lot	21.6	18.7	25.8	23.5	24.6	24.0	20.3	24.4	22.7	
N of Valid	371	268	260	311	171	150	639	892	1531	
N of Miss	23	11	6	9	3	2	34	20	54	

Table 4.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	54.0	56.0	47.3	51.8	45.6	40.7	54.8	47.4	50.5	
Seldom	16.1	15.4	23.5	18.5	19.3	19.3	15.8	20.2	18.4	
Sometimes	12.8	12.0	13.1	16.9	21.6	19.3	12.5	17.1	15.2	
Often	7.9	9.0	6.9	6.1	5.8	12.7	8.4	7.4	7.8	
A Lot	9.3	7.5	9.2	6.7	7.6	8.0	8.5	7.8	8.1	
N of Valid	367	266	260	313	171	150	633	894	1527	
N of Miss	27	13	6	7	3	2	40	18	58	

Table 4.15: Do you attend church, synagogue, etc.?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	21.4	24.3	36.7	38.5	31.2	40.3	22.6	36.9	30.9	
Seldom	10.0	16.1	15.1	18.3	16.5	14.1	12.6	16.3	14.7	
Sometimes	20.6	28.5	19.7	20.2	25.3	18.1	23.9	20.7	22.0	
Often	17.3	13.9	8.1	10.3	11.2	14.1	15.9	10.4	12.7	
A Lot	30.6	17.2	20.5	12.8	15.9	13.4	25.0	15.7	19.6	
N of Valid	369	267	259	312	170	149	636	890	1526	
N of Miss	25	12	7	8	4	3	37	22	59	

Table 4.16: Do your parents talk with you about the dangers of tobacco, alcohol and drug use?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	7.6	12.8	13.8	10.5	13.5	14.0	9.8	12.6	11.4	
Seldom	12.2	14.7	14.6	16.9	20.5	23.3	13.3	18.0	16.0	
Sometimes	24.2	31.7	29.1	29.3	29.2	32.0	27.3	29.7	28.7	
Often	24.7	22.3	21.5	26.8	18.7	18.7	23.7	22.3	22.9	
A Lot	31.2	18.5	21.1	16.6	18.1	12.0	25.9	17.4	20.9	
N of Valid	368	265	261	314	171	150	633	896	1529	
N of Miss	26	14	5	6	3	2	40	16	56	

Table 4.17: Do your teachers talk with you about the dangers of tobacco, alcohol and drug use?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	6.0	4.6	3.9	8.0	12.9	14.7	5.4	8.8	7.4	
Seldom	14.1	12.6	19.7	17.6	29.2	29.3	13.5	22.4	18.7	
Sometimes	34.7	32.8	36.3	36.1	30.4	38.7	33.9	35.5	34.8	
Often	25.7	31.3	21.6	23.3	18.7	10.0	28.1	19.7	23.2	
A Lot	19.5	18.7	18.5	15.0	8.8	7.3	19.2	13.5	15.9	
N of Valid	369	262	259	313	171	150	631	893	1524	
N of Miss	25	17	7	7	3	2	42	19	61	

Table 4.18: Does your school set clear rules on using alcohol and drugs during school and school functions?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	2.5	3.8	2.3	3.5	4.6	7.3	3.0	4.0	3.6	
Seldom	4.9	4.2	5.1	6.3	6.9	8.0	4.6	6.4	5.7	
Sometimes	8.5	10.3	14.5	15.8	15.0	16.0	9.3	15.3	12.8	
Often	26.6	19.9	23.8	26.6	29.5	28.0	23.8	26.6	25.5	
A Lot	57.4	61.7	54.3	47.8	43.9	40.7	59.2	47.7	52.4	
N of Valid	364	261	256	316	173	150	625	895	1520	
N of Miss	30	18	10	4	1	2	48	17	65	

Table 4.19: Does your school punish you when you break the rules about using alcohol and drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	13.3	11.1	6.8	9.2	9.6	5.4	12.4	7.9	9.8	
Seldom	2.5	5.6	2.8	2.6	6.0	7.5	3.8	4.1	4.0	
Sometimes	7.8	6.7	12.4	11.1	11.4	13.6	7.4	12.0	10.1	
Often	14.7	17.1	18.5	19.9	21.1	26.5	15.7	20.9	18.7	
A Lot	61.7	59.5	59.4	57.2	51.8	46.9	60.8	55.1	57.4	
N of Valid	360	252	249	306	166	147	612	868	1480	
N of Miss	34	27	17	14	8	5	61	44	105	

Table 4.20: Do your parents set clear rules for you about using alcohol and drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	4.9	6.6	2.3	5.8	7.6	11.4	5.6	6.1	5.9	
Seldom	2.7	5.4	7.8	6.1	8.8	11.4	3.8	8.0	6.3	
Sometimes	9.0	8.1	12.9	9.0	14.6	13.4	8.6	11.9	10.6	
Often	14.2	17.0	20.7	24.0	22.8	27.5	15.4	23.4	20.1	
A Lot	69.1	62.9	56.2	55.1	46.2	36.2	66.6	50.6	57.2	
N of Valid	366	259	256	312	171	149	625	888	1513	
N of Miss	28	20	10	8	3	3	48	24	72	

Table 4.21: Do your parents punish you when you break the rules about using alcohol and drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	20.1	16.3	14.6	18.8	20.5	19.0	18.6	18.0	18.2	
Seldom	2.3	3.8	5.4	5.0	12.8	8.8	2.9	7.3	5.5	
Sometimes	2.9	7.1	9.2	10.7	9.0	12.9	4.6	10.4	8.0	
Often	9.5	13.0	15.9	14.4	13.5	21.8	10.9	16.0	13.9	
A Lot	65.2	59.8	54.8	51.0	44.2	37.4	63.0	48.5	54.4	
N of Valid	348	239	239	298	156	147	587	840	1427	
N of Miss	46	40	27	22	18	5	86	72	158	

Table 4.22: Have you been in trouble with the police?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	90.1	87.0	79.2	80.8	81.8	82.4	88.8	80.8	84.1	
Seldom	5.2	5.9	11.6	9.9	11.2	6.8	5.5	10.1	8.2	
Sometimes	2.7	4.4	5.8	5.8	6.5	9.5	3.5	6.5	5.3	
Often	1.6	1.1	1.9	2.2	0.6	1.4	1.4	1.7	1.6	
A Lot	0.3	1.5	1.5	1.3	0.0	0.0	0.8	0.9	0.9	
N of Valid	364	270	259	312	170	148	634	889	1523	
N of Miss	30	9	7	8	4	4	39	23	62	

Table 4.23: Do you take part in gang activities?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	95.7	93.6	93.0	94.6	91.3	87.9	94.8	92.4	93.4	
Seldom	1.6	2.6	3.5	2.2	4.1	1.3	2.0	2.8	2.5	
Sometimes	1.4	1.9	1.2	1.9	2.3	4.0	1.6	2.1	1.9	
Often	0.8	1.1	0.4	0.0	1.2	4.0	0.9	1.0	1.0	
A Lot	0.5	0.8	1.9	1.3	1.2	2.7	0.6	1.7	1.2	
N of Valid	370	265	257	313	172	149	635	891	1526	
N of Miss	24	14	9	7	2	3	38	21	59	

Table 4.24: Have you ever thought about committing suicide?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	76.4	68.8	62.0	63.7	60.7	69.8	73.2	63.6	67.6	
Seldom	10.7	12.8	18.6	15.4	15.6	14.1	11.6	16.2	14.3	
Sometimes	6.9	11.3	7.0	10.9	15.6	10.1	8.7	10.5	9.8	
Often	1.9	2.3	5.8	5.1	4.0	2.7	2.1	4.7	3.6	
A Lot	4.1	4.9	6.6	4.8	4.0	3.4	4.4	4.9	4.7	
N of Valid	364	266	258	311	173	149	630	891	1521	
N of Miss	30	13	8	9	1	3	43	21	64	

Table 4.25: Do your friends use tobacco (cigarettes, etc.)?


RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	83.3	66.8	46.3	41.6	33.5	21.5	76.3	38.0	54.0	
Seldom	6.3	8.7	16.0	16.1	20.6	14.1	7.3	16.6	12.7	
Sometimes	5.8	14.0	20.6	19.4	22.4	31.5	9.2	22.3	16.9	
Often	1.6	5.7	8.6	10.6	8.2	12.1	3.3	9.8	7.1	
A Lot	3.0	4.9	8.6	12.3	15.3	20.8	3.8	13.2	9.3	
N of Valid	365	265	257	310	170	149	630	886	1516	
N of Miss	29	14	9	10	4	3	43	26	69	

Table 4.26: Do your friends use alcohol (beer, liquor, etc.)?


RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	84.7	65.8	46.9	40.1	28.7	16.1	76.8	35.8	52.8	
Seldom	6.3	10.6	16.3	17.9	18.7	10.7	8.1	16.4	13.0	
Sometimes	6.0	15.6	20.2	21.8	25.1	36.2	10.0	24.4	18.4	
Often	1.4	4.2	9.3	11.9	11.7	14.1	2.5	11.5	7.8	
A Lot	1.6	3.8	7.4	8.3	15.8	22.8	2.5	11.9	8.0	
N of Valid	365	263	258	312	171	149	628	890	1518	
N of Miss	29	16	8	8	3	3	45	22	67	

Table 4.27: Do your friends use marijuana (weed, chronic, dank, kush, etc.)?


RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	89.3	76.1	57.9	52.1	44.7	30.2	83.7	48.7	63.2	
Seldom	4.1	9.1	11.2	16.3	17.1	19.5	6.2	15.5	11.7	
Sometimes	4.4	8.7	16.2	15.7	18.8	22.1	6.2	17.5	12.8	
Often	1.4	2.3	8.1	7.7	7.6	8.7	1.8	8.0	5.4	
A Lot	0.8	3.8	6.6	8.3	11.8	19.5	2.1	10.3	6.9	
N of Valid	363	264	259	313	170	149	627	891	1518	
N of Miss	31	15	7	7	4	3	46	21	67	

Table 4.28: In the past 3 months, have you been at a party where alcohol was available?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	84.2	77.8	74.6	70.3	63.7	48.3	81.4	66.6	72.8	
Seldom	5.7	8.9	8.2	6.1	9.4	6.8	7.1	7.4	7.3	
Sometimes	5.5	5.6	7.8	9.3	9.4	13.6	5.5	9.6	7.9	
Often	1.9	5.6	5.5	6.1	3.5	12.2	3.5	6.4	5.2	
A Lot	2.7	2.2	3.9	8.3	14.0	19.0	2.5	9.9	6.8	
N of Valid	366	270	256	313	171	147	636	887	1523	
N of Miss	28	9	10	7	3	5	37	25	62	

Table 4.29: In the past 3 months, have you been at a party where marijuana or other illicit drugs were available?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	96.2	92.9	84.4	80.4	73.7	55.4	94.8	76.1	83.9	
Seldom	1.6	3.7	5.1	4.2	5.8	8.1	2.5	5.4	4.2	
Sometimes	0.8	1.1	4.7	5.4	7.6	14.2	0.9	7.1	4.5	
Often	0.3	0.7	2.7	3.5	2.3	8.1	0.5	3.8	2.4	
A Lot	1.1	1.5	3.1	6.4	10.5	14.2	1.3	7.5	4.9	
N of Valid	367	268	257	312	171	148	635	888	1523	
N of Miss	27	11	9	8	3	4	38	24	62	

Table 4.30: In the past 3 months, have you been at a party where prescription drugs, not prescribed to you, were available?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	98.9	94.0	93.0	91.1	88.7	79.3	96.9	89.2	92.4	
Seldom	0.3	2.2	3.5	2.2	3.6	5.3	1.1	3.4	2.4	
Sometimes	0.3	0.7	1.9	4.2	3.6	8.7	0.5	4.2	2.6	
Often	0.3	2.2	0.8	0.3	0.6	2.7	1.1	0.9	1.0	
A Lot	0.3	0.7	0.8	2.2	3.6	4.0	0.5	2.4	1.6	
N of Valid	368	268	257	313	168	150	636	888	1524	
N of Miss	26	11	9	7	6	2	37	24	61	

Table 4.31: In general, how often do you experience stress in your daily life?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	10.1	7.5	4.6	7.9	6.5	6.0	9.0	6.4	7.5	
Seldom	26.6	15.1	17.8	14.0	9.5	10.7	21.7	13.7	17.0	
Sometimes	27.9	29.4	27.0	24.4	22.5	21.3	28.6	24.3	26.1	
Often	18.6	26.4	23.9	23.8	28.4	26.7	21.9	25.2	23.8	
A Lot	16.7	21.5	26.6	29.8	33.1	35.3	18.7	30.5	25.6	
N of Valid	365	265	259	315	169	150	630	893	1523	
N of Miss	29	14	7	5	5	2	43	19	62	

Table 4.32: Does your school ask any students to take a drug test?



RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	34.0	30.2	54.7	53.9	62.1	51.4	32.4	55.3	45.8	
No	66.0	69.8	45.3	46.1	37.9	48.6	67.6	44.7	54.2	
N of Valid	359	265	254	308	169	148	624	879	1503	
N of Miss	35	14	12	12	5	4	49	33	82	

Table 4.33: Have you bought or sold drugs AT school?



RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Yes	0.5	1.1	2.3	1.9	2.9	3.4	0.8	2.5	1.8	
No	99.5	98.9	97.7	98.1	97.1	96.6	99.2	97.5	98.2	
N of Valid	370	269	259	313	172	149	639	893	1532	
N of Miss	24	10	7	7	2	3	34	19	53	

Table 4.34: Have you bought or sold drugs when NOT at school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	1.9	2.7	6.7	6.2	14.6	14.0	2.2	9.3	6.4
No	98.1	97.3	93.3	93.8	85.4	86.0	97.8	90.7	93.6
N of Valid	362	264	255	306	171	150	626	882	1508
N of Miss	32	15	11	14	3	2	47	30	77

Table 4.35: Have you carried a gun for protection or as a weapon when AT school in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	1.3	0.4	1.1	0.3	1.2	1.3	0.9	0.9	0.9
No	98.7	99.6	98.9	99.7	98.8	98.7	99.1	99.1	99.1
N of Valid	372	269	261	314	171	149	641	895	1536
N of Miss	22	10	5	6	3	3	32	17	49

Table 4.36: Have you carried a gun for protection or as a weapon when NOT at school in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	6.8	9.4	11.3	9.0	7.0	7.4	7.9	9.0	8.5
No	93.2	90.6	88.7	91.0	93.0	92.6	92.1	91.0	91.5
N of Valid	370	265	257	312	171	149	635	889	1524
N of Miss	24	14	9	8	3	3	38	23	61

Table 4.37: I did not go to school 1 or more days because I felt unsafe at school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	6.2	7.5	6.5	8.0	5.9	3.4	6.8	6.4	6.5
No	93.8	92.5	93.5	92.0	94.1	96.6	93.2	93.6	93.5
N of Valid	370	267	261	312	170	149	637	892	1529
N of Miss	24	12	5	8	4	3	36	20	56

Table 4.38: I did not go to school 1 or more days because I felt unsafe on my way to or from school?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	3.0	1.9	1.5	4.2	3.5	4.7	2.5	3.4	3.0
No	97.0	98.1	98.5	95.8	96.5	95.3	97.5	96.6	97.0
N of Valid	368	266	259	308	170	149	634	886	1520
N of Miss	26	13	7	12	4	3	39	26	65

Table 4.39: Are you aware of a drug prevention coalition in your neighborhood?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	25.3	29.1	28.1	27.6	21.3	26.5	26.9	26.4	26.6
No	74.7	70.9	71.9	72.4	78.7	73.5	73.1	73.6	73.4
N of Valid	363	258	256	308	169	147	621	880	1501
N of Miss	31	21	10	12	5	5	52	32	84

Table 4.40: Are you involved in an extracurricular activity where the primary purpose of the group is to organize activities around the prevention of drug and alcohol use in your community??

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	7.4	9.6	7.1	5.2	3.5	4.7	8.3	5.3	6.6
No	92.6	90.4	92.9	94.8	96.5	95.3	91.7	94.7	93.4
N of Valid	365	261	255	310	172	148	626	885	1511
N of Miss	29	18	11	10	2	4	47	27	74

Table 4.41: During the past 7 days, how many times did you exercise, play a sport, or participate in a physical activity for at least 20 minutes that made you sweat and breathe hard?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
0 Days	17.9	14.6	15.3	16.7	17.2	22.9	16.5	17.4	17.0
1-3 Days	26.0	26.0	23.8	31.3	29.3	26.4	26.0	27.9	27.1
4-6 Days	29.3	29.1	32.7	30.0	24.8	25.7	29.2	29.1	29.1
7 Days	26.9	30.3	28.2	22.0	28.7	25.0	28.4	25.6	26.7
N of Valid	335	254	248	300	157	144	589	849	1438
N of Miss	59	25	18	20	17	8	84	63	147

Table 4.42: During the past 7 days, how many times did you eat at least one piece of fruit?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
0 Days	6.9	11.1	8.9	8.7	9.6	8.4	8.7	8.9	8.8	
1-3 Days	29.3	25.7	27.6	27.7	23.6	29.4	27.7	27.2	27.4	
4-6 Days	19.4	25.7	27.2	29.3	30.6	31.5	22.1	29.3	26.4	
7 Days	44.5	37.5	36.2	34.3	36.3	30.8	41.5	34.6	37.4	
N of Valid	335	253	246	300	157	143	588	846	1434	
N of Miss	59	26	20	20	17	9	85	66	151	

Table 4.43: During the past 7 days, how many times did you eat at least one vegetable?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
0 Days	11.1	13.0	12.2	11.4	8.9	11.8	12.0	11.3	11.5	
1-3 Days	27.4	25.3	25.6	25.9	22.9	23.6	26.5	24.9	25.5	
4-6 Days	21.1	25.3	26.0	26.3	28.7	27.1	22.9	26.8	25.2	
7 Days	40.4	36.4	36.2	36.4	39.5	37.5	38.6	37.1	37.7	
N of Valid	332	253	246	297	157	144	585	844	1429	
N of Miss	62	26	20	23	17	8	88	68	156	

Table 4.44: On an average school night, how many hours of sleep do you get?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
4 or less hours	4.8	5.5	4.5	8.9	9.6	7.0	5.1	7.4	6.4	
5 hours	5.4	7.8	9.7	7.8	12.1	13.3	6.5	10.1	8.6	
6 hours	14.4	11.4	16.2	17.1	17.8	25.2	13.1	18.3	16.2	
7 hours	19.5	24.7	23.9	27.6	29.9	25.9	21.8	26.7	24.6	
8 hours	33.3	33.7	27.5	29.4	17.8	21.7	33.5	25.4	28.7	
9 hours	14.7	10.6	13.8	6.8	7.0	6.3	12.9	8.8	10.5	
10 or more hours	7.8	6.3	4.5	2.4	5.7	0.7	7.1	3.3	4.9	
N of Valid	333	255	247	293	157	143	588	840	1428	
N of Miss	61	24	19	27	17	9	85	72	157	

Table 4.45: Within the past year, as a result of drinking, I did something I later regretted?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	3.0	5.2	8.0	10.5	11.0	12.8	3.9	10.3	7.7
No	10.1	15.3	26.8	24.0	36.0	45.9	12.3	30.8	23.1
I do not drink	86.9	79.5	65.1	65.5	52.9	41.2	83.8	58.9	69.2
N of Valid	366	268	261	313	172	148	634	894	1528
N of Miss	28	11	5	7	2	4	39	18	57






Table 4.46: On an average school day, how often do you play video or computer games or use a device for something that is not school work? (Count time spent on things such as Xbox, Wii, tablets and smartphones)

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	13.0	9.7	6.5	5.4	7.0	7.4	11.6	6.4	8.6
Seldom	16.3	15.7	15.4	18.8	20.3	16.1	16.0	17.7	17.0
Sometimes	24.7	25.4	30.0	24.6	24.4	28.2	25.0	26.7	26.0
Often	24.7	24.6	23.1	26.2	23.8	24.8	24.6	24.6	24.6
A Lot	21.4	24.6	25.0	24.9	24.4	23.5	22.8	24.6	23.8
N of Valid	369	268	260	313	172	149	637	894	1531
N of Miss	25	11	6	7	2	3	36	18	54

Table 4.47: In the past 3 months, how often have you seen or heard anti-drug messages? (TV, Radio, Internet, Social Media Sites, Billboards, Movie Theaters)

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	19.2	13.1	12.6	11.1	11.0	9.4	16.6	11.3	13.5
Once/month	23.8	18.7	23.0	21.0	25.6	33.6	21.6	24.6	23.3
1-3 times/month	33.4	34.0	33.3	36.9	33.7	36.9	33.6	35.3	34.6
1-3 times/week	23.6	34.3	31.0	30.9	29.7	20.1	28.1	28.9	28.6
N of Valid	365	268	261	314	172	149	633	896	1529
N of Miss	29	11	5	6	2	3	40	16	56

Table 4.48: How many days have you been absent from school this year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
None	25.5	23.5	34.7	29.0	33.3	28.0	24.6	31.3	28.5	
1-2 days	39.2	35.0	36.7	38.7	36.4	37.8	37.4	37.5	37.5	
3-5 days	26.6	27.7	21.2	24.8	23.6	25.9	27.1	23.8	25.1	
6-10 days	7.0	8.8	5.3	7.1	5.5	6.3	7.8	6.1	6.8	
More than 10	1.7	5.0	2.0	0.3	1.2	2.1	3.1	1.3	2.0	
N of Valid	357	260	245	310	165	143	617	863	1480	
N of Miss	37	19	21	10	9	9	56	49	105	

4.3 Within The Past Year How Often Have You...

Table 4.49: Within the past year how often have you smoked cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	96.4	93.2	83.3	84.9	75.1	73.2	95.1	80.6	86.6
Once/year	1.9	3.0	5.8	3.9	7.1	6.7	2.4	5.5	4.2
6 times/year	0.3	0.4	1.9	2.3	5.9	2.7	0.3	2.9	1.8
Once/month	0.0	1.1	1.9	2.6	2.4	2.0	0.5	2.3	1.5
Twice/month	0.0	1.1	1.6	1.6	2.4	1.3	0.5	1.7	1.2
Once/week	0.0	0.4	1.2	1.9	1.2	2.0	0.2	1.6	1.0
3 times/week	0.6	0.8	1.9	0.6	1.8	4.7	0.6	1.9	1.4
Every day	0.8	0.0	2.3	2.3	4.1	7.4	0.5	3.5	2.2
N of Valid	363	266	257	311	169	149	629	886	1515
N of Miss	31	13	9	9	5	3	44	26	70

Table 4.50: Within the past year how often have you used smokeless tobacco (chew, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	97.2	94.3	85.3	85.9	80.5	83.8	96.0	84.4	89.2
Once/year	1.4	2.6	4.2	3.2	4.1	2.0	1.9	3.5	2.8
6 times/year	0.3	0.0	1.9	1.0	1.8	0.7	0.2	1.3	0.9
Once/month	0.0	0.8	2.3	1.3	1.2	2.0	0.3	1.7	1.1
Twice/month	0.6	0.4	1.2	1.6	0.6	0.7	0.5	1.1	0.9
Once/week	0.3	0.4	1.2	1.0	1.8	2.0	0.3	1.3	0.9
3 times/week	0.3	0.8	0.4	1.6	3.0	0.7	0.5	1.3	1.0
Every day	0.0	0.8	3.5	4.5	7.1	8.1	0.3	5.3	3.2
N of Valid	363	265	259	313	169	148	628	889	1517
N of Miss	31	14	7	7	5	4	45	23	68

Table 4.51: Within the past year how often have you smoked cigars?









RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	98.9	96.2	91.0	89.6	80.4	78.5	97.7	86.4	91.0	
Once/year	0.0	1.5	5.1	2.9	7.1	6.7	0.7	5.0	3.2	
6 times/year	0.0	0.0	0.8	1.9	3.6	3.4	0.0	2.2	1.3	
Once/month	0.0	0.8	1.2	2.6	3.0	3.4	0.3	2.4	1.5	
Twice/month	0.0	0.4	0.8	0.3	2.4	3.4	0.2	1.4	0.9	
Once/week	0.0	1.2	0.0	1.3	0.6	1.3	0.5	0.8	0.7	
3 times/week	0.6	0.0	0.4	0.6	1.8	2.0	0.3	1.0	0.7	
Every day	0.6	0.0	0.8	0.6	1.2	1.3	0.3	0.9	0.7	
N of Valid	354	260	255	308	168	149	614	880	1494	
N of Miss	40	19	11	12	6	3	59	32	91	

Table 4.52: Within the past year how often have you used an electronic vapor product (e-cigars, e-cigarettes, e-pipes, vape pipes, vaping pens, e-hookas, hookah pens, etc.)?









RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	93.6	87.9	78.4	79.6	72.2	71.6	91.2	76.5	82.6	
Once/year	4.2	5.7	8.1	5.1	9.5	8.1	4.8	7.3	6.3	
6 times/year	0.6	1.1	2.7	3.5	4.1	4.7	0.8	3.6	2.4	
Once/month	0.6	1.9	3.5	2.6	3.6	2.7	1.1	3.0	2.2	
Twice/month	0.0	0.4	1.2	1.9	2.4	2.7	0.2	1.9	1.2	
Once/week	0.3	0.8	1.2	2.6	3.0	3.4	0.5	2.4	1.6	
3 times/week	0.6	0.8	2.7	1.6	1.2	2.7	0.6	2.0	1.5	
Every day	0.3	1.5	2.3	3.2	4.1	4.1	0.8	3.3	2.2	
N of Valid	361	265	259	313	169	148	626	889	1515	
N of Miss	33	14	7	7	5	4	47	23	70	

Table 4.53: Within the past year how often have you drank beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	93.1	85.7	72.9	72.3	58.8	52.0	89.9	66.5	76.1	
Once/year	3.9	7.9	9.7	10.5	10.6	11.3	5.6	10.4	8.4	
6 times/year	0.8	1.9	7.4	5.7	13.5	7.3	1.3	8.0	5.2	
Once/month	1.7	0.4	3.9	3.2	4.7	10.0	1.1	4.8	3.3	
Twice/month	0.0	1.1	2.3	3.5	5.9	4.7	0.5	3.8	2.4	
Once/week	0.3	1.9	3.1	1.6	4.1	10.7	1.0	4.0	2.8	
3 times/week	0.3	0.8	0.8	2.2	1.8	3.3	0.5	1.9	1.3	
Every day	0.0	0.4	0.0	1.0	0.6	0.7	0.2	0.6	0.4	
N of Valid	360	265	258	314	170	150	625	892	1517	
N of Miss	34	14	8	6	4	2	48	20	68	

Table 4.54: Within the past year how often have you drank coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	92.8	89.1	79.6	71.5	58.6	56.1	91.2	68.8	78.1	
Once/year	4.2	4.2	7.1	10.6	11.2	11.5	4.2	9.8	7.5	
6 times/year	0.8	1.9	4.7	6.7	12.4	7.4	1.3	7.4	4.8	
Once/month	1.4	0.8	3.9	2.9	5.9	9.5	1.1	4.9	3.3	
Twice/month	0.6	1.9	2.4	3.5	5.9	5.4	1.1	4.0	2.8	
Once/week	0.3	1.1	1.2	1.9	3.6	7.4	0.6	2.9	2.0	
3 times/week	0.0	1.1	1.2	2.2	1.8	2.0	0.5	1.8	1.3	
Every day	0.0	0.0	0.0	0.6	0.6	0.7	0.0	0.5	0.3	
N of Valid	359	265	255	312	169	148	624	884	1508	
N of Miss	35	14	11	8	5	4	49	28	77	

Table 4.55: Within the past year how often have you drank liquor (whiskey, vodka, rum, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	93.4	89.4	75.8	74.0	64.5	53.7	91.7	69.3	78.5	
Once/year	4.2	6.4	10.0	9.6	10.7	15.4	5.1	10.9	8.5	
6 times/year	0.6	2.3	6.2	6.1	10.7	7.4	1.3	7.2	4.8	
Once/month	0.8	0.0	4.2	3.5	3.0	10.1	0.5	4.7	3.0	
Twice/month	0.3	0.8	1.9	1.9	4.7	4.7	0.5	2.9	1.9	
Once/week	0.6	1.1	1.5	2.3	4.7	6.7	0.8	3.3	2.2	
3 times/week	0.3	0.0	0.4	1.9	1.2	2.0	0.2	1.3	0.9	
Every day	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.3	0.2	
N of Valid	361	264	260	311	169	149	625	889	1514	
N of Miss	33	15	6	9	5	3	48	23	71	

Table 4.56: Within the past year how often have you had 5 or more glasses of beer, coolers, or shots of liquor within a few hours?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	96.4	94.4	85.3	82.4	73.8	59.5	95.5	77.8	85.2	
Once/year	1.4	1.5	4.2	5.8	6.5	10.8	1.4	6.3	4.3	
6 times/year	0.6	1.5	3.1	3.5	7.7	8.8	1.0	5.1	3.4	
Once/month	0.8	0.4	3.5	2.9	3.0	5.4	0.6	3.5	2.3	
Twice/month	0.3	1.1	2.3	1.6	4.8	2.7	0.6	2.6	1.8	
Once/week	0.3	0.8	0.8	1.9	2.4	10.1	0.5	3.0	2.0	
3 times/week	0.3	0.4	0.8	1.3	0.6	2.0	0.3	1.1	0.8	
Every day	0.0	0.0	0.0	0.6	1.2	0.7	0.0	0.6	0.3	
N of Valid	363	266	259	312	168	148	629	887	1516	
N of Miss	31	13	7	8	6	4	44	25	69	

Table 4.57: Within the past year how often have you smoked marijuana (weed, chronic, dank, kish, etc.?)









RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	96.4	94.0	86.9	83.7	79.3	69.1	95.4	81.3	87.2	
Once/year	1.4	3.0	5.0	2.9	3.6	13.4	2.1	5.4	4.0	
6 times/year	0.3	0.4	1.2	3.8	3.6	4.7	0.3	3.1	2.0	
Once/month	0.3	0.8	1.5	3.2	3.0	0.7	0.5	2.2	1.5	
Twice/month	0.3	0.0	1.5	1.9	2.4	3.4	0.2	2.1	1.3	
Once/week	0.6	0.4	1.2	1.6	2.4	2.7	0.5	1.8	1.3	
3 times/week	0.3	1.1	1.2	1.6	4.1	1.3	0.6	1.9	1.4	
Every day	0.6	0.4	1.5	1.3	1.8	4.7	0.5	2.0	1.4	
N of Valid	363	265	260	312	169	149	628	890	1518	
N of Miss	31	14	6	8	5	3	45	22	67	

Table 4.58: Within the past year how often have you used synthetic marijuana (K2, spice)?









RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	99.4	98.1	96.5	97.1	94.6	93.2	98.9	95.8	97.1	
Once/year	0.3	1.5	1.2	1.0	3.0	2.7	0.8	1.7	1.3	
6 times/year	0.0	0.0	0.0	0.3	0.6	0.7	0.0	0.3	0.2	
Once/month	0.0	0.0	0.8	0.3	0.0	1.4	0.0	0.6	0.3	
Twice/month	0.3	0.0	0.0	0.3	0.6	0.7	0.2	0.3	0.3	
Once/week	0.0	0.4	0.8	0.6	0.6	0.7	0.2	0.7	0.5	
3 times/week	0.0	0.0	0.4	0.3	0.6	0.7	0.0	0.5	0.3	
Every day	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.1	
N of Valid	356	263	259	309	167	148	619	883	1502	
N of Miss	38	16	7	11	7	4	54	29	83	

Table 4.59: Within the past year how often have you used chemical products to get high (bath salts)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.2	98.5	98.8	99.4	99.4	99.3	98.9	99.2	99.1
Once/year	0.8	0.0	0.4	0.3	0.0	0.7	0.5	0.3	0.4
6 times/year	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.2	0.1
Once/month	0.0	0.4	0.0	0.3	0.6	0.0	0.2	0.2	0.2
Twice/month	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Every day	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1
N of Valid	362	267	259	311	169	150	629	889	1518
N of Miss	32	12	7	9	5	2	44	23	67

Table 4.60: Within the past year how often have you used pain medication not prescribed to you (Oxycontin, Vicodin, Percocet, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	97.2	96.2	96.9	96.8	94.1	95.3	96.8	96.1	96.4
Once/year	1.9	2.6	1.2	1.9	3.0	2.0	2.2	1.9	2.0
6 times/year	0.3	0.0	0.8	0.3	0.6	0.7	0.2	0.6	0.4
Once/month	0.3	0.4	0.4	1.0	0.6	0.7	0.3	0.7	0.5
Twice/month	0.0	0.4	0.4	0.0	1.2	0.0	0.2	0.3	0.3
Once/week	0.3	0.4	0.0	0.0	0.6	1.3	0.3	0.3	0.3
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.1
N of Valid	360	265	259	311	169	150	625	889	1514
N of Miss	34	14	7	9	5	2	48	23	71

Table 4.61: Within the past year how often have you used stimulant medication not prescribed to you (Adderall, Ritalin, Concerta, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	98.9	98.9	98.5	97.7	98.2	96.7	98.9	97.9	98.3
Once/year	0.5	0.8	0.8	1.0	0.6	2.0	0.6	1.0	0.9
6 times/year	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.2	0.1
Once/month	0.0	0.4	0.8	1.0	0.6	0.7	0.2	0.8	0.5
Twice/month	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Once/week	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1
3 times/week	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	364	264	259	310	168	150	628	887	1515
N of Miss	30	15	7	10	6	2	45	25	70

Table 4.62: Within the past year how often have you used sleeping medication not prescribed to you (Ambien, Restoril, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	96.7	96.2	93.8	95.2	97.0	94.0	96.5	94.9	95.6
Once/year	1.9	1.5	3.5	1.6	1.8	3.3	1.8	2.5	2.2
6 times/year	0.6	0.0	0.8	1.0	0.6	1.3	0.3	0.9	0.7
Once/month	0.0	0.0	0.8	0.3	0.0	1.3	0.0	0.6	0.3
Twice/month	0.0	0.0	0.4	0.6	0.0	0.0	0.0	0.3	0.2
Once/week	0.3	0.8	0.4	0.6	0.0	0.0	0.5	0.3	0.4
3 times/week	0.3	1.1	0.0	0.0	0.6	0.0	0.6	0.1	0.3
Every day	0.3	0.4	0.4	0.6	0.0	0.0	0.3	0.3	0.3
N of Valid	361	266	260	310	168	150	627	888	1515
N of Miss	33	13	6	10	6	2	46	24	70

Table 4.63: Within the past year how often have you used sedative/anxiety medication not prescribed to you (Xanax, Valium, Ativan, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.4	97.4	97.3	96.8	97.6	96.0	98.6	97.0	97.6
Once/year	0.6	1.9	1.2	1.3	1.2	0.0	1.1	1.0	1.1
6 times/year	0.0	0.0	0.0	0.6	0.0	2.0	0.0	0.6	0.3
Once/month	0.0	0.0	0.4	0.6	0.6	0.7	0.0	0.6	0.3
Twice/month	0.0	0.0	0.4	0.3	0.0	1.3	0.0	0.5	0.3
Once/week	0.0	0.0	0.4	0.3	0.0	0.0	0.0	0.2	0.1
3 times/week	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1
Every day	0.0	0.8	0.4	0.0	0.0	0.0	0.3	0.1	0.2
N of Valid	363	266	259	311	168	150	629	888	1517
N of Miss	31	13	7	9	6	2	44	24	68

Table 4.64: Within the past year how often have you used over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.2	97.0	97.7	98.7	94.0	97.3	98.3	97.3	97.7
Once/year	0.3	1.1	0.8	0.3	3.6	2.0	0.6	1.4	1.1
6 times/year	0.3	0.7	0.4	0.3	1.2	0.0	0.5	0.5	0.5
Once/month	0.0	0.4	0.8	0.3	0.6	0.0	0.2	0.5	0.3
Twice/month	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.2	0.1
Once/week	0.3	0.4	0.4	0.0	0.6	0.0	0.3	0.2	0.3
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1
N of Valid	364	267	259	310	168	150	631	887	1518
N of Miss	30	12	7	10	6	2	42	25	67

Table 4.65: Within the past year how often have you used heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	100.0	99.6	99.6	99.4	98.2	100.0	99.8	99.3	99.5	
Once/year	0.0	0.0	0.4	0.0	1.2	0.0	0.0	0.3	0.2	
6 times/year	0.0	0.4	0.0	0.0	0.6	0.0	0.2	0.1	0.1	
Once/month	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	363	266	257	311	166	150	629	884	1513	
N of Miss	31	13	9	9	8	2	44	28	72	

Table 4.66: Within the past year how often have you used cocaine (crack, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	100.0	98.9	98.4	99.0	98.2	98.0	99.5	98.5	98.9	
Once/year	0.0	0.4	1.2	0.3	1.2	0.0	0.2	0.7	0.5	
6 times/year	0.0	0.4	0.4	0.0	0.0	2.0	0.2	0.5	0.3	
Once/month	0.0	0.4	0.0	0.3	0.0	0.0	0.2	0.1	0.1	
Twice/month	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1	
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3 times/week	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1	
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	360	265	258	310	166	150	625	884	1509	
N of Miss	34	14	8	10	8	2	48	28	76	

Table 4.67: Within the past year how often have you used inhalants (glue, gas, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.4	98.5	97.3	98.7	98.8	98.7	99.0	98.3	98.6
Once/year	0.6	0.8	1.6	0.6	0.0	1.3	0.6	0.9	0.8
6 times/year	0.0	0.4	0.8	0.0	0.0	0.0	0.2	0.2	0.2
Once/month	0.0	0.0	0.0	0.3	0.6	0.0	0.0	0.2	0.1
Twice/month	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1
Every day	0.0	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.1
N of Valid	362	264	258	308	167	150	626	883	1509
N of Miss	32	15	8	12	7	2	47	29	76

Table 4.68: Within the past year how often have you used hallucinogens (PCP, LSD, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.7	99.6	99.2	98.7	97.0	96.0	99.7	98.1	98.7
Once/year	0.3	0.0	0.4	0.3	1.2	1.3	0.2	0.7	0.5
6 times/year	0.0	0.4	0.0	0.3	0.6	2.0	0.2	0.6	0.4
Once/month	0.0	0.0	0.4	0.3	0.0	0.0	0.0	0.2	0.1
Twice/month	0.0	0.0	0.0	0.0	1.2	0.7	0.0	0.3	0.2
Once/week	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	363	260	259	307	167	149	623	882	1505
N of Miss	31	19	7	13	7	3	50	30	80

Table 4.69: Within the past year how often have you used steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	99.2	98.1	100.0	98.4	98.2	98.7	98.7	98.9	98.8	
Once/year	0.3	0.8	0.0	0.3	0.6	1.3	0.5	0.5	0.5	
6 times/year	0.0	0.4	0.0	0.3	0.0	0.0	0.2	0.1	0.1	
Once/month	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1	
Twice/month	0.0	0.4	0.0	0.3	0.0	0.0	0.2	0.1	0.1	
Once/week	0.0	0.4	0.0	0.0	0.6	0.0	0.2	0.1	0.1	
3 times/week	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1	
Every day	0.6	0.0	0.0	0.3	0.0	0.0	0.3	0.1	0.2	
N of Valid	362	266	256	310	167	150	628	883	1511	
N of Miss	32	13	10	10	7	2	45	29	74	

Table 4.70: Within the past year how often have you used ecstasy (MDMA)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	100.0	99.6	99.6	98.7	97.0	98.7	99.8	98.6	99.1	
Once/year	0.0	0.0	0.4	0.3	2.4	1.3	0.0	0.9	0.5	
6 times/year	0.0	0.4	0.0	0.3	0.0	0.0	0.2	0.1	0.1	
Once/month	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.3	0.2	
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	363	266	257	309	167	149	629	882	1511	
N of Miss	31	13	9	11	7	3	44	30	74	

Table 4.71: Within the past year how often have you used meth (crystal, ice, crank, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	99.7	98.9	98.8	99.7	100.0	99.3	99.4	99.4	99.4
Once/year	0.3	0.4	0.8	0.0	0.0	0.0	0.3	0.2	0.3
6 times/year	0.0	0.4	0.0	0.0	0.0	0.7	0.2	0.1	0.1
Once/month	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Every day	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.1
N of Valid	361	265	256	310	166	150	626	882	1508
N of Miss	33	14	10	10	8	2	47	30	77

Table 4.72: Within the past year how often have you ridden in a car with a driver who was drunk?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Does not apply	90.6	86.8	86.7	81.9	85.1	85.3	89.0	84.5	86.4
Once/year	5.2	7.1	8.2	10.3	10.7	9.3	6.1	9.6	8.1
6 times/year	1.4	1.9	1.2	2.3	2.4	2.0	1.6	1.9	1.8
Once/month	0.6	0.8	2.4	1.3	1.2	2.7	0.6	1.8	1.3
Twice/month	1.1	2.3	1.2	0.3	0.0	0.7	1.6	0.6	1.0
Once/week	0.6	0.0	0.4	2.3	0.6	0.0	0.3	1.0	0.7
3 times/week	0.0	0.4	0.0	1.0	0.0	0.0	0.2	0.3	0.3
Every day	0.6	0.8	0.0	0.6	0.0	0.0	0.6	0.2	0.4
N of Valid	362	266	255	310	168	150	628	883	1511
N of Miss	32	13	11	10	6	2	45	29	74

Table 4.73: Within the past year how often have you ridden in a car with a driver who was high?









RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	93.1	91.7	85.3	84.1	82.6	77.3	92.5	83.0	87.0	
Once/year	3.3	3.4	8.1	5.5	4.8	10.0	3.3	6.9	5.4	
6 times/year	0.6	1.1	0.8	2.9	3.0	4.0	0.8	2.5	1.8	
Once/month	1.1	0.4	1.9	1.9	1.2	4.0	0.8	2.1	1.6	
Twice/month	0.3	1.5	0.8	1.3	2.4	1.3	0.8	1.4	1.1	
Once/week	1.1	0.8	0.8	1.6	3.0	2.0	1.0	1.7	1.4	
3 times/week	0.6	0.4	0.8	1.3	1.8	0.7	0.5	1.1	0.9	
Every day	0.0	0.8	1.5	1.3	1.2	0.7	0.3	1.2	0.9	
N of Valid	362	266	259	308	167	150	628	884	1512	
N of Miss	32	13	7	12	7	2	45	28	73	

Table 4.74: Within the past year how often have you driven a car while drunk?








RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	99.4	98.9	97.3	96.4	97.6	94.0	99.2	96.5	97.6	
Once/year	0.6	0.4	1.5	1.3	1.8	3.4	0.5	1.8	1.3	
6 times/year	0.0	0.0	0.4	0.6	0.6	1.3	0.0	0.7	0.4	
Once/month	0.0	0.4	0.4	1.0	0.0	0.0	0.2	0.5	0.3	
Twice/month	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.1	
Once/week	0.0	0.4	0.0	0.0	0.0	0.7	0.2	0.1	0.1	
3 times/week	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	363	265	259	308	167	149	628	883	1511	
N of Miss	31	14	7	12	7	3	45	29	74	

Table 4.75: Within the past year how often have you driven a car while high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	99.4	99.2	97.3	95.8	93.5	89.3	99.4	94.7	96.6	
Once/year	0.6	0.0	1.2	1.3	3.6	4.7	0.3	2.3	1.5	
6 times/year	0.0	0.0	0.4	0.3	0.0	2.0	0.0	0.6	0.3	
Once/month	0.0	0.8	0.8	1.3	0.6	0.0	0.3	0.8	0.6	
Twice/month	0.0	0.0	0.4	0.0	1.2	1.3	0.0	0.6	0.3	
Once/week	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1	
3 times/week	0.0	0.0	0.0	0.3	1.2	1.3	0.0	0.6	0.3	
Every day	0.0	0.0	0.0	0.6	0.0	1.3	0.0	0.5	0.3	
N of Valid	363	265	260	308	168	150	628	886	1514	
N of Miss	31	14	6	12	6	2	45	26	71	

Table 4.76: Within the past year how often have you used any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	95.3	91.0	78.8	78.7	66.9	62.7	93.5	73.8	82.0	
Once/year	2.7	3.7	5.8	3.8	6.5	8.7	3.2	5.7	4.7	
6 times/year	0.5	0.4	2.7	2.5	7.1	2.7	0.5	3.5	2.2	
Once/month	0.0	1.5	1.9	2.5	2.4	2.7	0.6	2.4	1.6	
Twice/month	0.0	0.7	1.5	2.5	2.4	2.7	0.3	2.2	1.4	
Once/week	0.0	0.7	1.9	1.9	2.4	2.7	0.3	2.1	1.4	
3 times/week	0.5	1.1	1.5	2.2	3.0	3.3	0.8	2.4	1.7	
Every day	0.8	0.7	5.8	5.7	9.5	14.7	0.8	8.0	5.0	
N of Valid	364	267	260	314	169	150	631	893	1524	
N of Miss	30	12	6	6	5	2	42	19	61	

Table 4.77: Within the past year how often have you used any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	89.0	81.3	68.5	62.4	47.1	40.0	85.7	57.5	69.2	
Once/year	6.6	9.7	11.9	14.0	15.3	18.7	7.9	14.4	11.7	
6 times/year	1.1	3.4	9.2	8.6	16.5	8.7	2.1	10.3	6.9	
Once/month	1.9	0.7	3.1	4.1	6.5	11.3	1.4	5.5	3.8	
Twice/month	0.5	1.9	2.3	4.8	7.6	5.3	1.1	4.7	3.2	
Once/week	0.5	1.1	3.8	2.5	4.7	11.3	0.8	4.8	3.1	
3 times/week	0.3	1.5	1.2	2.5	1.8	4.0	0.8	2.2	1.6	
Every day	0.0	0.4	0.0	1.0	0.6	0.7	0.2	0.6	0.4	
N of Valid	364	267	260	314	170	150	631	894	1525	
N of Miss	30	12	6	6	4	2	42	18	60	

Table 4.78: Within the past year how often have you used any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Does not apply	89.8	87.3	81.2	80.5	76.3	64.7	88.7	77.2	82.0	
Once/year	6.0	7.5	7.7	4.5	5.3	12.7	6.7	7.0	6.8	
6 times/year	0.5	0.4	1.9	3.8	3.6	5.3	0.5	3.5	2.2	
Once/month	0.5	0.4	1.9	2.6	2.4	2.7	0.5	2.4	1.6	
Twice/month	0.5	0.7	1.9	2.6	3.0	5.3	0.6	2.9	2.0	
Once/week	0.5	0.4	1.5	2.2	2.4	3.3	0.5	2.2	1.5	
3 times/week	0.5	1.5	1.2	1.9	5.3	1.3	1.0	2.2	1.7	
Every day	1.4	1.9	2.7	1.9	1.8	4.7	1.6	2.6	2.2	
N of Valid	364	267	260	313	169	150	631	892	1523	
N of Miss	30	12	6	7	5	2	42	20	62	

4.4 What Effect Do You Most Often Get When You Use

Table 4.79: What effect do you most often get when you drink beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	94.5	89.1	75.6	76.1	60.5	57.1	92.2	69.8	79.2	
No High	3.0	4.2	13.6	10.5	18.6	15.0	3.5	13.7	9.4	
A Little High	1.4	4.5	8.5	9.2	12.6	19.7	2.7	11.4	7.8	
Very High	0.8	1.1	1.6	3.3	6.6	6.1	1.0	3.9	2.7	
Bombed/Stoned	0.3	1.1	0.8	1.0	1.8	2.0	0.6	1.3	1.0	
N of Valid	363	265	258	306	167	147	628	878	1506	
N of Miss	31	14	8	14	7	5	45	34	79	

Table 4.80: What effect do you most often get when you drink coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	94.2	89.0	80.4	74.2	62.2	60.8	92.0	71.5	80.0	
No High	3.9	4.6	12.2	13.7	18.9	11.5	4.2	13.9	9.8	
A Little High	1.1	4.9	5.5	8.5	12.8	24.3	2.7	11.1	7.6	
Very High	0.6	0.4	0.8	2.6	5.5	3.4	0.5	2.7	1.8	
Bombed/Stoned	0.3	1.1	1.2	1.0	0.6	0.0	0.6	0.8	0.7	
N of Valid	360	263	255	306	164	148	623	873	1496	
N of Miss	34	16	11	14	10	4	50	39	89	

Table 4.81: What effect do you most often get when you drink liquor?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	95.3	88.7	81.2	78.8	64.5	62.1	92.5	74.0	81.7	
No High	2.2	3.8	7.4	6.5	12.0	7.6	2.9	8.0	5.9	
A Little High	0.8	4.9	6.6	8.1	8.4	13.8	2.6	8.7	6.1	
Very High	1.1	1.5	3.5	4.6	7.8	10.3	1.3	5.8	3.9	
Bombed/Stoned	0.6	1.1	1.2	2.0	7.2	6.2	0.8	3.4	2.3	
N of Valid	360	265	256	307	166	145	625	874	1499	
N of Miss	34	14	10	13	8	7	48	38	86	

Table 4.82: What effect do you most often get when you smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	95.8	93.2	85.2	82.3	78.8	71.6	94.7	80.7	86.5	
No High	0.8	0.4	1.2	0.3	1.8	4.7	0.6	1.6	1.2	
A Little High	1.1	1.1	3.5	6.2	5.5	8.8	1.1	5.7	3.8	
Very High	1.1	2.3	3.9	6.2	6.1	8.1	1.6	5.8	4.1	
Bombed/Stoned	1.1	3.0	6.2	4.9	7.9	6.8	1.9	6.2	4.4	
N of Valid	358	263	257	305	165	148	621	875	1496	
N of Miss	36	16	9	15	9	4	52	37	89	

Table 4.83: What effect do you most often get when you use an electronic vapor product?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	94.2	88.6	80.9	83.4	75.8	80.3	91.9	80.7	85.4	
No High	4.7	7.2	14.0	13.7	17.0	17.7	5.8	15.1	11.2	
A Little High	0.3	2.3	3.5	2.0	4.2	1.4	1.1	2.7	2.1	
Very High	0.6	0.4	0.8	0.7	1.8	0.7	0.5	0.9	0.7	
Bombed/Stoned	0.3	1.5	0.8	0.3	1.2	0.0	0.8	0.6	0.7	
N of Valid	362	264	257	307	165	147	626	876	1502	
N of Miss	32	15	9	13	9	5	47	36	83	

Table 4.84: What effect do you most often get when you use prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do Not Use	98.9	96.2	96.5	96.4	95.8	95.9	97.8	96.2	96.9	
No High	0.3	1.5	1.2	1.0	1.2	0.7	0.8	1.0	0.9	
A Little High	0.6	0.4	0.8	0.7	2.4	1.4	0.5	1.1	0.9	
Very High	0.3	1.5	1.2	1.6	0.6	1.4	0.8	1.3	1.1	
Bombed/Stoned	0.0	0.4	0.4	0.3	0.0	0.7	0.2	0.3	0.3	
N of Valid	363	265	257	306	165	148	628	876	1504	
N of Miss	31	14	9	14	9	4	45	36	81	

Table 4.85: What effect do you most often get when you use other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do Not Use	99.7	98.1	98.0	97.7	97.6	97.3	99.0	97.7	98.3
No High	0.3	0.8	0.4	0.0	0.0	0.0	0.5	0.1	0.3
A Little High	0.0	0.0	0.4	1.0	2.4	0.7	0.0	1.0	0.6
Very High	0.0	0.8	0.0	1.0	0.0	1.4	0.3	0.6	0.5
Bombed/Stoned	0.0	0.4	1.2	0.3	0.0	0.7	0.2	0.6	0.4
N of Valid	362	264	256	307	165	148	626	876	1502
N of Miss	32	15	10	13	9	4	47	36	83

4.5 During the Past 30 Days?

Table 4.86: During the past 30 days did you drink one or more drinks of an alcoholic beverage?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	5.0	9.4	15.1	17.4	24.7	36.9	6.9	21.4	15.4
No	95.0	90.6	84.9	82.6	75.3	63.1	93.1	78.6	84.6
N of Valid	358	266	252	310	166	149	624	877	1501
N of Miss	36	13	14	10	8	3	49	35	84

Table 4.87: During the past 30 days did you smoke part or all of a cigarette?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	3.4	5.2	13.6	12.6	17.0	22.1	4.2	15.3	10.7
No	96.6	94.8	86.4	87.4	83.0	77.9	95.8	84.7	89.3
N of Valid	355	267	250	309	165	149	622	873	1495
N of Miss	39	12	16	11	9	3	51	39	90

Table 4.88: During the past 30 days have you used marijuana or hashish?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	2.3	4.6	8.4	8.8	13.9	14.9	3.3	10.7	7.6
No	97.7	95.4	91.6	91.2	86.1	85.1	96.7	89.3	92.4
N of Valid	353	261	249	307	165	148	614	869	1483
N of Miss	41	18	17	13	9	4	59	43	102

Table 4.89: During the past 30 days have you used prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	0.6	2.3	2.4	2.3	1.8	4.0	1.3	2.5	2.0
No	99.4	97.7	97.6	97.7	98.2	96.0	98.7	97.5	98.0
N of Valid	355	266	249	308	165	149	621	871	1492
N of Miss	39	13	17	12	9	3	52	41	93

Table 4.90: During the past 30 days have you used other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	0.3	0.8	0.0	0.3	1.8	2.0	0.5	0.8	0.7
No	99.7	99.2	100.0	99.7	98.2	98.0	99.5	99.2	99.3
N of Valid	354	265	245	307	165	149	619	866	1485
N of Miss	40	14	21	13	9	3	54	46	100

Table 4.91: During the past 30 days have you used an electronic vapor product?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Yes	4.8	11.6	16.8	15.4	17.1	20.1	7.7	16.9	13.1
No	95.2	88.4	83.2	84.6	82.9	79.9	92.3	83.1	86.9
N of Valid	355	267	250	306	164	149	622	869	1491
N of Miss	39	12	16	14	10	3	51	43	94

4.6 Do You Feel The Following Are Harmful To Your Health?

Table 4.92: Do you feel smoking cigarettes is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	8.5	9.2	7.0	6.1	4.3	4.0	8.8	5.7	7.0	
Some harm	6.5	9.2	13.2	8.1	15.4	16.8	7.6	12.4	10.4	
Harmful	26.6	29.1	35.4	29.0	21.0	26.8	27.6	29.0	28.5	
Very harmful	58.5	52.5	44.4	56.8	59.3	52.3	55.9	52.8	54.1	
N of Valid	354	261	257	310	162	149	615	878	1493	
N of Miss	40	18	9	10	12	3	58	34	92	

Table 4.93: Do you feel using smokeless tobacco is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	11.1	10.4	9.4	8.8	5.6	8.1	10.8	8.3	9.3	
Some harm	13.1	15.8	19.5	14.0	26.9	22.1	14.2	19.4	17.3	
Harmful	27.3	34.2	33.6	30.3	27.5	31.5	30.2	31.0	30.7	
Very harmful	48.6	39.6	37.5	46.9	40.0	38.3	44.8	41.4	42.8	
N of Valid	352	260	256	307	160	149	612	872	1484	
N of Miss	42	19	10	13	14	3	61	40	101	

Table 4.94: Do you feel smoking cigars is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.1	8.8	6.2	8.2	6.8	5.4	9.0	6.9	7.8	
Some harm	10.9	14.2	17.6	11.4	21.1	19.5	12.3	16.4	14.7	
Harmful	27.7	31.2	33.6	29.1	27.3	32.2	29.2	30.6	30.0	
Very harmful	52.3	45.8	42.6	51.3	44.7	43.0	49.5	46.1	47.5	
N of Valid	350	260	256	306	161	149	610	872	1482	
N of Miss	44	19	10	14	13	3	63	40	103	

Table 4.95: Do you feel using an electronic vapor product is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	18.1	16.4	17.6	15.3	19.3	22.3	17.4	17.9	17.7	
Some harm	17.8	29.7	36.3	31.9	36.0	36.5	22.8	34.7	29.8	
Harmful	23.5	18.8	19.5	19.2	17.4	23.0	21.5	19.6	20.4	
Very harmful	40.5	35.2	26.6	33.6	27.3	18.2	38.3	27.8	32.1	
N of Valid	353	256	256	307	161	148	609	872	1481	
N of Miss	41	23	10	13	13	4	64	40	104	

Table 4.96: Do you feel drinking beer is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	11.1	13.9	9.8	9.4	11.6	11.4	12.3	10.3	11.1	
Some harm	24.6	27.4	29.8	33.0	36.0	47.7	25.8	35.1	31.3	
Harmful	26.3	29.3	29.4	25.9	22.6	22.8	27.6	25.8	26.5	
Very harmful	38.0	29.3	31.0	31.7	29.9	18.1	34.3	28.8	31.1	
N of Valid	350	259	255	309	164	149	609	877	1486	
N of Miss	44	20	11	11	10	3	64	35	99	

Table 4.97: Do you feel drinking coolers, hard lemonade, etc. is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	13.8	14.7	11.9	12.0	14.3	13.7	14.2	12.7	13.3	
Some harm	22.6	28.3	31.0	32.5	35.4	47.3	25.0	35.1	30.9	
Harmful	25.8	27.1	30.6	24.7	21.7	23.3	26.4	25.6	25.9	
Very harmful	37.8	29.8	26.6	30.8	28.6	15.8	34.4	26.6	29.9	
N of Valid	349	258	252	308	161	146	607	867	1474	
N of Miss	45	21	14	12	13	6	66	45	111	

Table 4.98: Do you feel drinking liquor is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	10.8	11.7	7.6	9.8	11.2	8.1	11.2	9.1	10.0	
Some harm	17.7	20.7	24.7	24.8	29.2	37.6	18.9	27.8	24.2	
Harmful	28.5	30.5	32.3	27.8	26.1	34.2	29.3	29.9	29.6	
Very harmful	43.0	37.1	35.5	37.6	33.5	20.1	40.5	33.2	36.2	
N of Valid	351	256	251	306	161	149	607	867	1474	
N of Miss	43	23	15	14	13	3	66	45	111	

Table 4.99: Do you feel smoking marijuana is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	14.4	13.7	18.7	20.1	26.7	28.9	14.1	22.4	19.0	
Some harm	6.2	9.9	17.1	18.1	22.4	27.5	7.8	20.2	15.1	
Harmful	15.0	23.7	21.9	16.4	16.8	26.2	18.7	19.8	19.3	
Very harmful	64.3	52.7	42.2	45.4	34.2	17.4	59.3	37.6	46.6	
N of Valid	353	262	251	304	161	149	615	865	1480	
N of Miss	41	17	15	16	13	3	58	47	105	

Table 4.100: Do you feel using synthetic marijuana is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	11.2	10.5	9.9	13.4	12.4	10.1	10.9	11.6	11.3	
Some harm	9.2	10.5	16.6	14.4	20.5	21.6	9.7	17.4	14.2	
Harmful	15.8	22.5	26.1	19.3	22.4	33.8	18.6	24.3	22.0	
Very harmful	63.9	56.6	47.4	52.8	44.7	34.5	60.8	46.6	52.4	
N of Valid	349	258	253	305	161	148	607	867	1474	
N of Miss	45	21	13	15	13	4	66	45	111	

Table 4.101: Do you feel using chemical products (bath salts) to get high is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.8	8.5	4.8	4.6	4.3	2.0	9.2	4.2	6.2	
Some harm	5.5	3.5	5.6	2.6	1.9	4.1	4.6	3.6	4.0	
Harmful	12.4	16.9	25.8	10.5	21.0	13.5	14.3	17.4	16.2	
Very harmful	72.3	71.2	63.9	82.2	72.8	80.4	71.8	74.8	73.6	
N of Valid	347	260	252	304	162	148	607	866	1473	
N of Miss	47	19	14	16	12	4	66	46	112	

Table 4.102: Do you feel using prescription drugs not prescribed to you is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	10.1	9.3	4.7	5.3	3.7	2.0	9.7	4.3	6.5	
Some harm	6.3	5.0	8.7	3.3	4.3	6.1	5.8	5.5	5.6	
Harmful	15.8	23.2	25.3	17.4	21.1	22.3	18.9	21.2	20.3	
Very harmful	67.8	62.5	61.3	74.0	70.8	69.6	65.6	68.9	67.5	
N of Valid	348	259	253	304	161	148	607	866	1473	
N of Miss	46	20	13	16	13	4	66	46	112	

Table 4.103: Do you feel using over-the-counter drugs to get high is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.9	8.8	4.8	4.2	4.3	2.0	9.5	4.0	6.3	
Some harm	3.5	4.2	6.4	4.9	6.8	6.1	3.8	5.9	5.0	
Harmful	14.9	24.6	28.4	18.6	17.3	23.0	19.1	21.9	20.8	
Very harmful	71.7	62.3	60.4	72.2	71.6	68.9	67.7	68.1	67.9	
N of Valid	343	260	250	306	162	148	603	866	1469	
N of Miss	51	19	16	14	12	4	70	46	116	

Table 4.104: Do you feel using heroin is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.5	8.0	4.0	4.2	3.8	2.0	8.9	3.7	5.8	
Some harm	1.4	0.8	0.8	1.0	0.0	2.0	1.1	0.9	1.0	
Harmful	9.5	9.9	14.3	5.9	6.2	6.8	9.7	8.5	9.0	
Very harmful	79.6	81.3	81.0	88.9	90.0	89.1	80.3	86.8	84.1	
N of Valid	348	262	252	307	160	147	610	866	1476	
N of Miss	46	17	14	13	14	5	63	46	109	

Table 4.105: Do you feel using cocaine is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.5	8.1	4.3	4.3	3.7	2.7	8.9	3.9	6.0	
Some harm	1.7	0.8	1.2	1.6	0.6	2.7	1.3	1.5	1.4	
Harmful	8.9	10.8	16.6	7.2	8.7	8.2	9.7	10.4	10.1	
Very harmful	79.9	80.3	77.9	86.9	87.0	86.4	80.1	84.2	82.5	
N of Valid	349	259	253	305	161	147	608	866	1474	
N of Miss	45	20	13	15	13	5	65	46	111	

Table 4.106: Do you feel using inhalants is harmful to your health?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.5	7.7	4.4	4.6	3.7	2.0	8.7	3.9	5.9	
Some harm	3.2	1.1	2.0	2.0	1.9	3.4	2.3	2.2	2.2	
Harmful	10.3	16.9	17.9	9.5	11.7	9.5	13.1	12.4	12.7	
Very harmful	77.0	74.3	75.7	83.9	82.7	85.0	75.9	81.5	79.2	
N of Valid	348	261	251	305	162	147	609	865	1474	
N of Miss	46	18	15	15	12	5	64	47	111	

Table 4.107: Do you feel using hallucinogens is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	9.8	7.7	4.7	4.6	5.6	5.4	8.9	5.0	6.6
Some harm	2.6	0.8	4.7	2.6	5.0	7.4	1.8	4.5	3.4
Harmful	11.2	15.8	18.2	10.1	11.8	10.1	13.2	12.8	13.0
Very harmful	76.4	75.7	72.3	82.7	77.6	77.0	76.1	77.8	77.1
N of Valid	347	259	253	306	161	148	606	868	1474
N of Miss	47	20	13	14	13	4	67	44	111





Table 4.108: Do you feel using steroids is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	10.4	8.1	4.8	4.5	3.7	2.0	9.4	4.0	6.2
Some harm	6.1	5.8	5.2	5.5	4.9	10.2	5.9	6.1	6.0
Harmful	16.4	21.5	21.8	15.2	21.6	13.6	18.6	18.0	18.3
Very harmful	67.1	64.6	68.3	74.8	69.8	74.1	66.1	71.8	69.5
N of Valid	347	260	252	309	162	147	607	870	1477
N of Miss	47	19	14	11	12	5	66	42	108

Table 4.109: Do you feel using ecstasy is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
No harm	9.5	8.2	4.9	4.6	4.9	2.7	9.0	4.4	6.3
Some harm	3.2	1.6	3.6	2.3	3.7	6.1	2.5	3.6	3.1
Harmful	11.8	15.2	18.2	9.5	13.6	14.2	13.3	13.6	13.4
Very harmful	75.4	75.1	73.3	83.7	77.8	77.0	75.3	78.4	77.1
N of Valid	346	257	247	306	162	148	603	863	1466
N of Miss	48	22	19	14	12	4	70	49	119

Table 4.110: Do you feel using meth is harmful to your health?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No harm	9.2	8.1	4.8	4.2	3.7	2.1	8.8	3.9	5.9	
Some harm	2.0	0.8	1.6	1.0	0.0	2.7	1.5	1.3	1.4	
Harmful	8.1	9.3	12.7	7.2	6.2	6.2	8.6	8.4	8.5	
Very harmful	80.7	81.8	81.0	87.6	90.1	89.0	81.2	86.4	84.2	
N of Valid	347	258	252	307	162	146	605	867	1472	
N of Miss	47	21	14	13	12	6	68	45	113	

4.7 How Much Do You Think People Risk Harming Themselves Physically Or In Other Ways If They

Table 4.111: How much do you think people risk harming themselves physically or in other ways if they use any alcohol?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	9.4	10.2	9.4	6.1	8.1	8.8	9.8	7.9	8.7	
Slight risk	27.4	28.4	32.9	34.5	26.1	40.5	27.9	33.5	31.2	
Moderate risk	30.6	34.8	30.2	32.6	39.8	31.1	32.4	33.0	32.7	
Great risk	32.6	26.5	27.5	26.8	26.1	19.6	30.0	25.6	27.4	
N of Valid	350	264	255	310	161	148	614	874	1488	
N of Miss	44	15	11	10	13	4	59	38	97	

Table 4.112: How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage once or twice a week?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	10.0	13.0	9.9	6.5	6.9	5.5	11.3	7.4	9.0	
Slight risk	18.3	19.9	19.0	23.4	21.2	26.2	19.0	22.2	20.9	
Moderate risk	27.1	27.6	36.1	33.4	38.8	40.0	27.3	36.3	32.6	
Great risk	44.6	39.5	34.9	36.7	33.1	28.3	42.4	34.1	37.5	
N of Valid	350	261	252	308	160	145	611	865	1476	
N of Miss	44	18	14	12	14	7	62	47	109	

Table 4.113: How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage nearly every day?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	12.8	14.2	9.9	9.1	10.0	7.4	13.4	9.2	10.9	
Slight risk	17.0	19.2	21.0	22.1	21.9	24.8	18.0	22.2	20.5	
Moderate risk	25.6	26.5	30.6	30.3	33.1	32.9	26.0	31.3	29.1	
Great risk	44.6	40.0	38.5	38.4	35.0	34.9	42.6	37.2	39.5	
N of Valid	352	260	252	307	160	149	612	868	1480	
N of Miss	42	19	14	13	14	3	61	44	105	

Table 4.114: How much do you think people risk harming themselves physically or in other ways if they use any tobacco?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	11.2	14.0	11.5	9.1	13.0	12.2	12.4	11.0	11.6	
Slight risk	18.7	23.3	27.7	26.3	25.5	33.3	20.6	27.7	24.8	
Moderate risk	31.3	31.8	28.5	32.5	31.7	25.2	31.5	29.9	30.6	
Great risk	38.8	31.0	32.4	32.1	29.8	29.3	35.5	31.3	33.0	
N of Valid	348	258	253	308	161	147	606	869	1475	
N of Miss	46	21	13	12	13	5	67	43	110	

Table 4.115: How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	8.8	11.1	7.5	7.5	7.5	6.8	9.8	7.4	8.4	
Slight risk	5.4	9.5	8.2	8.5	11.3	9.5	7.2	9.1	8.3	
Moderate risk	18.2	18.3	27.5	20.5	20.8	29.7	18.2	24.2	21.7	
Great risk	67.6	61.1	56.9	63.5	60.4	54.1	64.8	59.4	61.6	
N of Valid	352	262	255	307	159	148	614	869	1483	
N of Miss	42	17	11	13	15	4	59	43	102	

Table 4.116: How much do you think people risk harming themselves physically or in other ways if they use electronic vapor products?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	14.9	15.2	17.3	19.3	26.3	26.5	15.0	21.2	18.6	
Slight risk	26.3	31.8	37.3	32.0	30.1	30.6	28.7	33.0	31.2	
Moderate risk	27.1	26.1	22.4	22.9	19.2	22.4	26.7	22.0	24.0	
Great risk	31.7	26.9	23.1	25.8	24.4	20.4	29.6	23.8	26.3	
N of Valid	350	264	255	306	156	147	614	864	1478	
N of Miss	44	15	11	14	18	5	59	48	107	

Table 4.117: How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	13.5	15.1	17.2	20.2	22.4	26.4	14.1	20.8	18.0	
Slight risk	8.6	14.3	20.4	19.5	21.2	26.4	11.0	21.3	17.0	
Moderate risk	18.9	24.3	24.0	22.8	21.8	22.3	21.2	22.9	22.2	
Great risk	59.0	46.3	38.4	37.5	34.6	25.0	53.6	35.1	42.8	
N of Valid	349	259	250	307	156	148	608	861	1469	
N of Miss	45	20	16	13	18	4	65	51	116	

Table 4.118: How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	9.1	10.6	5.5	5.9	2.5	3.4	9.8	4.7	6.8	
Slight risk	8.3	8.4	8.7	7.8	11.2	7.4	8.3	8.6	8.5	
Moderate risk	18.9	19.4	28.5	20.8	16.2	27.0	19.1	23.3	21.5	
Great risk	63.7	61.6	57.3	65.5	70.0	62.2	62.8	63.4	63.1	
N of Valid	350	263	253	307	160	148	613	868	1481	
N of Miss	44	16	13	13	14	4	60	44	104	

Table 4.119: How much do you think people risk harming themselves physically or in other ways if they use illicit drugs?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	8.6	10.1	3.5	5.2	3.2	4.1	9.3	4.2	6.3	
Slight risk	5.2	5.8	6.3	4.6	6.3	4.8	5.5	5.4	5.5	
Moderate risk	16.4	18.7	25.2	15.1	15.2	17.1	17.4	18.4	18.0	
Great risk	69.7	65.4	65.0	75.1	75.3	74.0	67.9	72.0	70.3	
N of Valid	347	257	254	305	158	146	604	863	1467	
N of Miss	47	22	12	15	16	6	69	49	118	

Table 4.120: How much do you think people risk harming themselves physically or in other ways if they drive while drunk?









RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	8.0	9.8	4.0	4.9	2.5	3.4	8.8	3.9	5.9	
Slight risk	2.9	3.5	2.0	2.3	1.9	3.4	3.1	2.3	2.7	
Moderate risk	6.9	9.0	11.2	5.2	6.9	10.1	7.8	8.1	8.0	
Great risk	82.2	77.7	82.7	87.5	88.7	83.2	80.3	85.6	83.4	
N of Valid	348	256	249	305	159	149	604	862	1466	
N of Miss	46	23	17	15	15	3	69	50	119	

Table 4.121: How much do you think people risk harming themselves physically or in other ways if they drive while high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
No risk	9.4	9.2	6.0	5.2	5.6	5.4	9.3	5.5	7.1	
Slight risk	3.7	6.2	7.2	8.1	8.1	12.1	4.8	8.5	7.0	
Moderate risk	6.3	11.2	16.3	9.8	13.1	20.8	8.4	14.2	11.8	
Great risk	80.6	73.5	70.5	76.9	73.1	61.7	77.5	71.7	74.1	
N of Valid	350	260	251	307	160	149	610	867	1477	
N of Miss	44	19	15	13	14	3	63	45	108	

4.8 How Easy Is It To Get

Table 4.122: How easy is it to get cigarettes, smokeless tobacco, cigars, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	65.1	55.6	51.8	54.8	41.2	20.7	61.0	45.6	52.0	
Very difficult	4.2	3.8	3.5	1.3	0.6	1.3	4.1	1.8	2.7	
Fairly difficult	4.2	6.1	6.3	8.7	5.0	3.3	5.0	6.4	5.8	
Fairly easy	13.5	16.9	16.1	15.8	21.9	18.0	14.9	17.4	16.4	
Very easy	13.0	17.6	22.4	19.4	31.2	56.7	14.9	28.8	23.1	
N of Valid	355	261	255	310	160	150	616	875	1491	
N of Miss	39	18	11	10	14	2	57	37	94	

Table 4.123: How easy is it to get electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	65.4	59.2	54.3	55.3	43.8	24.2	62.7	47.6	53.9	
Very difficult	5.9	4.2	2.8	1.6	1.2	0.7	5.2	1.7	3.2	
Fairly difficult	7.3	12.6	9.1	8.1	11.9	5.4	9.6	8.6	9.0	
Fairly easy	11.8	11.5	17.7	17.2	20.6	22.8	11.7	18.9	15.9	
Very easy	9.6	12.6	16.1	17.8	22.5	47.0	10.9	23.2	18.1	
N of Valid	355	262	254	309	160	149	617	872	1489	
N of Miss	39	17	12	11	14	3	56	40	96	

Table 4.124: How easy is it to get beer, wine, liquor and other alcohol products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	62.4	51.3	49.6	47.6	38.1	19.3	57.7	41.6	48.3	
Very difficult	5.3	6.9	5.9	4.2	1.9	3.3	6.0	4.1	4.9	
Fairly difficult	8.1	8.0	10.6	10.7	11.2	18.7	8.1	12.1	10.5	
Fairly easy	9.3	16.5	15.7	20.7	18.8	25.3	12.3	19.7	16.6	
Very easy	14.9	17.2	18.1	16.8	30.0	33.3	15.9	22.5	19.7	
N of Valid	356	261	254	309	160	150	617	873	1490	
N of Miss	38	18	12	11	14	2	56	39	95	

Table 4.125: How easy is it to get marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	75.0	65.5	62.4	57.1	47.5	29.3	71.0	52.1	59.9	
Very difficult	5.7	8.4	4.7	3.2	2.5	4.0	6.9	3.7	5.0	
Fairly difficult	8.5	9.2	9.4	8.4	6.2	7.3	8.8	8.1	8.4	
Fairly easy	6.0	8.4	7.5	18.8	16.2	23.3	7.0	15.8	12.2	
Very easy	4.8	8.4	16.1	12.3	27.5	36.0	6.4	20.3	14.5	
N of Valid	352	261	255	308	160	150	613	873	1486	
N of Miss	42	18	11	12	14	2	60	39	99	

Table 4.126: How easy is it to get prescription drugs not prescribed to you?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	69.1	64.5	65.7	66.0	60.4	46.3	67.2	61.5	63.9	
Very difficult	6.7	6.1	5.1	4.5	3.1	5.4	6.5	4.6	5.4	
Fairly difficult	9.8	9.2	8.7	11.0	11.3	14.8	9.5	11.0	10.4	
Fairly easy	6.5	10.3	8.7	9.7	11.3	18.1	8.1	11.1	9.9	
Very easy	7.9	9.9	11.8	8.7	13.8	15.4	8.7	11.7	10.5	
N of Valid	356	262	254	309	159	149	618	871	1489	
N of Miss	38	17	12	11	15	3	55	41	96	

Table 4.127: How easy is it to get other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Don't know/can't get	78.2	79.3	73.4	74.4	64.8	54.7	78.7	69.0	73.0	
Very difficult	5.1	6.5	5.5	6.1	5.0	6.7	5.7	5.8	5.8	
Fairly difficult	8.2	5.0	7.8	7.4	9.4	8.7	6.8	8.1	7.6	
Fairly easy	5.1	3.8	2.7	6.1	8.8	14.0	4.6	7.0	6.0	
Very easy	3.4	5.4	10.5	5.8	11.9	16.0	4.2	10.1	7.7	
N of Valid	354	261	256	309	159	150	615	874	1489	
N of Miss	40	18	10	11	15	2	58	38	96	

4.9 Feel About Binge Drinking

Table 4.128: How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Neither approve or disapprove	6.7	14.0	24.0	21.8	30.4	27.0	9.8	24.9	18.7	
Somewhat disapprove	11.0	14.0	12.0	13.7	20.5	22.3	12.3	15.9	14.5	
Strongly disapprove	68.3	54.9	46.0	48.5	35.4	40.5	62.6	44.0	51.6	
Don't know or can't say	14.0	17.1	18.0	16.0	13.7	10.1	15.3	15.1	15.2	
N of Valid	344	257	250	307	161	148	601	866	1467	
N of Miss	50	22	16	13	13	4	72	46	118	

4.10 How Wrong Do Your Friends Feel It Would Be For You To

Table 4.129: How wrong would your friends feel it would be for you to use any alcohol?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	7.7	12.6	22.7	22.5	32.3	42.3	9.8	27.8	20.4	
A little bit wrong	11.1	17.9	20.8	23.2	25.5	26.8	14.1	23.5	19.6	
Wrong	18.6	24.8	23.1	21.2	14.9	15.4	21.2	19.6	20.3	
Very wrong	62.6	44.7	33.3	33.0	27.3	15.4	54.9	29.0	39.7	
N of Valid	350	262	255	306	161	149	612	871	1483	
N of Miss	44	17	11	14	13	3	61	41	102	

Table 4.130: How wrong would your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	5.7	9.9	13.0	15.0	16.8	15.5	7.5	14.8	11.8	
A little bit wrong	7.7	13.7	20.9	19.6	26.7	25.7	10.3	22.3	17.3	
Wrong	18.8	24.0	23.2	27.5	23.6	33.1	21.0	26.5	24.2	
Very wrong	67.8	52.3	42.9	37.9	32.9	25.7	61.2	36.4	46.6	
N of Valid	351	262	254	306	161	148	613	869	1482	
N of Miss	43	17	12	14	13	4	60	43	103	

Table 4.131: How wrong would your friends feel it would be for you to use any tobacco?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	6.0	9.2	20.9	17.4	25.6	30.9	7.4	22.3	16.1	
A little bit wrong	7.2	13.7	18.2	18.4	22.5	27.5	10.0	20.6	16.2	
Wrong	17.5	23.3	19.8	22.6	18.1	21.5	20.0	20.8	20.4	
Very wrong	69.3	53.8	41.1	41.6	33.8	20.1	62.7	36.3	47.2	
N of Valid	349	262	253	305	160	149	611	867	1478	
N of Miss	45	17	13	15	14	3	62	45	107	

Table 4.132: How wrong would your friends feel it would be for you to smoke tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	5.7	10.3	16.9	16.3	22.4	28.2	7.7	19.7	14.7	
A little bit wrong	5.5	8.8	19.7	16.0	19.9	26.8	6.9	19.7	14.4	
Wrong	16.7	24.0	20.9	22.2	21.1	21.5	19.8	21.5	20.8	
Very wrong	72.1	56.9	42.5	45.4	36.6	23.5	65.6	39.2	50.1	
N of Valid	348	262	254	306	161	149	610	870	1480	
N of Miss	46	17	12	14	13	3	63	42	105	

Table 4.133: How wrong would your friends feel it would be for you to use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	10.3	16.5	28.7	24.0	29.2	42.9	13.0	29.6	22.7	
A little bit wrong	10.0	14.9	21.3	20.4	23.0	23.8	12.1	21.7	17.8	
Wrong	16.0	24.1	13.8	19.4	17.4	17.7	19.5	17.1	18.1	
Very wrong	63.6	44.4	36.2	36.2	30.4	15.6	55.4	31.6	41.5	
N of Valid	349	261	254	304	161	147	610	866	1476	
N of Miss	45	18	12	16	13	5	63	46	109	

Table 4.134: How wrong would your friends feel it would be for you to smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	7.7	10.0	18.5	20.3	24.4	32.4	8.7	22.6	16.8	
A little bit wrong	3.1	5.0	16.9	14.4	21.2	25.0	3.9	18.2	12.3	
Wrong	10.3	17.2	17.3	19.0	18.8	18.2	13.3	18.3	16.2	
Very wrong	78.9	67.8	47.2	46.2	35.6	24.3	74.1	40.8	54.6	
N of Valid	350	261	254	305	160	148	611	867	1478	
N of Miss	44	18	12	15	14	4	62	45	107	

Table 4.135: How wrong would your friends feel it would be for you to use prescription drugs that are not prescribed to you?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	5.7	6.1	6.8	6.6	3.7	5.4	5.9	5.9	5.9	
A little bit wrong	3.7	4.2	12.4	5.6	9.3	10.1	3.9	9.0	6.9	
Wrong	9.4	15.6	17.1	22.7	21.7	24.8	12.1	21.3	17.5	
Very wrong	81.1	74.0	63.7	65.1	65.2	59.7	78.1	63.8	69.7	
N of Valid	350	262	251	304	161	149	612	865	1477	
N of Miss	44	17	15	16	13	3	61	47	108	

Table 4.136: How wrong would your friends feel it would be for you to use other illicit drugs?









RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	5.2	5.4	6.3	6.6	4.3	4.0	5.3	5.6	5.5	
A little bit wrong	0.6	1.9	7.9	2.6	7.4	8.1	1.2	6.0	4.0	
Wrong	9.5	16.2	19.7	19.4	18.5	21.5	12.4	19.7	16.7	
Very wrong	84.8	76.4	66.1	71.4	69.8	66.4	81.2	68.7	73.8	
N of Valid	348	259	254	304	162	149	607	869	1476	
N of Miss	46	20	12	16	12	3	66	43	109	

Table 4.137: How wrong would your friends feel it would be for you to gamble anything of value?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Not at all wrong	8.7	11.1	11.8	10.9	15.5	13.5	9.7	12.5	11.3	
A little bit wrong	8.1	11.8	17.3	13.5	18.0	20.3	9.7	16.6	13.8	
Wrong	18.6	24.4	20.9	22.0	16.1	27.0	21.1	21.5	21.3	
Very wrong	64.6	52.7	50.0	53.6	50.3	39.2	59.5	49.5	53.6	
N of Valid	345	262	254	304	161	148	607	867	1474	
N of Miss	49	17	12	16	13	4	66	45	111	

4.11 How Wrong Do Your Parents Feel It Would Be For You To

Table 4.138: How wrong would your parents feel it would be for you to use any alcohol?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	3.8	3.8	4.4	6.2	7.4	14.4	3.8	7.3	5.9
A little bit wrong	4.9	6.9	8.5	9.8	10.5	16.4	5.8	10.7	8.7
Wrong	9.2	9.6	16.1	14.1	13.0	15.1	9.4	14.6	12.5
Very wrong	82.1	79.6	71.0	69.8	69.1	54.1	81.0	67.4	73.0
N of Valid	346	260	248	305	162	146	606	861	1467
N of Miss	48	19	18	15	12	6	67	51	118

Table 4.139: How wrong would your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	3.7	4.2	4.0	5.2	6.2	4.1	4.0	4.9	4.5
A little bit wrong	2.0	3.8	5.6	4.2	6.8	12.3	2.8	6.5	5.0
Wrong	7.8	9.6	16.1	12.7	11.1	12.3	8.6	13.3	11.4
Very wrong	86.5	82.3	74.2	77.8	75.9	71.2	84.7	75.3	79.2
N of Valid	347	260	248	306	162	146	607	862	1469
N of Miss	47	19	18	14	12	6	66	50	116

Table 4.140: How wrong would your parents feel it would be for you to use any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	3.4	3.1	4.4	4.9	5.6	9.6	3.3	5.7	4.7
A little bit wrong	2.9	2.3	6.5	5.9	6.2	11.6	2.6	7.1	5.2
Wrong	4.6	10.0	15.3	11.8	13.0	16.4	6.9	13.9	11.0
Very wrong	89.1	84.6	73.8	77.3	75.2	62.3	87.2	73.3	79.1
N of Valid	348	260	248	304	161	146	608	859	1467
N of Miss	46	19	18	16	13	6	65	53	118

Table 4.141: How wrong would your parents feel it would be for you to smoke tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	3.2	3.1	4.8	4.3	4.3	6.2	3.1	4.8	4.1
A little bit wrong	2.6	3.1	5.6	4.3	4.9	9.6	2.8	5.7	4.5
Wrong	4.0	8.1	14.5	11.1	13.0	17.1	5.8	13.5	10.3
Very wrong	90.2	85.7	75.0	80.3	77.8	67.1	88.3	76.1	81.1
N of Valid	346	259	248	305	162	146	605	861	1466
N of Miss	48	20	18	15	12	6	68	51	119

Table 4.142: How wrong would your parents feel it would be for you to use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	4.3	5.0	6.9	6.0	6.7	11.7	4.6	7.3	6.2
A little bit wrong	4.0	5.8	10.9	6.3	9.2	11.0	4.8	9.0	7.2
Wrong	5.2	9.2	12.5	10.9	9.8	17.9	6.9	12.4	10.1
Very wrong	86.5	80.0	69.8	76.8	74.2	59.3	83.7	71.3	76.5
N of Valid	348	260	248	302	163	145	608	858	1466
N of Miss	46	19	18	18	11	7	65	54	119

Table 4.143: How wrong would your parents feel it would be for you to smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	4.0	3.1	5.6	5.2	4.9	11.0	3.6	6.3	5.2
A little bit wrong	1.4	3.1	4.4	6.6	6.7	7.5	2.1	6.1	4.5
Wrong	2.9	6.6	10.5	9.5	9.8	11.0	4.5	10.1	7.8
Very wrong	91.6	87.3	79.4	78.7	78.5	70.5	89.8	77.5	82.6
N of Valid	347	259	248	305	163	146	606	862	1468
N of Miss	47	20	18	15	11	6	67	50	117

Table 4.144: How wrong would your parents feel it would be for you to use prescription drugs that are not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	4.3	2.3	2.4	4.0	1.2	1.4	3.5	2.6	2.9
A little bit wrong	0.9	1.5	4.0	1.7	1.8	2.7	1.2	2.6	2.0
Wrong	3.8	5.8	9.3	6.9	3.7	6.8	4.6	7.0	6.0
Very wrong	91.0	90.4	84.3	87.5	93.3	89.0	90.7	87.9	89.1
N of Valid	345	260	248	303	164	146	605	861	1466
N of Miss	49	19	18	17	10	6	68	51	119

Table 4.145: How wrong would your parents feel it would be for you to use other illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	3.2	2.3	2.0	2.6	1.2	0.7	2.8	1.9	2.3
A little bit wrong	0.0	0.4	3.2	1.7	0.0	1.4	0.2	1.7	1.1
Wrong	2.9	5.4	7.3	6.9	4.9	7.5	4.0	6.8	5.6
Very wrong	93.9	91.9	87.5	88.8	93.8	90.4	93.1	89.6	91.1
N of Valid	347	258	248	303	162	146	605	859	1464
N of Miss	47	21	18	17	12	6	68	53	121

Table 4.146: How wrong would your parents feel it would be for you to gamble anything of value?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Not at all wrong	4.0	4.3	2.8	3.6	4.3	4.8	4.1	3.7	3.9
A little bit wrong	3.2	4.3	5.3	4.6	6.1	9.7	3.6	5.9	5.0
Wrong	7.5	10.9	12.1	8.9	9.8	11.0	8.9	10.4	9.8
Very wrong	85.3	80.6	79.8	82.9	79.8	74.5	83.3	80.0	81.3
N of Valid	346	258	247	304	163	145	604	859	1463
N of Miss	48	21	19	16	11	7	69	53	122

4.12 From Whom Do You Get

Table 4.147: From whom do you get alcohol?








RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	80.5	77.8	67.3	67.8	52.9	48.0	79.3	61.5	69.1	
Friends	3.6	4.7	15.8	17.8	27.6	32.2	4.0	21.5	14.1	
Parent	3.6	5.0	6.8	6.9	9.2	11.2	4.2	8.0	6.4	
Siblings	1.0	1.8	3.4	2.5	5.2	8.6	1.3	4.3	3.0	
Store	0.5	2.9	2.6	2.8	5.2	3.9	1.5	3.4	2.6	
Internet	0.5	1.4	0.4	0.6	0.6	1.3	0.9	0.7	0.8	
Other	2.0	5.0	8.3	9.1	10.3	13.2	3.3	9.8	7.0	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.148: From whom do you get tobacco?








RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	85.0	81.4	73.7	76.6	66.1	63.2	83.5	71.5	76.6	
Friends	1.5	4.3	10.5	13.1	16.7	13.2	2.7	13.0	8.6	
Parent	1.3	3.6	3.8	3.4	2.9	3.3	2.2	3.4	2.9	
Siblings	1.5	0.4	1.9	1.9	3.4	2.0	1.0	2.2	1.7	
Store	0.5	3.2	1.9	3.1	5.7	15.1	1.6	5.3	3.7	
Internet	0.3	1.4	0.0	1.2	0.6	2.0	0.7	0.9	0.8	
Other	1.0	2.9	4.5	5.0	5.2	7.2	1.8	5.3	3.8	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.149: From whom do you get electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	83.5	75.6	75.2	78.1	70.7	71.1	80.2	74.7	77.0	
Friends	3.3	8.2	11.3	11.6	13.2	11.8	5.3	11.8	9.1	
Parent	0.3	0.7	1.9	1.6	0.6	0.0	0.4	1.2	0.9	
Siblings	1.3	3.2	3.8	2.5	4.6	3.3	2.1	3.4	2.8	
Store	0.5	2.5	1.9	1.2	2.9	9.2	1.3	3.1	2.3	
Internet	0.3	1.1	0.0	1.6	1.1	1.3	0.6	1.0	0.8	
Other	1.0	3.9	3.8	3.4	2.9	3.9	2.2	3.5	3.0	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.150: From whom do you get marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	85.3	82.8	79.7	78.4	72.4	66.4	84.2	75.7	79.3	
Friends	2.0	4.7	7.9	10.0	14.4	21.1	3.1	12.1	8.3	
Parent	0.3	0.4	1.1	1.6	0.6	0.0	0.3	1.0	0.7	
Siblings	1.0	0.7	2.6	1.6	0.6	1.3	0.9	1.6	1.3	
Store	0.0	0.7	0.0	0.3	1.1	0.7	0.3	0.4	0.4	
Internet	0.3	1.4	0.4	0.0	0.6	1.3	0.7	0.4	0.6	
Other	1.0	4.7	6.0	6.2	5.2	14.5	2.5	7.3	5.3	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.151: From whom do you get prescription drugs not prescribed to you?















RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.3	86.4	89.5	90.9	86.8	89.5	86.3	89.5	88.1	
Friends	0.0	1.4	0.0	1.2	4.6	3.9	0.6	2.0	1.4	
Parent	0.8	2.2	0.4	0.9	0.0	0.0	1.3	0.4	0.8	
Siblings	0.3	0.0	0.0	0.0	0.6	0.0	0.1	0.1	0.1	
Store	0.5	0.7	0.0	0.0	0.0	0.0	0.6	0.0	0.3	
Internet	0.3	0.7	0.0	0.0	1.1	0.7	0.4	0.3	0.4	
Other	1.0	2.9	3.0	1.6	1.7	3.9	1.8	2.4	2.1	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.152: From whom do you get illicit drugs?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.8	88.2	89.8	91.9	86.2	90.8	88.0	90.0	89.1	
Friends	0.0	0.7	0.4	0.6	3.4	4.6	0.3	1.8	1.1	
Parent	0.0	0.4	0.0	0.3	0.0	0.0	0.1	0.1	0.1	
Siblings	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
Store	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
Internet	0.3	1.1	0.0	0.0	1.7	1.3	0.6	0.5	0.6	
Other	0.3	2.5	1.9	1.2	1.7	2.6	1.2	1.8	1.5	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

4.13 At What Age Did You First

Table 4.153: At what age did you first smoke cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	93.1	88.1	74.9	82.1	69.8	66.0	91.0	74.9	81.6	
10 or under	3.7	4.2	6.8	3.6	4.9	1.4	3.9	4.4	4.2	
11	0.9	3.1	4.0	1.3	1.2	2.0	1.8	2.2	2.0	
12	1.7	2.3	4.8	2.3	3.1	3.4	2.0	3.4	2.8	
13	0.6	1.5	4.0	2.6	3.1	5.4	1.0	3.6	2.5	
14	0.0	0.8	4.8	3.3	4.3	2.7	0.3	3.8	2.4	
15	0.0	0.0	0.0	3.6	8.0	5.4	0.0	3.7	2.2	
16	0.0	0.0	0.8	1.0	4.9	6.8	0.0	2.7	1.6	
17 or older	0.0	0.0	0.0	0.0	0.6	6.8	0.0	1.3	0.7	
N of Valid	349	260	251	302	162	147	609	862	1471	
N of Miss	45	19	15	18	12	5	64	50	114	

Table 4.154: At what age did you first use smokeless tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	95.4	90.4	80.0	84.1	77.6	74.0	93.3	80.0	85.5	
10 or under	1.1	3.1	5.2	2.6	5.0	3.4	2.0	4.0	3.1	
11	0.6	2.3	2.8	1.3	1.9	1.4	1.3	1.9	1.6	
12	2.0	1.5	4.0	2.6	2.5	2.1	1.8	2.9	2.5	
13	0.6	2.3	1.6	2.0	1.9	3.4	1.3	2.1	1.8	
14	0.0	0.4	4.8	2.3	3.7	2.7	0.2	3.4	2.0	
15	0.0	0.0	1.2	4.0	5.6	4.1	0.0	3.5	2.0	
16	0.0	0.0	0.4	1.0	1.9	6.2	0.0	1.9	1.1	
17 or older	0.3	0.0	0.0	0.0	0.0	2.7	0.2	0.5	0.3	
N of Valid	348	260	250	302	161	146	608	859	1467	
N of Miss	46	19	16	18	13	6	65	53	118	

Table 4.155: At what age did you first smoke cigars?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	97.1	93.8	88.6	87.1	76.2	75.5	95.7	83.5	88.6	
10 or under	0.3	1.9	2.0	2.0	0.6	2.7	1.0	1.9	1.5	
11	1.4	0.8	1.6	0.3	0.6	1.4	1.2	0.9	1.0	
12	0.6	1.5	2.0	1.0	1.9	1.4	1.0	1.5	1.3	
13	0.3	1.5	2.4	1.3	3.1	2.0	0.8	2.1	1.6	
14	0.0	0.4	2.8	3.0	3.8	2.0	0.2	2.9	1.8	
15	0.0	0.0	0.4	4.3	6.2	4.1	0.0	3.5	2.0	
16	0.0	0.0	0.0	1.0	6.9	4.1	0.0	2.3	1.4	
17 or older	0.3	0.0	0.0	0.0	0.6	6.8	0.2	1.3	0.8	
N of Valid	348	260	246	303	160	147	608	856	1464	
N of Miss	46	19	20	17	14	5	65	56	121	

Table 4.156: At what age did you first use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	92.5	83.1	74.2	76.0	69.6	67.4	88.5	72.8	79.3	
10 or under	1.1	1.5	2.0	1.3	0.6	0.7	1.3	1.3	1.3	
11	3.2	1.9	2.4	0.3	0.0	0.7	2.6	0.9	1.6	
12	2.9	5.4	4.4	1.3	2.5	3.5	3.9	2.8	3.3	
13	0.3	5.8	5.6	4.0	2.5	1.4	2.6	3.8	3.3	
14	0.0	2.3	8.9	7.3	5.6	3.5	1.0	6.8	4.4	
15	0.0	0.0	2.4	7.7	9.9	6.9	0.0	6.4	3.8	
16	0.0	0.0	0.0	1.7	9.3	6.2	0.0	3.4	2.0	
17 or older	0.0	0.0	0.0	0.3	0.0	9.7	0.0	1.8	1.0	
N of Valid	348	260	248	300	161	144	608	853	1461	
N of Miss	46	19	18	20	13	8	65	59	124	

Table 4.157: At what age did you first drink beer?










RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	85.9	79.5	66.0	66.4	51.2	50.0	83.2	60.7	70.0	
10 or under	5.5	8.5	7.7	5.0	6.2	4.1	6.8	5.9	6.2	
11	4.3	2.7	3.6	3.0	2.5	0.7	3.6	2.7	3.1	
12	2.9	1.2	8.1	4.0	1.9	4.1	2.1	4.8	3.7	
13	1.2	6.9	5.3	3.7	3.1	4.1	3.6	4.1	3.9	
14	0.0	1.2	8.5	5.6	7.5	9.6	0.5	7.5	4.6	
15	0.0	0.0	0.4	9.3	16.2	7.5	0.0	7.7	4.5	
16	0.0	0.0	0.0	2.7	10.6	8.9	0.0	4.4	2.6	
17 or older	0.3	0.0	0.4	0.3	0.6	11.0	0.2	2.2	1.4	
N of Valid	347	259	247	301	160	146	606	854	1460	
N of Miss	47	20	19	19	14	6	67	58	125	

Table 4.158: At what age did you first drink coolers, hard lemonade, etc.?










RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	91.0	84.2	76.2	67.9	56.5	49.0	88.1	64.9	74.5	
10 or under	1.4	4.2	4.0	4.6	2.5	3.4	2.6	3.8	3.3	
11	2.9	1.5	2.0	1.3	1.9	0.7	2.3	1.5	1.8	
12	3.2	1.2	5.2	2.6	3.1	3.4	2.3	3.6	3.1	
13	1.2	7.7	4.0	4.3	3.1	4.1	4.0	4.0	4.0	
14	0.0	1.2	7.7	7.0	5.0	8.2	0.5	7.0	4.3	
15	0.0	0.0	0.8	10.3	16.1	8.8	0.0	8.4	4.9	
16	0.0	0.0	0.0	1.7	11.2	13.6	0.0	5.0	2.9	
17 or older	0.3	0.0	0.0	0.3	0.6	8.8	0.2	1.7	1.1	
N of Valid	346	260	248	302	161	147	606	858	1464	
N of Miss	48	19	18	18	13	5	67	54	121	

Table 4.159: At what age did you first drink liquor?










RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	91.4	89.2	73.7	72.8	63.0	53.7	90.4	67.9	77.3	
10 or under	1.1	1.5	2.4	3.0	1.9	2.7	1.3	2.6	2.0	
11	2.3	2.3	3.2	1.7	0.6	0.7	2.3	1.8	2.0	
12	3.7	0.8	8.1	3.0	1.9	2.0	2.5	4.1	3.4	
13	1.1	4.6	4.0	3.7	3.7	3.4	2.6	3.7	3.3	
14	0.0	1.5	6.5	3.7	3.7	8.8	0.7	5.4	3.4	
15	0.0	0.0	2.0	9.0	13.0	8.2	0.0	7.6	4.4	
16	0.0	0.0	0.0	3.0	10.5	10.9	0.0	4.9	2.9	
17 or older	0.3	0.0	0.0	0.3	1.9	9.5	0.2	2.1	1.3	
N of Valid	348	259	247	301	162	147	607	857	1464	
N of Miss	46	20	19	19	12	5	66	55	121	

Table 4.160: At what age did you first smoke marijuana?










RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	96.3	93.5	82.2	81.7	77.6	60.5	95.1	77.5	84.8	
10 or under	0.3	1.5	2.0	2.0	0.6	1.4	0.8	1.6	1.3	
11	0.9	0.4	2.8	1.3	1.2	2.0	0.7	1.9	1.4	
12	2.0	1.2	4.0	1.7	1.2	4.1	1.6	2.7	2.3	
13	0.6	2.3	3.2	2.0	1.9	6.1	1.3	3.0	2.3	
14	0.0	1.2	4.5	3.0	3.1	4.8	0.5	3.7	2.4	
15	0.0	0.0	1.2	6.3	11.2	6.1	0.0	5.7	3.3	
16	0.0	0.0	0.0	2.0	3.1	8.2	0.0	2.7	1.6	
17 or older	0.0	0.0	0.0	0.0	0.0	6.8	0.0	1.2	0.7	
N of Valid	347	260	247	301	161	147	607	856	1463	
N of Miss	47	19	19	19	13	5	66	56	122	

Table 4.161: At what age did you first use synthetic marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never used	99.1	98.1	95.5	95.9	95.7	93.9	98.7	95.4	96.8
10 or under	0.0	0.8	0.8	0.7	0.0	0.7	0.3	0.6	0.5
11	0.3	0.0	0.8	0.0	0.0	1.4	0.2	0.5	0.3
12	0.6	0.8	1.2	0.0	0.0	0.0	0.7	0.4	0.5
13	0.0	0.0	0.8	0.7	0.0	0.0	0.0	0.5	0.3
14	0.0	0.4	0.8	0.7	0.6	0.7	0.2	0.7	0.5
15	0.0	0.0	0.0	1.4	1.9	1.4	0.0	1.1	0.6
16	0.0	0.0	0.0	0.7	1.2	1.4	0.0	0.7	0.4
17 or older	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.2	0.1
N of Valid	347	258	246	295	161	148	605	850	1455
N of Miss	47	21	20	25	13	4	68	62	130

Table 4.162: At what age did you first use chemical products (bath salts) to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never used	99.4	98.1	98.4	99.0	98.1	98.0	98.8	98.5	98.6
10 or under	0.3	0.4	0.4	0.3	0.0	0.0	0.3	0.2	0.3
11	0.3	0.4	0.0	0.0	0.0	0.7	0.3	0.1	0.2
12	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1
13	0.0	0.8	0.4	0.0	0.0	0.0	0.3	0.1	0.2
14	0.0	0.4	0.8	0.0	0.0	0.7	0.2	0.4	0.3
15	0.0	0.0	0.0	0.3	0.6	0.0	0.0	0.2	0.1
16	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.2	0.1
17 or older	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1
N of Valid	348	257	247	297	162	147	605	853	1458
N of Miss	46	22	19	23	12	5	68	59	127

Table 4.163: At what age did you first use prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	97.1	95.0	95.1	97.0	95.1	95.2	96.2	95.8	96.0	
10 or under	1.2	0.8	0.4	0.7	0.6	0.0	1.0	0.5	0.7	
11	0.9	1.6	0.8	0.3	0.0	0.7	1.2	0.5	0.8	
12	0.6	0.8	1.2	0.3	0.6	0.0	0.7	0.6	0.6	
13	0.3	1.2	0.4	0.7	0.0	0.7	0.7	0.5	0.5	
14	0.0	0.8	1.6	0.7	0.6	0.7	0.3	0.9	0.7	
15	0.0	0.0	0.4	0.3	0.6	1.4	0.0	0.6	0.3	
16	0.0	0.0	0.0	0.0	1.9	1.4	0.0	0.6	0.3	
17 or older	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1	
N of Valid	346	258	247	299	162	147	604	855	1459	
N of Miss	48	21	19	21	12	5	69	57	126	

Table 4.164: At what age did you first use over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	99.7	97.7	97.6	98.3	95.6	96.6	98.8	97.3	97.9	
10 or under	0.0	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.1	
11	0.3	0.4	0.0	0.0	0.0	0.7	0.3	0.1	0.2	
12	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.2	0.1	
13	0.0	1.6	0.0	0.7	0.0	0.0	0.7	0.2	0.4	
14	0.0	0.0	1.2	0.7	0.6	0.7	0.0	0.8	0.5	
15	0.0	0.0	0.0	0.0	1.2	1.4	0.0	0.5	0.3	
16	0.0	0.0	0.0	0.3	2.5	0.7	0.0	0.7	0.4	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	346	256	248	298	160	147	602	853	1455	
N of Miss	48	23	18	22	14	5	71	59	130	

Table 4.165: At what age did you first use heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	100.0	99.6	99.2	99.3	98.1	97.3	99.8	98.7	99.2	
10 or under	0.0	0.4	0.4	0.3	0.0	0.0	0.2	0.2	0.2	
11	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.1	
12	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.1	
13	0.0	0.0	0.4	0.0	0.6	0.0	0.0	0.2	0.1	
14	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.1	
15	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1	
16	0.0	0.0	0.0	0.0	1.2	0.7	0.0	0.4	0.2	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	344	256	246	298	162	147	600	853	1453	
N of Miss	50	23	20	22	12	5	73	59	132	

Table 4.166: At what age did you first use cocaine?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	100.0	98.8	98.4	99.7	97.5	98.0	99.5	98.6	99.0	
10 or under	0.0	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.1	
11	0.0	0.4	0.0	0.0	0.0	0.7	0.2	0.1	0.1	
12	0.0	0.0	0.4	0.0	0.6	0.0	0.0	0.2	0.1	
13	0.0	0.0	0.8	0.0	0.6	0.0	0.0	0.4	0.2	
14	0.0	0.4	0.0	0.0	0.0	0.7	0.2	0.1	0.1	
15	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1	
16	0.0	0.0	0.0	0.0	1.2	0.7	0.0	0.4	0.2	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	343	259	246	299	163	147	602	855	1457	
N of Miss	51	20	20	21	11	5	71	57	128	

Table 4.167: At what age did you first use inhalants?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	99.7	99.2	99.2	99.7	98.8	96.6	99.5	98.8	99.1	
10 or under	0.3	0.4	0.4	0.0	0.0	0.0	0.3	0.1	0.2	
11	0.0	0.4	0.0	0.0	0.6	1.4	0.2	0.4	0.3	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
14	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1	
16	0.0	0.0	0.0	0.0	0.6	1.4	0.0	0.4	0.2	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	345	255	246	298	161	147	600	852	1452	
N of Miss	49	24	20	22	13	5	73	60	133	

Table 4.168: At what age did you first use hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	100.0	98.8	98.4	99.3	95.7	93.2	99.5	97.3	98.2	
10 or under	0.0	0.4	0.4	0.0	0.6	0.0	0.2	0.2	0.2	
11	0.0	0.4	0.0	0.0	0.0	0.7	0.2	0.1	0.1	
12	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.1	
13	0.0	0.0	0.4	0.0	0.6	0.0	0.0	0.2	0.1	
14	0.0	0.4	0.4	0.0	0.0	1.4	0.2	0.4	0.3	
15	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	0.1	
16	0.0	0.0	0.0	0.0	3.1	1.4	0.0	0.8	0.5	
17 or older	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.5	0.3	
N of Valid	345	255	245	299	161	147	600	852	1452	
N of Miss	49	24	21	21	13	5	73	60	133	

Table 4.169: At what age did you first use steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	100.0	98.8	99.2	98.7	98.8	97.3	99.5	98.6	99.0	
10 or under	0.0	0.8	0.4	0.0	0.0	0.0	0.3	0.1	0.2	
11	0.0	0.4	0.0	0.3	0.0	1.4	0.2	0.4	0.3	
12	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1	
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
14	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	0.1	
16	0.0	0.0	0.0	0.3	0.6	0.7	0.0	0.4	0.2	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	345	256	245	298	162	147	601	852	1453	
N of Miss	49	23	21	22	12	5	72	60	132	

Table 4.170: At what age did you first use ecstasy?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	100.0	99.2	98.8	99.0	97.5	97.3	99.7	98.4	98.9	
10 or under	0.0	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.1	
11	0.0	0.4	0.4	0.0	0.0	0.7	0.2	0.2	0.2	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1	
14	0.0	0.0	0.4	0.3	0.0	0.7	0.0	0.4	0.2	
15	0.0	0.0	0.0	0.3	1.2	0.7	0.0	0.5	0.3	
16	0.0	0.0	0.0	0.3	0.6	0.7	0.0	0.4	0.2	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	342	259	246	299	161	147	601	853	1454	
N of Miss	52	20	20	21	13	5	72	59	131	

Table 4.171: At what age did you first use meth?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	100.0	99.2	98.4	99.3	98.8	97.3	99.7	98.6	99.0	
10 or under	0.0	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.1	
11	0.0	0.4	0.0	0.0	0.0	0.7	0.2	0.1	0.1	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
14	0.0	0.0	0.8	0.3	0.6	0.7	0.0	0.6	0.3	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
16	0.0	0.0	0.0	0.3	0.6	0.7	0.0	0.4	0.2	
17 or older	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.1	
N of Valid	343	257	248	296	162	147	600	853	1453	
N of Miss	51	22	18	24	12	5	73	59	132	

Table 4.172: At what age did you first use any tobacco?










RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	91.1	83.8	71.1	75.9	62.1	61.9	88.0	69.5	77.2	
10 or under	4.9	6.2	9.6	5.0	8.1	4.8	5.4	6.9	6.3	
11	1.2	3.5	4.4	2.3	1.9	1.4	2.1	2.7	2.5	
12	2.0	3.8	4.8	3.3	3.7	2.7	2.8	3.7	3.3	
13	0.6	1.9	4.4	3.3	3.1	5.4	1.2	4.0	2.8	
14	0.0	0.8	4.0	4.0	6.8	3.4	0.3	4.4	2.7	
15	0.0	0.0	0.8	4.6	9.3	6.8	0.0	4.8	2.8	
16	0.0	0.0	0.8	1.7	3.7	7.5	0.0	2.8	1.6	
17 or older	0.3	0.0	0.0	0.0	1.2	6.1	0.2	1.3	0.8	
N of Valid	347	260	249	303	161	147	607	860	1467	
N of Miss	47	19	17	17	13	5	66	52	118	

Table 4.173: At what age did you first use any alcohol?



















RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	82.0	73.8	62.8	59.1	43.5	39.5	78.5	53.9	64.1	
10 or under	6.4	10.0	8.5	7.3	8.1	4.8	7.9	7.4	7.6	
11	4.9	3.1	4.9	2.3	2.5	0.7	4.1	2.8	3.4	
12	4.9	1.9	9.7	4.0	1.9	3.4	3.6	5.1	4.5	
13	1.4	9.2	2.8	5.6	3.7	4.1	4.8	4.2	4.4	
14	0.0	1.9	10.5	6.3	8.7	12.2	0.8	9.0	5.6	
15	0.0	0.0	0.8	12.3	16.8	8.2	0.0	9.1	5.3	
16	0.0	0.0	0.0	2.7	14.3	15.0	0.0	6.2	3.6	
17 or older	0.3	0.0	0.0	0.3	0.6	12.2	0.2	2.3	1.4	
N of Valid	345	260	247	301	161	147	605	856	1461	
N of Miss	49	19	19	19	13	5	68	56	124	

Table 4.174: At what age did you first use any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never used	93.5	90.7	78.8	80.3	76.4	59.9	92.3	75.6	82.4	
10 or under	1.8	2.0	2.1	2.7	1.9	2.0	1.9	2.3	2.1	
11	2.1	2.0	4.1	1.7	1.2	2.7	2.1	2.5	2.3	
12	2.4	2.4	5.4	2.0	1.9	5.4	2.4	3.6	3.1	
13	0.3	1.6	2.9	2.7	1.2	4.1	0.9	2.7	2.0	
14	0.0	1.2	5.4	2.7	3.1	4.8	0.5	3.9	2.5	
15	0.0	0.0	1.2	6.1	11.2	6.1	0.0	5.7	3.4	
16	0.0	0.0	0.0	1.7	3.1	8.8	0.0	2.7	1.6	
17 or older	0.0	0.0	0.0	0.0	0.0	6.1	0.0	1.1	0.6	
N of Valid	337	246	241	294	161	147	583	843	1426	
N of Miss	57	33	25	26	13	5	90	69	159	

4.14 Where Do You Usually Use...

Table 4.175: Where do you usually smoke cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	85.3	85.7	80.5	81.2	71.8	69.7	85.4	77.3	80.8	
At home	1.0	2.2	6.8	4.7	9.2	11.2	1.5	7.2	4.8	
At school	0.0	0.7	0.0	0.9	2.3	3.3	0.3	1.3	0.9	
In a car	0.8	0.7	2.3	3.8	9.8	12.5	0.7	5.9	3.7	
Friend's house	1.5	2.5	6.0	6.9	9.8	15.8	1.9	8.7	5.8	
Parties	0.8	2.5	3.4	2.8	6.9	14.5	1.5	5.7	3.9	
Other	1.0	2.5	4.9	2.8	4.0	8.6	1.6	4.6	3.3	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.176: Where do you usually use smokeless tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	84.5	86.7	80.8	82.2	76.4	78.3	85.4	80.0	82.3	
At home	1.0	3.2	6.4	5.9	10.3	10.5	1.9	7.7	5.2	
At school	0.0	1.1	1.1	1.6	4.0	3.3	0.4	2.2	1.5	
In a car	0.5	1.1	3.4	2.8	9.2	7.2	0.7	4.9	3.2	
Friend's house	1.3	1.4	6.8	6.9	5.7	7.9	1.3	6.8	4.5	
Parties	0.3	1.4	4.1	2.8	5.7	6.6	0.7	4.4	2.8	
Other	1.0	2.2	6.8	2.5	6.9	5.9	1.5	5.2	3.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.177: Where do you usually smoke cigars?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.0	88.5	87.2	85.0	74.7	80.9	87.1	83.0	84.7	
At home	0.8	1.8	3.4	3.4	5.2	3.9	1.2	3.8	2.7	
At school	0.0	0.7	0.0	0.9	0.6	2.0	0.3	0.8	0.6	
In a car	0.3	0.7	0.8	1.2	8.0	6.6	0.4	3.3	2.1	
Friend's house	1.0	1.1	3.0	3.8	7.5	5.9	1.0	4.6	3.1	
Parties	0.5	0.7	1.9	1.6	4.6	8.6	0.6	3.4	2.2	
Other	0.8	1.4	2.3	2.2	4.6	1.3	1.0	2.5	1.9	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.178: Where do you usually use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	81.7	80.3	75.2	77.5	71.3	73.7	81.1	75.0	77.6	
At home	2.3	3.9	11.3	7.2	9.8	10.5	3.0	9.4	6.7	
At school	0.0	0.7	0.8	0.9	1.1	2.0	0.3	1.1	0.8	
In a car	0.5	3.9	4.1	3.8	7.5	8.6	1.9	5.4	3.9	
Friend's house	2.3	5.4	9.4	9.4	6.9	9.9	3.6	9.0	6.7	
Parties	1.3	2.2	3.4	3.8	5.2	9.2	1.6	4.8	3.5	
Other	2.0	3.9	5.3	2.5	4.6	3.9	2.8	3.9	3.5	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.179: Where do you usually drink beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	78.9	81.4	68.0	67.5	57.5	53.9	79.9	63.5	70.5	
At home	3.6	7.2	11.7	11.9	14.9	25.7	5.1	14.7	10.6	
At school	0.0	0.7	0.4	0.3	0.0	1.3	0.3	0.4	0.4	
In a car	0.3	2.2	1.5	1.6	1.7	3.3	1.0	1.9	1.5	
Friend's house	3.0	4.3	11.7	11.9	16.1	23.7	3.6	14.6	9.9	
Parties	2.3	5.0	8.3	8.8	19.5	25.0	3.4	13.4	9.1	
Other	2.3	3.6	6.8	5.3	6.9	9.9	2.8	6.8	5.1	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.180: Where do you usually drink coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	80.5	82.8	72.6	67.8	59.2	55.3	81.4	65.5	72.2	
At home	3.3	4.3	9.8	10.0	14.9	25.0	3.7	13.4	9.3	
At school	0.3	0.7	0.0	0.6	0.0	1.3	0.4	0.4	0.4	
In a car	0.3	0.7	0.8	1.2	2.9	2.6	0.4	1.6	1.1	
Friend's house	2.3	2.9	8.6	12.2	15.5	22.4	2.5	13.5	8.8	
Parties	2.0	3.6	7.9	8.4	16.7	22.4	2.7	12.2	8.1	
Other	1.0	2.9	6.8	6.2	7.5	8.6	1.8	7.0	4.8	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.181: Where do you usually drink liquor?








RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	82.2	83.5	73.7	71.6	60.9	57.2	82.8	67.8	74.1	
At home	2.8	3.9	10.2	9.7	12.6	18.4	3.3	11.8	8.2	
At school	0.0	0.7	0.0	0.9	0.0	1.3	0.3	0.5	0.4	
In a car	0.3	0.7	0.8	0.6	1.7	2.0	0.4	1.1	0.8	
Friend's house	2.5	2.5	8.3	10.0	17.2	21.7	2.5	12.8	8.5	
Parties	2.0	2.5	7.5	6.6	16.1	20.4	2.2	11.0	7.3	
Other	1.3	1.8	5.3	5.3	5.7	9.9	1.5	6.1	4.2	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.182: Where do you usually smoke marijuana?








RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	83.8	86.0	80.5	79.1	74.1	69.7	84.7	77.0	80.3	
At home	1.0	1.4	4.1	5.6	7.5	9.9	1.2	6.2	4.1	
At school	0.0	0.7	0.8	0.6	0.6	2.6	0.3	1.0	0.7	
In a car	1.0	1.4	2.3	3.4	8.0	9.9	1.2	5.0	3.4	
Friend's house	2.3	2.9	7.5	7.2	11.5	18.4	2.5	10.0	6.8	
Parties	1.3	2.5	4.1	3.4	9.2	17.8	1.8	7.1	4.9	
Other	1.0	2.2	4.9	4.1	5.2	11.8	1.5	5.8	4.0	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.183: Where do you usually use synthetic marijuana?








RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.8	89.6	89.5	89.1	90.8	90.8	88.0	89.8	89.0	
At home	0.3	0.7	1.5	0.6	0.0	0.7	0.4	0.8	0.6	
At school	0.0	0.7	0.0	0.3	0.6	0.7	0.3	0.3	0.3	
In a car	0.0	0.4	0.8	0.3	0.6	1.3	0.1	0.7	0.4	
Friend's house	0.0	0.7	1.9	1.9	0.6	2.0	0.3	1.6	1.1	
Parties	0.0	1.1	1.5	0.6	0.6	3.3	0.4	1.3	0.9	
Other	0.0	0.7	1.9	0.3	0.0	1.3	0.3	0.9	0.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.184: Where do you usually use chemical products (bath salts) to get high?








RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	85.3	88.9	90.2	90.9	91.4	94.1	86.8	91.3	89.4	
At home	0.3	0.7	1.1	0.0	0.0	0.0	0.4	0.3	0.4	
At school	0.0	0.7	0.0	0.3	0.0	0.7	0.3	0.2	0.3	
In a car	0.0	0.4	0.0	0.0	0.6	0.0	0.1	0.1	0.1	
Friend's house	0.3	0.7	0.4	0.0	0.0	0.0	0.4	0.1	0.3	
Parties	0.0	0.7	0.4	0.0	0.0	0.7	0.3	0.2	0.3	
Other	0.3	0.0	0.8	0.0	0.0	0.7	0.1	0.3	0.3	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.185: Where do you usually use prescription drugs not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.0	88.9	90.2	89.7	87.9	91.4	87.2	89.8	88.7	
At home	1.8	2.9	2.3	1.6	2.3	2.0	2.2	2.0	2.1	
At school	0.0	0.7	0.0	0.3	1.1	0.7	0.3	0.4	0.4	
In a car	0.3	0.4	0.0	0.0	0.6	0.7	0.3	0.2	0.3	
Friend's house	0.5	1.1	0.4	0.6	1.1	0.7	0.7	0.7	0.7	
Parties	0.0	1.1	0.0	0.0	1.1	1.3	0.4	0.4	0.4	
Other	0.3	0.7	0.4	0.0	0.0	0.0	0.4	0.1	0.3	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.186: Where do you usually use over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.3	90.0	92.5	91.6	89.7	93.4	88.4	91.8	90.3	
At home	0.0	1.1	1.1	0.0	1.7	0.7	0.4	0.8	0.6	
At school	0.0	0.7	0.0	0.3	0.0	0.7	0.3	0.2	0.3	
In a car	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
Friend's house	0.3	0.4	0.4	0.3	1.1	0.7	0.3	0.5	0.4	
Parties	0.0	1.4	0.0	0.0	0.0	0.0	0.6	0.0	0.3	
Other	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.187: Where do you usually use heroin?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.1	92.1	92.5	91.2	90.2	95.4	89.2	92.1	90.9	
At home	0.0	0.4	0.4	0.0	0.0	0.0	0.1	0.1	0.1	
At school	0.0	0.7	0.0	0.3	0.0	0.7	0.3	0.2	0.3	
In a car	0.0	0.4	0.0	0.0	0.6	0.0	0.1	0.1	0.1	
Friend's house	0.0	0.4	0.4	0.0	0.6	0.0	0.1	0.2	0.2	
Parties	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.188: Where do you usually use cocaine?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.8	91.8	92.9	90.9	91.4	94.7	89.5	92.2	91.0	
At home	0.0	0.7	0.4	0.0	1.1	0.7	0.3	0.4	0.4	
At school	0.0	0.7	0.0	0.3	0.0	0.7	0.3	0.2	0.3	
In a car	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
Friend's house	0.0	0.4	0.8	0.0	0.6	0.7	0.1	0.4	0.3	
Parties	0.0	0.7	0.4	0.0	1.1	0.7	0.3	0.4	0.4	
Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.189: Where do you usually use inhalants?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.8	91.8	92.1	91.6	91.4	94.7	89.5	92.2	91.0
At home	0.0	0.7	0.4	0.3	0.0	0.0	0.3	0.2	0.3
At school	0.0	0.7	0.0	0.3	0.0	0.7	0.3	0.2	0.3
In a car	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Friend's house	0.0	0.4	0.0	0.0	0.6	0.0	0.1	0.1	0.1
Parties	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1
Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.190: Where do you usually use hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.8	90.7	92.9	90.6	89.1	90.1	89.0	90.9	90.1
At home	0.0	0.7	0.8	0.3	0.6	1.3	0.3	0.7	0.5
At school	0.0	0.7	0.0	0.3	0.0	0.7	0.3	0.2	0.3
In a car	0.0	0.4	0.0	0.0	0.0	1.3	0.1	0.2	0.2
Friend's house	0.0	0.4	0.8	0.6	0.6	2.6	0.1	1.0	0.6
Parties	0.0	0.7	0.8	0.0	0.6	3.3	0.3	0.9	0.6
Other	0.0	0.0	0.8	0.0	0.6	2.0	0.0	0.7	0.4
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.191: Where do you usually use steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.1	90.0	92.9	91.2	90.2	94.1	88.3	92.0	90.4
At home	0.0	1.1	0.4	0.0	0.6	0.0	0.4	0.2	0.3
At school	0.0	0.7	0.0	0.6	0.0	0.7	0.3	0.3	0.3
In a car	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Friend's house	0.0	0.7	0.0	0.0	0.6	0.0	0.3	0.1	0.2
Parties	0.0	1.1	0.0	0.0	0.0	0.0	0.4	0.0	0.2
Other	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.192: Where do you usually use ecstasy?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	86.8	91.8	93.6	90.9	90.8	94.1	88.9	92.2	90.8
At home	0.0	0.7	0.4	0.3	0.0	0.7	0.3	0.3	0.3
At school	0.0	0.7	0.0	0.3	0.0	0.7	0.3	0.2	0.3
In a car	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Friend's house	0.0	0.4	0.0	0.0	0.6	0.7	0.1	0.2	0.2
Parties	0.0	0.7	0.0	0.0	1.1	1.3	0.3	0.4	0.4
Other	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.1
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.193: Where do you usually use meth?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	85.3	91.8	92.5	91.2	90.8	94.1	88.0	92.0	90.3	
At home	0.0	0.7	0.8	0.0	0.0	0.7	0.3	0.3	0.3	
At school	0.0	0.7	0.0	0.6	0.0	0.7	0.3	0.3	0.3	
In a car	0.0	0.4	0.4	0.0	0.0	0.7	0.1	0.2	0.2	
Friend's house	0.0	0.4	0.4	0.3	0.6	0.7	0.1	0.4	0.3	
Parties	0.0	0.7	0.4	0.0	0.0	0.7	0.3	0.2	0.3	
Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.194: Where do you usually use any tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.5	89.2	89.5	89.4	83.3	86.8	87.7	87.8	87.8	
At home	1.5	3.6	10.2	9.4	14.9	17.1	2.4	12.0	7.9	
At school	0.0	1.1	1.1	2.2	6.3	4.6	0.4	3.1	2.0	
In a car	0.8	1.1	5.3	5.6	16.1	18.4	0.9	9.6	5.9	
Friend's house	1.8	3.2	10.2	11.9	14.9	18.4	2.4	13.0	8.5	
Parties	0.8	2.9	6.0	4.4	9.2	16.4	1.6	7.8	5.2	
Other	1.3	3.2	8.3	5.0	9.8	12.5	2.1	8.1	5.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.195: Where do you usually use any alcohol?















RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	83.5	87.1	78.9	76.6	69.0	64.5	85.0	73.8	78.5	
At home	5.1	8.6	15.4	15.3	21.8	30.3	6.5	19.1	13.8	
At school	0.3	0.7	0.4	0.9	0.0	1.3	0.4	0.7	0.6	
In a car	0.3	2.2	1.5	1.6	2.9	3.3	1.0	2.1	1.6	
Friend's house	3.6	5.0	12.4	15.3	20.1	27.6	4.2	17.4	11.8	
Parties	2.8	6.1	9.8	9.7	20.1	27.6	4.2	14.7	10.2	
Other	2.5	4.7	7.5	8.1	9.8	11.8	3.4	8.9	6.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.196: Where do you usually use any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	88.1	92.1	94.0	92.8	93.1	95.4	89.7	93.6	92.0	
At home	2.8	3.6	5.3	6.9	9.8	11.8	3.1	7.8	5.8	
At school	0.0	0.7	0.8	1.2	1.7	2.6	0.3	1.4	0.9	
In a car	1.3	1.4	2.6	3.4	8.6	11.2	1.3	5.5	3.7	
Friend's house	2.5	3.9	7.5	7.5	12.1	19.1	3.1	10.3	7.3	
Parties	1.3	2.9	4.1	3.4	9.8	18.4	1.9	7.3	5.0	
Other	1.3	2.9	5.6	4.1	5.2	11.8	1.9	6.0	4.3	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

4.15 When Do You Usually Use...

Table 4.197: When do you usually smoke cigarettes?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	85.5	87.1	80.8	82.5	75.9	72.4	86.2	79.1	82.1
Before school	0.5	0.7	2.6	3.1	5.2	8.6	0.6	4.3	2.7
During school	0.0	0.7	0.4	0.9	2.3	2.0	0.3	1.2	0.8
After school	1.3	2.5	7.1	5.9	8.0	15.1	1.8	8.2	5.5
Week nights	0.8	1.4	4.9	3.4	4.6	12.5	1.0	5.6	3.7
Weekends	2.3	3.9	9.8	8.4	12.1	18.4	3.0	11.2	7.7
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.198: When do you usually use smokeless tobacco?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	86.0	87.5	82.7	85.0	77.6	79.6	86.6	82.0	84.0
Before school	0.3	1.8	4.1	3.1	5.7	4.6	0.9	4.2	2.8
During school	0.0	0.7	0.8	1.6	2.3	2.0	0.3	1.5	1.0
After school	1.0	2.5	5.6	4.7	8.0	11.8	1.6	6.8	4.6
Week nights	0.3	0.7	4.9	3.4	5.2	8.6	0.4	5.0	3.1
Weekends	1.8	3.6	7.9	6.2	9.2	12.5	2.5	8.3	5.9
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.199: When do you usually smoke cigars?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	86.3	88.9	87.6	85.3	77.0	82.2	87.4	83.9	85.4
Before school	0.3	0.7	1.5	1.9	1.7	0.0	0.4	1.4	1.0
During school	0.0	0.7	0.0	0.3	1.1	0.0	0.3	0.3	0.3
After school	0.8	1.1	2.6	2.8	4.0	3.3	0.9	3.1	2.1
Week nights	0.3	0.7	3.0	1.6	3.4	2.0	0.4	2.4	1.6
Weekends	1.0	2.5	5.6	5.9	9.8	9.9	1.6	7.2	4.9
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.200: When do you usually use electronic vapor products?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	83.0	80.6	78.6	80.0	76.4	77.0	82.0	78.4	79.9	
Before school	0.3	0.7	3.8	1.9	2.3	2.0	0.4	2.5	1.6	
During school	0.3	1.1	0.4	0.9	1.7	0.0	0.6	0.8	0.7	
After school	1.3	3.9	6.8	5.3	5.7	7.9	2.4	6.2	4.6	
Week nights	1.0	1.8	4.9	2.8	4.6	4.6	1.3	4.1	2.9	
Weekends	3.8	8.6	11.3	10.3	9.8	11.8	5.8	10.7	8.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.201: When do you usually drink beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	82.0	84.6	71.8	70.0	60.9	57.9	83.1	66.8	73.7	
Before school	0.5	0.7	1.1	0.3	1.1	0.0	0.6	0.7	0.6	
During school	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
After school	1.5	1.4	5.6	2.2	1.7	8.6	1.5	4.2	3.0	
Week nights	1.0	1.4	4.5	1.6	2.3	5.9	1.2	3.3	2.4	
Weekends	4.6	7.9	18.0	20.3	29.3	33.6	5.9	23.6	16.1	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.202: When do you usually drink coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	83.5	84.2	77.1	71.2	62.1	57.9	83.8	69.0	75.3	
Before school	0.0	0.7	0.4	0.3	0.0	0.0	0.3	0.2	0.3	
During school	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
After school	1.0	1.1	4.5	1.6	1.1	6.6	1.0	3.2	2.3	
Week nights	1.0	1.1	2.6	1.6	1.7	3.9	1.0	2.3	1.8	
Weekends	3.8	6.8	14.3	20.9	30.5	36.2	5.1	23.4	15.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.203: When do you usually drink liquor?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	83.0	85.3	77.1	74.4	63.2	61.2	84.0	70.8	76.4
Before school	0.0	0.7	0.4	0.3	0.6	0.0	0.3	0.3	0.3
During school	0.0	0.7	0.0	0.3	0.6	0.0	0.3	0.2	0.3
After school	1.0	1.8	3.4	1.6	1.1	7.9	1.3	3.1	2.3
Week nights	1.0	1.4	2.3	0.9	1.7	4.6	1.2	2.1	1.7
Weekends	4.8	5.4	13.2	17.5	28.2	31.6	5.1	20.6	14.0
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.204: When do you usually smoke marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	85.0	86.7	83.8	81.6	75.9	72.4	85.7	79.6	82.2
Before school	0.3	1.1	0.8	1.9	2.9	4.6	0.6	2.2	1.5
During school	0.0	0.7	0.0	0.0	1.7	0.7	0.3	0.4	0.4
After school	1.0	2.2	2.6	2.5	6.9	7.2	1.5	4.2	3.0
Week nights	1.0	0.7	3.8	2.5	5.7	7.9	0.9	4.4	2.9
Weekends	2.3	3.2	8.3	9.7	15.5	19.1	2.7	12.0	8.0
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.205: When do you usually use synthetic marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.1	88.9	90.2	90.3	90.2	92.1	87.8	90.6	89.4
Before school	0.0	0.7	0.4	0.6	0.0	0.0	0.3	0.3	0.3
During school	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1
After school	0.0	1.1	1.1	0.3	0.0	0.7	0.4	0.5	0.5
Week nights	0.0	0.7	2.3	0.3	0.0	0.7	0.3	0.9	0.6
Weekends	0.5	1.1	1.5	2.2	1.1	2.0	0.7	1.8	1.3
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.206: When do you usually use chemical products (bath salts) to get high?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.3	88.2	92.1	91.2	89.7	93.4	87.1	91.6	89.7	
Before school	0.3	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
During school	0.3	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
After school	0.3	0.7	0.4	0.0	0.0	0.0	0.4	0.1	0.3	
Week nights	0.3	0.4	0.8	0.3	0.0	0.0	0.3	0.3	0.3	
Weekends	0.5	1.8	0.4	0.0	0.0	0.7	1.0	0.2	0.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.207: When do you usually use prescription drugs not prescribed to you?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.3	89.2	91.7	91.6	88.5	93.4	87.5	91.3	89.7	
Before school	0.8	0.4	0.4	0.3	0.0	0.7	0.6	0.3	0.4	
During school	0.3	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
After school	0.8	1.8	0.4	0.6	1.1	0.7	1.2	0.7	0.9	
Week nights	0.5	0.4	0.8	0.6	1.1	0.7	0.4	0.8	0.6	
Weekends	0.5	1.1	0.8	0.6	2.3	1.3	0.7	1.1	0.9	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.208: When do you usually use over-the-counter drugs to get high?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.6	90.0	91.7	93.1	87.4	94.1	88.6	91.8	90.4	
Before school	0.0	0.4	0.0	0.0	0.0	0.7	0.1	0.1	0.1	
During school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
After school	0.0	1.1	0.4	0.0	1.1	0.0	0.4	0.3	0.4	
Week nights	0.0	0.4	0.8	0.0	0.6	0.0	0.1	0.3	0.3	
Weekends	0.3	1.1	0.8	0.0	1.7	0.7	0.6	0.7	0.6	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.209: When do you usually use heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.6	91.4	92.9	93.1	89.1	95.4	89.2	92.7	91.2
Before school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
During school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
After school	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1
Week nights	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Weekends	0.0	0.4	0.8	0.0	0.6	0.0	0.1	0.3	0.3
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.210: When do you usually use cocaine?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.6	90.7	92.9	92.8	89.7	94.1	88.9	92.4	90.9
Before school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
During school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
After school	0.0	0.7	0.0	0.0	0.0	0.7	0.3	0.1	0.2
Week nights	0.0	0.4	0.0	0.0	0.0	0.7	0.1	0.1	0.1
Weekends	0.0	0.4	0.8	0.0	0.6	0.7	0.1	0.4	0.3
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.211: When do you usually use inhalants?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	87.6	90.0	93.6	92.8	90.2	94.7	88.6	92.9	91.0
Before school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
During school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
After school	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1
Week nights	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Weekends	0.0	0.4	0.4	0.0	0.0	0.0	0.1	0.1	0.1
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.212: When do you usually use hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.3	90.3	92.5	91.2	89.1	92.8	88.6	91.4	90.2	
Before school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
During school	0.0	0.4	0.0	0.0	0.0	0.7	0.1	0.1	0.1	
After school	0.0	0.7	0.0	0.0	0.0	0.7	0.3	0.1	0.2	
Week nights	0.0	0.7	0.0	0.0	0.6	0.7	0.3	0.2	0.3	
Weekends	0.0	0.7	1.1	0.3	1.7	2.6	0.3	1.2	0.8	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.213: When do you usually use steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.1	90.0	93.6	91.6	89.1	94.7	88.3	92.2	90.5	
Before school	0.0	0.4	0.0	0.3	0.0	0.0	0.1	0.1	0.1	
During school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
After school	0.0	0.7	0.0	0.0	0.6	0.0	0.3	0.1	0.2	
Week nights	0.0	0.4	0.0	0.0	0.6	0.0	0.1	0.1	0.1	
Weekends	0.0	0.4	0.4	0.0	0.6	0.0	0.1	0.2	0.2	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.214: When do you usually use ecstasy?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	88.1	90.7	93.6	91.6	89.1	94.7	89.2	92.2	90.9	
Before school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
During school	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	
After school	0.0	0.7	0.0	0.0	0.0	0.7	0.3	0.1	0.2	
Week nights	0.0	0.4	0.0	0.0	0.6	0.7	0.1	0.2	0.2	
Weekends	0.0	0.4	0.4	0.0	0.6	0.7	0.1	0.3	0.3	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.215: When do you usually use meth?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.8	90.3	93.6	91.2	89.7	94.7	88.3	92.2	90.5	
Before school	0.3	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
During school	0.0	0.4	0.0	0.3	0.0	0.0	0.1	0.1	0.1	
After school	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
Week nights	0.0	0.4	0.0	0.0	0.0	0.7	0.1	0.1	0.1	
Weekends	0.0	0.4	0.4	0.0	0.0	0.7	0.1	0.2	0.2	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.216: When do you usually use any tobacco?







RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	86.8	90.0	91.0	90.9	84.5	87.5	88.1	89.1	88.7	
Before school	0.5	1.8	6.0	5.0	8.6	11.8	1.0	7.1	4.5	
During school	0.0	0.7	1.1	2.2	4.6	3.3	0.3	2.5	1.6	
After school	1.3	3.2	10.5	9.1	13.2	21.7	2.1	12.4	8.0	
Week nights	0.8	1.4	8.3	6.6	9.2	18.4	1.0	9.5	5.9	
Weekends	3.0	5.0	13.9	13.4	19.5	24.3	3.9	16.6	11.2	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.217: When do you usually use any alcohol?













RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	85.3	87.5	80.1	78.8	71.8	67.1	86.2	75.9	80.3	
Before school	0.5	0.7	1.1	0.3	1.1	0.0	0.6	0.7	0.6	
During school	0.0	0.7	0.0	0.3	0.6	0.0	0.3	0.2	0.3	
After school	1.8	2.2	6.8	2.2	2.3	9.2	1.9	4.7	3.5	
Week nights	1.5	1.8	4.5	1.9	2.3	6.6	1.6	3.5	2.7	
Weekends	5.8	10.0	19.5	25.0	38.5	42.1	7.6	28.8	19.8	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

Table 4.218: When do you usually use any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	88.1	91.4	94.7	93.4	91.4	95.4	89.5	93.8	91.9	
Before school	1.3	1.1	1.1	2.5	2.9	4.6	1.2	2.5	2.0	
During school	0.3	0.7	0.0	0.3	1.7	1.3	0.4	0.7	0.6	
After school	1.8	2.9	3.0	3.4	7.5	7.2	2.2	4.7	3.7	
Week nights	1.5	1.1	4.9	3.1	6.3	8.6	1.3	5.2	3.5	
Weekends	2.5	4.3	9.4	10.6	16.7	19.7	3.3	12.9	8.8	
N of Valid	394	279	266	320	174	152	673	912	1585	
N of Miss	0	0	0	0	0	0	0	0	0	

4.16 Gambling

Table 4.219: Within the past year how often have you played "scratch offs"?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	73.3	66.1	70.3	66.9	67.3	50.0	70.3	65.1	67.2	
Once/year	13.5	15.4	16.7	18.6	12.6	16.4	14.3	16.5	15.6	
6 times/year	7.0	5.9	4.9	5.1	9.4	10.3	6.6	6.7	6.7	
Once/month	3.2	4.7	4.1	4.4	6.3	6.2	3.9	5.0	4.5	
Twice/month	2.3	2.4	0.8	4.1	3.1	6.8	2.4	3.4	3.0	
Once/week	0.6	2.8	0.0	0.7	1.3	4.1	1.5	1.2	1.3	
3 times/week	0.0	2.0	2.0	0.0	0.0	2.7	0.8	1.1	1.0	
Every day	0.0	0.8	1.2	0.3	0.0	3.4	0.3	1.1	0.8	
N of Valid	341	254	246	296	159	146	595	847	1442	
N of Miss	53	25	20	24	15	6	78	65	143	

Table 4.220: Within the past year how often have you played lottery tickets (Powerball or Megabucks)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	87.3	79.5	83.3	82.2	86.1	75.9	84.0	82.1	82.9	
Once/year	9.4	11.8	9.4	10.1	7.0	10.3	10.5	9.3	9.8	
6 times/year	2.1	3.1	2.0	4.4	1.9	3.4	2.5	3.1	2.9	
Once/month	0.6	2.0	2.9	2.4	3.8	2.8	1.2	2.8	2.2	
Twice/month	0.3	0.8	0.8	0.3	1.3	4.1	0.5	1.3	1.0	
Once/week	0.3	1.2	0.4	0.3	0.0	0.7	0.7	0.4	0.5	
3 times/week	0.0	0.8	0.8	0.0	0.0	1.4	0.3	0.5	0.4	
Every day	0.0	0.8	0.4	0.3	0.0	1.4	0.3	0.5	0.4	
N of Valid	339	254	245	297	158	145	593	845	1438	
N of Miss	55	25	21	23	16	7	80	67	147	

Table 4.221: Within the past year how often have you played pull tabs or "paper" games other than lotteries?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	95.9	93.7	95.5	92.9	93.6	91.7	94.9	93.6	94.1	
Once/year	3.2	2.8	2.0	3.1	1.9	2.1	3.0	2.4	2.6	
6 times/year	0.6	1.2	0.4	1.0	2.5	2.8	0.8	1.4	1.2	
Once/month	0.0	0.8	0.8	0.3	1.3	0.7	0.3	0.7	0.6	
Twice/month	0.0	0.0	0.4	1.4	0.0	0.0	0.0	0.6	0.3	
Once/week	0.3	0.8	0.4	0.3	0.6	0.7	0.5	0.5	0.5	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.1	
Every day	0.0	0.8	0.4	1.0	0.0	1.4	0.3	0.7	0.6	
N of Valid	339	252	247	295	157	144	591	843	1434	
N of Miss	55	27	19	25	17	8	82	69	151	

Table 4.222: Within the past year how often have you played dice or coin flips?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	78.8	73.4	79.9	81.9	82.4	82.1	76.5	81.4	79.4	
Once/year	8.6	11.5	6.6	6.7	5.7	5.5	9.8	6.3	7.7	
6 times/year	5.3	3.2	7.0	3.7	3.1	6.2	4.4	5.0	4.7	
Once/month	2.4	4.4	0.8	2.7	3.8	1.4	3.2	2.1	2.6	
Twice/month	2.4	2.0	2.0	2.7	2.5	2.1	2.2	2.4	2.3	
Once/week	1.5	2.8	1.2	1.0	1.3	1.4	2.0	1.2	1.5	
3 times/week	0.6	0.8	1.2	0.3	0.6	0.0	0.7	0.6	0.6	
Every day	0.6	2.0	1.2	1.0	0.6	1.4	1.2	1.1	1.1	
N of Valid	339	252	244	298	159	145	591	846	1437	
N of Miss	55	27	22	22	15	7	82	66	148	

Table 4.223: Within the past year how often have you played cards (poker, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	78.2	70.6	73.4	75.6	72.8	75.9	75.0	74.5	74.7	
Once/year	9.1	9.1	7.8	10.8	11.4	9.7	9.1	9.9	9.6	
6 times/year	5.6	7.5	6.6	3.1	6.3	6.9	6.4	5.3	5.8	
Once/month	2.6	2.8	4.9	3.4	2.5	2.8	2.7	3.6	3.2	
Twice/month	1.8	3.2	2.9	3.4	1.3	2.1	2.4	2.6	2.5	
Once/week	1.8	2.8	1.6	1.7	3.8	0.0	2.2	1.8	2.0	
3 times/week	0.9	2.4	0.8	0.7	1.3	0.7	1.5	0.8	1.1	
Every day	0.0	1.6	2.0	1.4	0.6	2.1	0.7	1.5	1.2	
N of Valid	340	252	244	295	158	145	592	842	1434	
N of Miss	54	27	22	25	16	7	81	70	151	

Table 4.224: Within the past year how often have you bet on a sport?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	84.0	77.9	80.2	83.7	82.2	80.7	81.4	81.9	81.7	
Once/year	6.8	9.9	9.5	5.1	7.0	11.7	8.1	7.9	8.0	
6 times/year	3.8	3.2	2.5	1.7	3.8	1.4	3.6	2.3	2.8	
Once/month	1.2	2.0	3.3	2.4	0.6	2.1	1.5	2.3	2.0	
Twice/month	1.5	1.6	2.1	2.4	2.5	0.0	1.5	1.9	1.7	
Once/week	1.2	2.0	1.2	2.7	2.5	0.7	1.5	1.9	1.7	
3 times/week	0.3	1.2	0.8	0.7	0.0	2.1	0.7	0.8	0.8	
Every day	1.2	2.4	0.4	1.4	1.3	1.4	1.7	1.1	1.3	
N of Valid	338	253	243	295	157	145	591	840	1431	
N of Miss	56	26	23	25	17	7	82	72	154	

Table 4.225: Within the past year how often have you bet on a horse/dog race?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	97.1	93.6	95.1	92.9	96.8	92.3	95.6	94.2	94.8
Once/year	1.5	2.4	2.5	2.7	1.3	4.2	1.9	2.6	2.3
6 times/year	0.3	1.6	0.8	0.3	0.6	0.7	0.8	0.6	0.7
Once/month	0.3	0.8	0.4	0.7	0.0	0.7	0.5	0.5	0.5
Twice/month	0.0	0.4	0.4	1.4	0.6	0.0	0.2	0.7	0.5
Once/week	0.3	0.4	0.4	1.0	0.6	0.0	0.3	0.6	0.5
3 times/week	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.1
Every day	0.6	0.8	0.4	1.0	0.0	1.4	0.7	0.7	0.7
N of Valid	339	250	244	296	157	143	589	840	1429
N of Miss	55	29	22	24	17	9	84	72	156

Table 4.226: Within the past year how often have you bet on games of personal skill (bowling, video games, dares, etc.)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	76.2	66.0	75.0	78.8	76.9	75.2	71.9	76.7	74.7
Once/year	10.9	10.4	5.3	7.1	7.1	4.1	10.7	6.1	8.0
6 times/year	5.0	6.8	3.7	3.4	5.8	8.3	5.8	4.8	5.2
Once/month	3.5	2.8	4.5	1.0	1.9	4.1	3.2	2.7	2.9
Twice/month	0.3	2.0	2.9	2.7	1.3	2.8	1.0	2.5	1.9
Once/week	0.9	4.8	2.5	3.4	4.5	0.0	2.5	2.7	2.7
3 times/week	0.9	3.2	1.6	1.3	0.6	2.8	1.9	1.5	1.7
Every day	2.3	4.0	4.5	2.4	1.9	2.8	3.0	3.0	3.0
N of Valid	341	250	244	297	156	145	591	842	1433
N of Miss	53	29	22	23	18	7	82	70	152

Table 4.227: Within the past year how often have you played bingo for money?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	95.0	92.4	91.0	93.5	93.6	93.1	93.9	92.7	93.2	
Once/year	3.3	4.0	4.1	2.7	2.5	2.8	3.6	3.1	3.3	
6 times/year	1.2	0.8	2.5	1.4	2.5	0.7	1.0	1.8	1.5	
Once/month	0.0	0.4	0.8	0.3	0.6	1.4	0.2	0.7	0.5	
Twice/month	0.3	0.4	0.8	0.3	0.0	0.0	0.3	0.4	0.3	
Once/week	0.0	0.8	0.4	0.7	0.6	0.0	0.3	0.5	0.4	
3 times/week	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.2	0.1	
Every day	0.3	1.2	0.4	0.7	0.0	1.4	0.7	0.6	0.6	
N of Valid	338	251	244	294	157	145	589	840	1429	
N of Miss	56	28	22	26	17	7	84	72	156	

Table 4.228: Within the past year how often have you bet money over the internet?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Do not use	99.4	97.6	95.5	95.6	96.8	94.5	98.6	95.6	96.9	
Once/year	0.0	0.4	1.2	1.0	1.9	1.4	0.2	1.3	0.8	
6 times/year	0.3	0.0	0.4	0.3	0.6	0.7	0.2	0.5	0.3	
Once/month	0.0	0.0	0.4	1.0	0.0	0.7	0.0	0.6	0.3	
Twice/month	0.0	0.0	1.2	0.3	0.0	0.7	0.0	0.6	0.3	
Once/week	0.0	0.4	0.4	0.7	0.0	0.0	0.2	0.4	0.3	
3 times/week	0.0	0.4	0.4	0.0	0.6	0.7	0.2	0.4	0.3	
Every day	0.3	1.2	0.4	1.0	0.0	1.4	0.7	0.7	0.7	
N of Valid	338	252	244	296	158	145	590	843	1433	
N of Miss	56	27	22	24	16	7	83	69	152	

Table 4.229: Within the past year how often have you bet money in other ways?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Do not use	89.4	87.7	82.6	87.8	91.7	87.5	88.7	87.0	87.7
Once/year	3.8	3.6	5.8	4.1	2.5	2.8	3.7	4.1	3.9
6 times/year	3.2	2.0	5.4	1.4	0.6	3.5	2.7	2.7	2.7
Once/month	0.6	1.6	1.2	1.7	0.6	1.4	1.0	1.3	1.2
Twice/month	0.6	1.2	1.2	1.4	1.3	0.7	0.8	1.2	1.0
Once/week	0.9	0.8	1.2	1.4	2.5	2.1	0.8	1.7	1.3
3 times/week	0.6	1.2	0.8	0.3	0.0	0.7	0.8	0.5	0.6
Every day	0.9	2.0	1.7	2.0	0.6	1.4	1.4	1.6	1.5
N of Valid	340	252	241	296	157	144	592	838	1430
N of Miss	54	27	25	24	17	8	81	74	155

Table 4.230: Where do you usually gamble?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Internet	1.0	2.2	3.8	1.6	1.1	5.3	1.5	2.7	2.2
Casino	0.8	0.4	0.4	0.0	0.0	2.6	0.6	0.5	0.6
Harness racing	0.3	0.7	0.4	0.3	0.6	2.0	0.4	0.7	0.6
My home	10.2	19.4	19.9	16.6	20.1	18.4	14.0	18.5	16.6
Sporting event	2.8	5.0	5.6	6.6	5.7	5.9	3.7	6.0	5.0
School property	1.3	3.2	5.3	3.4	4.6	1.3	2.1	3.8	3.1
Community festival, concert or other event	1.8	2.2	3.8	3.1	0.6	2.0	1.9	2.6	2.3
Another person's home	5.1	9.0	12.0	10.3	9.2	8.6	6.7	10.3	8.8
Neighborhood store or convenience store	1.5	0.7	0.8	2.2	1.7	4.6	1.2	2.1	1.7
Park, parking lot, or other public place	3.0	2.5	3.0	2.8	3.4	5.9	2.8	3.5	3.2
Other place	5.1	6.8	5.6	6.6	4.0	7.2	5.8	5.9	5.9
I have not gambled	66.5	60.2	65.8	69.1	63.8	62.5	63.9	66.0	65.1
N of Valid	394	279	266	320	174	152	673	912	1585
N of Miss	0	0	0	0	0	0	0	0	0

Table 4.231: Have you ever felt bad about the amount you bet or about what happens when you bet money?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	85.7	74.5	74.5	81.9	75.9	73.0	80.9	77.2	78.7	
Seldom	11.4	14.1	14.8	11.4	15.8	19.9	12.6	14.6	13.8	
Sometimes	1.8	7.1	6.6	3.7	5.1	5.0	4.0	5.0	4.6	
Often	1.2	2.0	3.7	3.0	3.2	2.1	1.5	3.1	2.4	
A lot	0.0	2.4	0.4	0.0	0.0	0.0	1.0	0.1	0.5	
N of Valid	342	255	243	299	158	141	597	841	1438	
N of Miss	51	24	22	20	16	9	75	67	142	

Table 4.232: Have you ever felt that you would like to stop betting money but didn't think you could?






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	85.9	75.1	75.0	81.9	77.1	73.8	81.3	77.6	79.2	
Seldom	12.6	19.4	21.7	15.4	21.7	24.1	15.5	19.9	18.0	
Sometimes	1.2	3.6	2.1	1.3	0.6	2.1	2.2	1.6	1.8	
Often	0.0	1.2	1.2	1.3	0.6	0.0	0.5	1.0	0.8	
A lot	0.3	0.8	0.0	0.0	0.0	0.0	0.5	0.0	0.2	
N of Valid	341	253	240	298	157	141	594	836	1430	
N of Miss	51	26	25	21	17	9	77	72	149	

Table 4.233: Have you ever lied to anyone about betting or gambling?











RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	86.1	76.9	75.2	81.1	77.1	73.4	82.3	77.3	79.4	
Seldom	12.4	19.8	20.7	16.6	22.3	23.8	15.5	20.0	18.2	
Sometimes	1.5	0.8	2.5	1.7	0.0	2.1	1.2	1.7	1.5	
Often	0.0	1.6	0.8	0.7	0.6	0.7	0.7	0.7	0.7	
A lot	0.0	0.8	0.8	0.0	0.0	0.0	0.3	0.2	0.3	
N of Valid	339	247	242	296	157	143	586	838	1424	
N of Miss	53	29	24	24	17	8	82	73	155	

Table 4.234: Have you ever bet or gambled more than you wanted?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	85.8	75.9	75.3	81.7	77.1	72.7	81.6	77.4	79.2	
Seldom	11.8	17.7	18.5	12.9	19.7	23.8	14.3	17.7	16.3	
Sometimes	1.8	4.4	3.7	3.4	2.5	2.1	2.9	3.1	3.0	
Often	0.6	1.6	1.6	1.7	0.6	1.4	1.0	1.4	1.3	
A lot	0.0	0.4	0.8	0.3	0.0	0.0	0.2	0.4	0.3	
N of Valid	338	249	243	295	157	143	587	838	1425	
N of Miss	53	29	22	25	17	8	82	72	154	

4.17 While At School Have You

Table 4.235: While at school have you carried a handgun in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	98.5	96.1	95.1	98.0	96.8	96.5	97.5	96.7	97.0
One time	0.3	2.0	0.8	0.7	1.3	1.4	1.0	0.9	1.0
2-5 times	0.3	0.8	1.6	0.7	1.3	0.7	0.5	1.1	0.8
6 or more times	0.9	1.2	2.4	0.7	0.6	1.4	1.0	1.3	1.2
N of Valid	338	255	245	299	158	144	593	846	1439
N of Miss	56	24	21	21	16	8	80	66	146

Table 4.236: While at school have you carried a knife, club or other weapon in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	91.7	88.9	87.4	88.6	87.3	85.3	90.5	87.5	88.7
One time	4.7	4.3	4.5	5.0	5.7	4.2	4.6	4.9	4.7
2-5 times	1.2	2.4	3.7	3.0	1.9	5.6	1.7	3.4	2.7
6 or more times	2.4	4.3	4.5	3.4	5.1	4.9	3.2	4.3	3.8
N of Valid	338	253	246	298	158	143	591	845	1436
N of Miss	56	26	20	22	16	9	82	67	149

Table 4.237: While at school have you threatened a student with a handgun, knife or club in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Never	100.0	98.4	98.3	98.0	97.5	98.6	99.3	98.1	98.6
One time	0.0	1.2	1.2	0.7	1.9	0.0	0.5	1.0	0.8
2-5 times	0.0	0.4	0.4	1.0	0.6	0.7	0.2	0.7	0.5
6 or more times	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.2	0.1
N of Valid	335	251	242	299	157	143	586	841	1427
N of Miss	59	28	24	21	17	9	87	71	158

Table 4.238: While at school have you threatened to hurt a student by hitting, slapping or kicking in the past year?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	80.5	76.8	76.0	80.0	81.5	85.3	78.9	80.0	79.6	
One time	10.9	10.6	7.3	7.8	6.4	7.0	10.8	7.3	8.7	
2-5 times	5.0	5.9	11.8	6.4	8.3	4.9	5.4	8.1	7.0	
6 or more times	3.5	6.7	4.9	5.8	3.8	2.8	4.9	4.6	4.7	
N of Valid	339	254	246	295	157	143	593	841	1434	
N of Miss	55	25	20	25	17	9	80	71	151	

Table 4.239: While at school have you hurt a student by using a handgun, knife or club in the past year?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	100.0	99.2	98.8	99.3	98.7	99.3	99.7	99.1	99.3	
One time	0.0	0.8	1.2	0.3	0.0	0.0	0.3	0.5	0.4	
2-5 times	0.0	0.0	0.0	0.3	1.3	0.0	0.0	0.4	0.2	
6 or more times	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.1	
N of Valid	339	254	246	298	157	143	593	844	1437	
N of Miss	55	25	20	22	17	9	80	68	148	

Table 4.240: While at school have you hurt a student by hitting, slapping or kicking in the past year?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	82.0	78.9	78.0	85.7	91.1	90.9	80.7	85.4	83.4	
One time	10.5	12.7	11.0	6.8	3.2	4.9	11.5	7.0	8.8	
2-5 times	5.4	4.4	6.1	4.4	3.2	2.1	5.0	4.3	4.6	
6 or more times	2.1	4.0	4.9	3.1	2.5	2.1	2.9	3.3	3.2	
N of Valid	334	251	246	294	157	143	585	840	1425	
N of Miss	60	28	20	26	17	9	88	72	160	

Table 4.241: While at school have you been threatened with a handgun, knife or club by a student in the past year?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	92.3	91.0	90.7	91.6	94.9	97.2	91.7	92.9	92.4	
One time	3.9	5.5	6.1	5.7	3.8	1.4	4.6	4.7	4.7	
2-5 times	2.4	2.0	2.0	2.0	1.3	0.7	2.2	1.7	1.9	
6 or more times	1.5	1.6	1.2	0.7	0.0	0.7	1.5	0.7	1.0	
N of Valid	337	255	246	298	157	143	592	844	1436	
N of Miss	57	24	20	22	17	9	81	68	149	

Table 4.242: While at school have you had a student threaten to hit, slap or kick you in the past year?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	71.4	65.9	64.6	72.7	77.7	84.6	69.0	73.3	71.6	
One time	10.1	15.5	14.0	11.4	10.2	8.4	12.4	11.4	11.8	
2-5 times	11.3	10.7	12.3	10.4	10.2	5.6	11.1	10.1	10.5	
6 or more times	7.1	7.9	9.1	5.4	1.9	1.4	7.5	5.1	6.1	
N of Valid	336	252	243	297	157	143	588	840	1428	
N of Miss	58	27	23	23	17	9	85	72	157	

Table 4.243: While at school have you been afraid a student may hurt you in the past year?





RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	80.4	80.2	80.8	84.5	88.6	90.9	80.3	85.3	83.2	
One time	9.7	11.5	10.2	7.7	6.3	6.3	10.5	7.9	9.0	
2-5 times	5.1	4.0	4.9	4.4	3.8	2.1	4.6	4.0	4.3	
6 or more times	4.8	4.4	4.1	3.4	1.3	0.7	4.6	2.7	3.5	
N of Valid	331	252	245	297	158	143	583	843	1426	
N of Miss	63	27	21	23	16	9	90	69	159	

Table 4.244: While at school have you been hurt by a student using a handgun, knife or club in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	98.5	98.0	96.7	99.3	98.7	99.3	98.3	98.4	98.4	
One time	0.9	1.2	2.5	0.7	0.6	0.0	1.0	1.1	1.1	
2-5 times	0.3	0.8	0.4	0.0	0.6	0.7	0.5	0.4	0.4	
6 or more times	0.3	0.0	0.4	0.0	0.0	0.0	0.2	0.1	0.1	
N of Valid	336	254	240	296	158	143	590	837	1427	
N of Miss	58	25	26	24	16	9	83	75	158	

Table 4.245: While at school have you been hurt by a student who hit, slapped or kicked you in the past year?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	79.0	78.0	78.9	88.2	91.8	95.8	78.6	87.4	83.8	
One time	9.9	11.4	12.6	4.7	3.8	2.8	10.5	6.5	8.2	
2-5 times	6.3	7.8	4.1	3.7	3.8	0.7	7.0	3.3	4.8	
6 or more times	4.8	2.7	4.5	3.4	0.6	0.7	3.9	2.7	3.2	
N of Valid	334	255	246	297	158	142	589	843	1432	
N of Miss	60	24	20	23	16	10	84	69	153	

4.18 In My School, I Feel Safe...

Table 4.246: In my school, I feel safe in the classroom.






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	5.1	7.1	8.1	7.1	4.5	6.9	5.9	6.9	6.5	
Seldom	4.5	5.1	3.7	4.1	3.2	2.8	4.7	3.6	4.0	
Sometimes	11.6	9.0	9.3	10.8	14.0	6.2	10.5	10.2	10.3	
Often	15.8	22.0	28.9	27.0	21.0	30.6	18.5	27.0	23.5	
A Lot	63.0	56.9	50.0	51.0	57.3	53.5	60.3	52.3	55.6	
N of Valid	335	255	246	296	157	144	590	843	1433	
N of Miss	59	24	20	24	17	8	83	69	152	

Table 4.247: In my school, I feel safe in the cafeteria (lunchroom).






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	8.4	7.8	7.8	8.4	4.5	8.3	8.1	7.5	7.8	
Seldom	5.7	6.6	5.7	4.7	6.4	4.2	6.1	5.2	5.6	
Sometimes	13.2	12.1	12.2	14.5	14.0	9.7	12.7	12.9	12.8	
Often	15.6	25.4	28.2	24.0	20.4	27.8	19.8	25.2	23.0	
A Lot	57.2	48.0	46.1	48.3	54.8	50.0	53.2	49.2	50.8	
N of Valid	334	256	245	296	157	144	590	842	1432	
N of Miss	60	23	21	24	17	8	83	70	153	

Table 4.248: In my school, I feel safe in the halls.






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	9.9	8.7	9.0	8.4	4.5	7.6	9.4	7.7	8.4	
Seldom	6.3	7.1	7.3	7.4	7.1	2.8	6.7	6.5	6.6	
Sometimes	15.0	15.9	12.7	15.5	12.9	16.0	15.4	14.3	14.7	
Often	14.4	25.0	27.8	24.0	21.9	25.7	18.9	25.0	22.5	
A Lot	54.5	43.3	43.3	44.6	53.5	47.9	49.7	46.4	47.8	
N of Valid	334	252	245	296	155	144	586	840	1426	
N of Miss	60	27	21	24	19	8	87	72	159	

Table 4.249: In my school, I feel safe in the bathroom.






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	10.8	8.7	9.8	9.2	5.8	8.3	9.9	8.6	9.1	
Seldom	6.3	6.7	6.9	6.1	5.8	3.5	6.5	5.8	6.1	
Sometimes	10.8	15.8	13.5	12.5	14.7	11.8	13.0	13.1	13.1	
Often	17.5	24.5	26.5	23.7	21.2	28.5	20.5	24.9	23.1	
A Lot	54.5	44.3	43.3	48.5	52.6	47.9	50.1	47.6	48.6	
N of Valid	332	253	245	295	156	144	585	840	1425	
N of Miss	62	26	21	25	18	8	88	72	160	

Table 4.250: In my school, I feel safe in the gym.






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	6.9	7.1	8.2	8.8	4.5	7.6	7.0	7.6	7.4	
Seldom	3.3	5.9	4.9	3.7	4.5	2.8	4.4	4.1	4.2	
Sometimes	12.3	11.5	9.1	15.3	14.1	10.4	12.0	12.4	12.2	
Often	16.6	22.5	28.4	22.0	22.4	29.2	19.1	25.2	22.7	
A Lot	60.8	53.0	49.4	50.2	54.5	50.0	57.4	50.7	53.5	
N of Valid	332	253	243	295	156	144	585	838	1423	
N of Miss	62	26	23	25	18	8	88	74	162	

Table 4.251: In my school, I feel safe on the school bus.






RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	10.2	11.6	10.6	12.2	6.5	11.3	10.8	10.5	10.6	
Seldom	7.2	8.8	6.9	6.1	5.8	4.2	7.9	6.0	6.8	
Sometimes	15.1	12.8	14.2	12.8	13.0	12.7	14.1	13.2	13.6	
Often	16.6	22.8	24.0	23.0	24.0	26.1	19.2	24.0	22.0	
A Lot	50.9	44.0	44.3	45.9	50.6	45.8	47.9	46.3	47.0	
N of Valid	332	250	246	296	154	142	582	838	1420	
N of Miss	62	29	20	24	20	10	91	74	165	

Table 4.252: In my school, I feel safe at school events (ballgames, etc.).











RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	8.5	8.4	8.2	9.1	4.5	9.1	8.5	8.0	8.2	
Seldom	6.1	7.2	6.1	5.1	5.2	4.9	6.6	5.4	5.9	
Sometimes	14.5	12.4	13.1	14.5	14.8	12.6	13.6	13.8	13.8	
Often	17.6	24.1	25.0	24.9	22.6	26.6	20.4	24.8	23.0	
A Lot	53.3	47.8	47.5	46.5	52.9	46.9	50.9	48.0	49.2	
N of Valid	330	249	244	297	155	143	579	839	1418	
N of Miss	64	30	22	23	19	9	94	73	167	

Table 4.253: In my school, I feel safe in the parking lot.

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL	
Never	17.8	13.0	12.4	12.8	6.4	9.0	15.7	10.9	12.8	
Seldom	7.5	11.0	7.6	7.1	7.0	4.2	9.0	6.7	7.7	
Sometimes	16.3	15.4	18.5	15.5	16.6	16.7	15.9	16.8	16.4	
Often	16.6	22.4	23.3	24.9	23.6	24.3	19.1	24.1	22.1	
A Lot	41.9	38.2	38.2	39.7	46.5	45.8	40.3	41.6	41.0	
N of Valid	332	254	249	297	157	144	586	847	1433	
N of Miss	62	25	17	23	17	8	87	65	152	

4.19 Frequency of Use

Table 4.254: Frequency of use of cigarettes?




RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.8	0.0	2.3	2.3	4.1	7.4	0.5	3.5	2.2 
Weekly	1.4	1.1	5.4	4.8	7.1	14.1	1.3	7.0	4.6 
Annual	3.6	6.8	16.7	15.1	24.9	26.8	4.9	19.4	13.4 
N of Valid	363	266	257	311	169	149	629	886	1515
N of Miss	31	13	9	9	5	3	44	26	70

Table 4.255: Frequency of use of smokeless tobacco?




RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.8	3.5	4.5	7.1	8.1	0.3	5.3	3.2 
Weekly	0.6	1.9	5.0	7.0	11.8	10.8	1.1	8.0	5.1 
Annual	2.8	5.7	14.7	14.1	19.5	16.2	4.0	15.6	10.8 
N of Valid	363	265	259	313	169	148	628	889	1517
N of Miss	31	14	7	7	5	4	45	23	68

Table 4.256: Frequency of use of cigars?




RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.6	0.0	0.8	0.6	1.2	1.3	0.3	0.9	0.7 
Weekly	1.1	1.2	1.2	2.6	3.6	4.7	1.1	2.7	2.1 
Annual	1.1	3.8	9.0	10.4	19.6	21.5	2.3	13.6	9.0 
N of Valid	354	260	255	308	168	149	614	880	1494
N of Miss	40	19	11	12	6	3	59	32	91

Table 4.257: Frequency of use of electronic vapor products?




RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.3	1.5	2.3	3.2	4.1	4.1	0.8	3.3	2.2 
Weekly	1.1	3.0	6.2	7.3	8.3	10.1	1.9	7.6	5.3 
Annual	6.4	12.1	21.6	20.4	27.8	28.4	8.8	23.5	17.4 
N of Valid	361	265	259	313	169	148	626	889	1515
N of Miss	33	14	7	7	5	4	47	23	70

Table 4.258: Frequency of use of beer?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.4	0.0	1.0	0.6	0.7	0.2	0.6	0.4
Weekly	0.6	3.0	3.9	4.8	6.5	14.7	1.6	6.5	4.5
Annual	6.9	14.3	27.1	27.7	41.2	48.0	10.1	33.5	23.9
N of Valid	360	265	258	314	170	150	625	892	1517
N of Miss	34	14	8	6	4	2	48	20	68

Table 4.259: Frequency of use of coolers, hard lemonade, etc.?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.6	0.6	0.7	0.0	0.5	0.3
Weekly	0.3	2.3	2.4	4.8	5.9	10.1	1.1	5.2	3.5
Annual	7.2	10.9	20.4	28.5	41.4	43.9	8.8	31.2	21.9
N of Valid	359	265	255	312	169	148	624	884	1508
N of Miss	35	14	11	8	5	4	49	28	77

Table 4.260: Frequency of use of liquor?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.3	0.2
Weekly	0.8	1.1	1.9	4.8	6.5	8.7	1.0	4.9	3.3
Annual	6.6	10.6	24.2	26.0	35.5	46.3	8.3	30.7	21.5
N of Valid	361	264	260	311	169	149	625	889	1514
N of Miss	33	15	6	9	5	3	48	23	71

Table 4.261: Frequency of use of marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.6	0.4	1.5	1.3	1.8	4.7	0.5	2.0	1.4
Weekly	1.4	1.9	3.8	4.5	8.3	8.7	1.6	5.7	4.0
Annual	3.6	6.0	13.1	16.3	20.7	30.9	4.6	18.7	12.8
N of Valid	363	265	260	312	169	149	628	890	1518
N of Miss	31	14	6	8	5	3	45	22	67

Table 4.262: Frequency of use of synthetic marijuana?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.1
Weekly	0.0	0.4	1.5	1.0	1.2	1.4	0.2	1.2	0.8
Annual	0.6	1.9	3.5	2.9	5.4	6.8	1.1	4.2	2.9
N of Valid	356	263	259	309	167	148	619	883	1502
N of Miss	38	16	7	11	7	4	54	29	83

Table 4.263: Frequency of use of chemical products (bath salts)?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Weekly	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1
Annual	0.8	1.5	1.2	0.6	0.6	0.7	1.1	0.8	0.9
N of Valid	362	267	259	311	169	150	629	889	1518
N of Miss	32	12	7	9	5	2	44	23	67

Table 4.264: Frequency of use of pain medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.1
Weekly	0.3	0.4	0.4	0.0	0.6	1.3	0.3	0.4	0.4
Annual	2.8	3.8	3.1	3.2	5.9	4.7	3.2	3.9	3.6
N of Valid	360	265	259	311	169	150	625	889	1514
N of Miss	34	14	7	9	5	2	48	23	71

Table 4.265: Frequency of use of stimulant medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Weekly	0.3	0.0	0.0	0.3	0.0	0.0	0.2	0.1	0.1
Annual	1.1	1.1	1.5	2.3	1.8	3.3	1.1	2.1	1.7
N of Valid	364	264	259	310	168	150	628	887	1515
N of Miss	30	15	7	10	6	2	45	25	70

Table 4.266: Frequency of use of sleeping medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.3	0.4	0.4	0.6	0.0	0.0	0.3	0.3	0.3
Weekly	0.8	2.3	0.8	1.3	0.6	0.0	1.4	0.8	1.1
Annual	3.3	3.8	6.2	4.8	3.0	6.0	3.5	5.1	4.4
N of Valid	361	266	260	310	168	150	627	888	1515
N of Miss	33	13	6	10	6	2	46	24	70

Table 4.267: Frequency of use of sedative/anxiety medication not prescribed to you?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.8	0.4	0.0	0.0	0.0	0.3	0.1	0.2
Weekly	0.0	0.8	0.8	0.3	0.6	0.0	0.3	0.5	0.4
Annual	0.6	2.6	2.7	3.2	2.4	4.0	1.4	3.0	2.4
N of Valid	363	266	259	311	168	150	629	888	1517
N of Miss	31	13	7	9	6	2	44	24	68

Table 4.268: Frequency of use of over-the-counter drugs to get high?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Weekly	0.3	0.7	0.4	0.0	0.6	0.0	0.5	0.2	0.3
Annual	0.8	3.0	2.3	1.3	6.0	2.7	1.7	2.7	2.3
N of Valid	364	267	259	310	168	150	631	887	1518
N of Miss	30	12	7	10	6	2	42	25	67

Table 4.269: Frequency of use of heroin?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Weekly	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Annual	0.0	0.4	0.4	0.6	1.8	0.0	0.2	0.7	0.5
N of Valid	363	266	257	311	166	150	629	884	1513
N of Miss	31	13	9	9	8	2	44	28	72

Table 4.270: Frequency of use of cocaine?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Weekly	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.1
Annual	0.0	1.1	1.6	1.0	1.8	2.0	0.5	1.5	1.1
N of Valid	360	265	258	310	166	150	625	884	1509
N of Miss	34	14	8	10	8	2	48	28	76

Table 4.271: Frequency of use of inhalants?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.1
Weekly	0.0	0.4	0.4	0.3	0.0	0.0	0.2	0.2	0.2
Annual	0.6	1.5	2.7	1.3	1.2	1.3	1.0	1.7	1.4
N of Valid	362	264	258	308	167	150	626	883	1509
N of Miss	32	15	8	12	7	2	47	29	76

Table 4.272: Frequency of use of hallucinogens?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Weekly	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.1
Annual	0.3	0.4	0.8	1.3	3.0	4.0	0.3	1.9	1.3
N of Valid	363	260	259	307	167	149	623	882	1505
N of Miss	31	19	7	13	7	3	50	30	80

Table 4.273: Frequency of use of steroids?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.6	0.0	0.0	0.3	0.0	0.0	0.3	0.1	0.2
Weekly	0.6	0.4	0.0	0.3	1.2	0.0	0.5	0.3	0.4
Annual	0.8	1.9	0.0	1.6	1.8	1.3	1.3	1.1	1.2
N of Valid	362	266	256	310	167	150	628	883	1511
N of Miss	32	13	10	10	7	2	45	29	74

Table 4.274: Frequency of use of ecstasy?


RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Weekly	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Annual	0.0	0.4	0.4	1.3	3.0	1.3	0.2	1.4	0.9 
N of Valid	363	266	257	309	167	149	629	882	1511
N of Miss	31	13	9	11	7	3	44	30	74

Table 4.275: Frequency of use of meth?




RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.1 
Weekly	0.0	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.1 
Annual	0.3	1.1	1.2	0.3	0.0	0.7	0.6	0.6	0.6 
N of Valid	361	265	256	310	166	150	626	882	1508
N of Miss	33	14	10	10	8	2	47	30	77

Table 4.276: Frequency of use of any tobacco?




RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.8	0.7	5.8	5.7	9.5	14.7	0.8	8.0	5.0 
Weekly	1.4	2.6	9.2	9.9	14.8	20.7	1.9	12.4	8.1 
Annual	4.7	9.0	21.2	21.3	33.1	37.3	6.5	26.2	18.0 
N of Valid	364	267	260	314	169	150	631	893	1524
N of Miss	30	12	6	6	5	2	42	19	61

Table 4.277: Frequency of use of any alcohol?




RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	0.0	0.4	0.0	1.0	0.6	0.7	0.2	0.6	0.4 
Weekly	0.8	3.0	5.0	6.1	7.1	16.0	1.7	7.6	5.2 
Annual	11.0	18.7	31.5	37.6	52.9	60.0	14.3	42.5	30.8 
N of Valid	364	267	260	314	170	150	631	894	1525
N of Miss	30	12	6	6	4	2	42	18	60

Table 4.278: Frequency of use of any illicit drug?

RESPONSE	7th	8th	9th	10th	11th	12th	7-8th	9-12th	TOTAL
Daily	1.4	1.9	2.7	1.9	1.8	4.7	1.6	2.6	2.2
Weekly	2.5	3.7	5.4	6.1	9.5	9.3	3.0	7.1	5.4
Annual	10.2	12.7	18.8	19.5	23.7	35.3	11.3	22.8	18.0
N of Valid	364	267	260	313	169	150	631	892	1523
N of Miss	30	12	6	7	5	2	42	20	62

Chapter 5

Drug-Free Communities Support Program Core Measures

The Drug-Free Communities Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which is typically referred to as the Core Measures. The requirements for these data has recently been modified. The tables in this section reflect the latest changes and requirements. The drug categories measured are tobacco, alcohol, marijuana, and prescription drugs.

The first four tables are broken down by grade level and the following tables are broken down by gender.

30-Day Use The question *During the past 30 days...* is used to measure this statistic by reporting the percentage of students who report using in the past 30 days.

Perception of Risk The question *How much do you think people risk harming themselves physically or in other ways if they...* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Moderate Risk* or *Great Risk* to their health.

Perception of Parental Disapproval The questions *How wrong do your parents feel it would be for you to ...?* are used to measure this statistic by reporting the percentage of students who report that parents would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana, and prescription drugs.

Perception of Friends Disapproval The questions *How wrong do your friends feel it would be for you to ...?* are used to measure this statistic by reporting the percentage of students who report that friends would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana, and prescription drugs.

Table 5.1: Core Measure for 30 Day Use by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	3.4	355	5.0	358	2.3	353	0.6	355
Grade 8	5.2	267	9.4	266	4.6	261	2.3	266
Grade 9	13.6	250	15.1	252	8.4	249	2.4	249
Grade 10	12.6	309	17.4	310	8.8	307	2.3	308
Grade 11	17.0	165	24.7	166	13.9	165	1.8	165
Grade 12	22.1	149	36.9	149	14.9	148	4.0	149
Combined	10.7	1,495	15.4	1,501	7.6	1,483	2.0	1,492

Table 5.2: Core Measure for 30 Day Use by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	11.9	734	16.6	735	9.1	725	1.8	733
Female	9.5	747	14.1	752	6.0	745	2.1	746
Combined	10.7	1,481	15.3	1,487	7.6	1,470	2.0	1,479

Table 5.3: Core Measure of Perception of Risk by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	85.8	352	71.7	350	77.9	349	82.6	350
Grade 8	79.4	262	67.0	261	70.7	259	81.0	263
Grade 9	84.3	255	71.0	252	62.4	250	85.8	253
Grade 10	84.0	307	70.1	308	60.3	307	86.3	307
Grade 11	81.1	159	71.9	160	56.4	156	86.3	160
Grade 12	83.8	148	68.3	145	47.3	148	89.2	148
Combined	83.3	1,483	70.1	1,476	64.9	1,469	84.7	1,481

Table 5.4: Core Measure of Perception of Risk by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	81.1	729	66.6	725	61.4	720	84.1	728
Female	85.8	742	73.4	738	68.5	737	85.4	741
Combined	83.5	1,471	70.1	1,463	65.0	1,457	84.8	1,469

Table 5.5: Core Measure of Parental Disapproval by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	94.2	346	91.3	346	94.5	347	94.8	345
Grade 8	93.8	259	89.2	260	93.8	259	96.2	260
Grade 9	89.5	248	87.1	248	89.9	248	93.5	248
Grade 10	91.5	305	83.9	305	88.2	305	94.4	303
Grade 11	90.7	162	82.1	162	88.3	163	97.0	164
Grade 12	84.2	146	69.2	146	81.5	146	95.9	146
Combined	91.4	1,466	85.5	1,467	90.3	1,468	95.1	1,466

Table 5.6: Core Measure of Parental Disapproval by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	89.6	718	83.6	720	89.2	720	93.9	719
Female	93.1	735	87.1	735	91.4	735	96.2	734
Combined	91.3	1,453	85.4	1,455	90.3	1,455	95.0	1,453

Table 5.7: Core Measure of Friends Disapproval by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	88.8	348	81.1	350	89.1	350	90.6	350
Grade 8	80.9	262	69.5	262	85.1	261	89.7	262
Grade 9	63.4	254	56.5	255	64.6	254	80.9	251
Grade 10	67.6	306	54.2	306	65.2	305	87.8	304
Grade 11	57.8	161	42.2	161	54.4	160	87.0	161
Grade 12	45.0	149	30.9	149	42.6	148	84.6	149
Combined	70.9	1,480	60.0	1,483	70.8	1,478	87.2	1,477

Table 5.8: Core Measure of Friends Disapproval by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	64.7	728	54.7	729	66.7	727	84.7	726
Female	77.0	740	65.5	741	75.2	738	89.7	738
Combined	70.9	1,468	60.1	1,470	71.0	1,465	87.2	1,464

Table 5.9: Core Measure of Age of Onset by Grade

Grade	Alcohol			Cigarettes			Marijuana			Presc Drugs		
	pct	n	age	pct	n	age	pct	n	age	pct	n	age
Grade 7	18.0	345	11.2	8.9	347	11.0	3.7	347	11.8	2.9	346	11.0
Grade 8	26.2	260	11.6	16.2	260	11.2	6.5	260	12.2	5.0	258	11.9
Grade 9	37.2	247	12.1	28.9	249	11.8	17.8	247	12.5	4.9	247	12.7
Grade 10	40.9	301	13.2	24.1	303	12.8	18.3	301	13.6	3.0	299	12.4
Grade 11	56.5	161	14.0	37.9	161	13.3	22.4	161	14.3	4.9	162	14.5
Grade 12	60.5	147	14.7	38.1	147	14.2	39.5	147	14.4	4.8	147	14.3
Combined	35.9	1,461	13.0	22.8	1,467	12.5	15.2	1,463	13.5	4.0	1,459	12.6

Table 5.10: Core Measure of Age of Onset by Sex

Sex	Alcohol			Cigarettes			Marijuana			Presc Drugs		
	pct	n	age	pct	n	age	pct	n	age	pct	n	age
Male	38.4	714	12.8	27.9	717	12.4	16.6	715	13.1	3.8	711	12.9
Female	32.9	733	13.1	17.8	736	12.8	13.5	734	14.0	4.2	735	12.4
Combined	35.6	1,447	13.0	22.8	1,453	12.6	15.0	1,449	13.5	4.0	1,446	12.7

Table 5.11: Students Perception of Availability by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 7	26.5	355	24.2	356	10.8	352	14.3	356
Grade 8	34.5	261	33.7	261	16.9	261	20.2	262
Grade 9	38.4	255	33.9	254	23.5	255	20.5	254
Grade 10	35.2	310	37.5	309	31.2	308	18.4	309
Grade 11	53.1	160	48.8	160	43.8	160	25.2	159
Grade 12	74.7	150	58.7	150	59.3	150	33.6	149
Combined	39.4	1,491	36.4	1,490	26.7	1,486	20.3	1,489

Table 5.12: Students Perception of Availability by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	39.3	736	35.6	734	26.9	732	18.7	733
Female	39.9	742	37.0	743	26.3	741	21.9	743
Combined	39.6	1,478	36.3	1,477	26.6	1,473	20.3	1,476